Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

Liberty Gold - Black Pine 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP001 (200, -70)	No Significant Values					182.9	North B Ex Pit	Deep test to E of B Ex pit	
LBP002 (45, -50)	**6.1**	**45.7**	**39.6**	**0.58**	**0.2**	211.8	**A Basin**	Twinned historic hole and extended mineralization in lower 77.7 metre intercept	**155.2**
including	**19.8**	**24.4**	**4.6**	**1.54**	**1**				
and	**88.4**	**103.6**	**15.2**	**1.08**	**0.2**				
including	**89.9**	**97.5**	**7.6**	**1.55**	**1**				
and	**111.3**	**189.0**	**77.7**	**1.49**	**0.2**				
including	**118.9**	**134.1**	**15.2**	**3.23**	**1**				
including	**146.3**	**149.4**	**3.0**	**1.61**					
including	**181.4**	**187.5**	**6.1**	**5.64**					
LBP003 (217, -70)	51.8	56.4	4.6	0.29	0.2	199.6	**A Basin**	Drilling within upper zone of A Basin mineralization	**24.7**
and	**57.9**	**85.3**	**27.4**	**0.51**	**0.2**				
including	**74.7**	**76.2**	**1.5**	**1.21**	**1**				
and	**96.0**	**111.3**	**15.2**	**0.61**	**0.2**				
including	**103.6**	**106.7**	**3.0**	**1.53**	**1**				
LBP004 (130, -45)	0.0	7.6	7.6	0.38	**0.2**	190.5	**J Anomaly**	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	**43.6**
and	**10.7**	**35.1**	**24.4**	**0.95**					
including	**29.0**	**30.5**	**1.5**	**6.18**	**1**				
and	**51.8**	**61.0**	**9.1**	**1.03**	**0.2**				
including	**51.8**	**57.9**	**6.1**	**1.28**	**1**				
and	**111.3**	**126.5**	**15.2**	**0.54**	**0.2**				
LBP005 (255, -45)	**4.6**	**13.7**	**9.1**	**0.72**	0.2	184.4	**J Anomaly**	Step out drillhole along mineralized structure	**13.6**
including	**6.1**	**7.6**	**1.5**	**2.65**	1				
and	15.2	18.3	3.0	0.47	0.2				
and	**44.2**	**53.3**	**9.1**	**0.42**					
and	79.2	83.8	4.6	0.38					
LP006 (260, -45)	**24.4**	**32.0**	**7.6**	**1.80**	**0.2**	163.1	**J Anomaly**	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	**26.2**
including	**24.4**	**29.0**	**4.6**	**2.77**	**1**				
and	**44.2**	**62.5**	**18.3**	**0.60**	**0.2**				
including	47.2	48.8	1.5	1.14	1				
and	71.6	77.7	6.1	0.25	0.2				
LBP007 (0, -80)	76.2	79.2	3.0	0.79	0.2	172.2	North B Ex Pit	Deep test to NE of B Ex pit	2.4
LBP008	73.2	79.2	6.1	0.21	0.2	160.0	North B Ex Pit	Deep test to NE of B Ex pit	4.0
and	114.3	121.9	7.6	0.36	0.2				
LBP009	**15.2**	**48.8**	**33.5**	**0.52**	**0.2**	178.3	**North B Ex Pit**	Validating and stepping out on gold intercepts E of B Pit	**40.6**
including	25.9	29.0	3.0	1.41	1				
including	45.7	47.2	1.5	1.12	1				
and	67.1	76.2	9.1	0.45	0.2				
and	**96.0**	**120.4**	**24.4**	**0.69**	**0.2**				
including	**96.0**	**97.5**	**1.5**	**2.95**	**1**				
including	**100.6**	**103.6**	**3.0**	**1.10**	**1**				
and	135.6	143.3	7.6	0.35	0.2				
LBP010	88.4	93.0	4.6	0.31	0.2	150.8	North B Ex Pit	Deep extension of gold mineralization E of Tallman NE pit	1.4
LBP011	**0.0**	**10.7**	**10.7**	**2.37**	**0.2**	152.4	**South B Ex Pit**	Open to south and southwest with no drilling or soil geochemistry for >200m	**35.1**
including	**0.0**	**9.1**	**9.1**	**2.72**	**1**				
and	**106.7**	**121.9**	**15.2**	**0.65**	**0.2**				
including	**117.3**	**121.9**	**4.6**	**1.38**	**1**				
LBP012	No Significant Values					13.2	Hazel Pine	Hole lost in early 20th century historic mine workings (Ag-Au-Pb-Zn Vein deposits)	
LBP013	62.5	65.5	3.0	0.81	0.2	117.3	Hazel Pine	Elevated Ag and Zn values	2.5
including	62.5	64.0	1.5	1.40	1				

Liberty Gold - Black Pine 2019 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP014	7.6	15.2	7.6	0.49	0.2	196.6	**B Pit**	LBP014 was drilled to bisect and deepen historic holes 88-357 (61m of 1.4 g/t Au) and 87-169 (43m of 2.1 g/t Au) (4th and 3rd best remaining intercepts, respectively, drilled w/ hard TDs of 400ft ending in grade). After drilling it was determined that the down-dip 88-357 was down-dropped by a normal fault, and incredibly had a hard stop of 500 ft, right at the extent of mineralization	**64.5**
and	39.6	50.3	10.7	0.27	0.2				
and	**51.8**	**89.9**	**38.1**	**1.18**	**0.2**				
including	**62.5**	**88.4**	**25.9**	**1.61**	**1**				
and	128.0	150.9	22.9	0.39	0.2				
including	128.0	129.5	1.5	1.02	1				
and	152.4	158.5	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.82	0.2				
including	185.9	187.5	1.5	1.36	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP015	10.7	15.2	4.6	0.36	0.2	196.6	**B Pit**	LBP015 was drilled to validate through the main body of mineralization and extend a drillhole that ended in 2.1 g/t Au in a modelled lower sequence of gold mineralization. The hole returned a good test through the main body but did not appreciably extend gold mineralization around the historic hole, which was drilled with a hard stop of 400 feet, and again stopped in the only high grade gold at the	**81.9**
and	**67.1**	**115.8**	**48.8**	**1.50**	**0.2**				
including	**77.7**	**80.8**	**3.0**	**1.31**	**1**				
including	**91.4**	**94.5**	**3.0**	**6.19**	**1**				
and including	**91.4**	**93.0**	**1.5**	**10.4**	**5**				
including	**100.6**	**106.7**	**6.1**	**5.35**	**1**				
and including	**102.1**	**105.2**	**3.0**	**8.03**	**5**				
and	123.4	132.6	9.1	0.32	0.2				
and	138.7	144.8	6.1	0.68	0.2				
including	140.2	141.7	1.5	1.86	1				
LBP016	12.2	16.8	4.6	0.26	0.2	175.3	**B Pit**	LBP016 was drilled to step out laterally from B Pit mineralization, towards A Basin mineralization and accomplished this task very well, extending high grade oxide by 30 metres towards A Basin	**69.3**
and	51.8	56.4	4.6	0.29	0.2				
and	**89.9**	**135.6**	**45.7**	**1.46**	**0.2**				
including	**93.0**	**121.9**	**29.0**	**2.00**	**1**				
and including	102.1	103.6	1.5	7.09	5				
LBP017	9.1	18.3	9.1	0.34	0.2	166.1	**B Pit**	LBP017 was drilled down-dip of the B pit ore body where mineralization appeared open in hole 88-357 (61 m of 1.4 g/t Au). The downdip test returned a similar width of lower grade material	**25.1**
and	25.9	33.5	7.6	0.35	0.2				
and	**74.7**	**117.3**	**42.7**	**0.45**	**0.2**				
including	89.9	91.4	1.5	1.11	1				
including	109.7	111.3	1.5	1.82	1				
LBP018 (125, -83)	Not Assayed					16.8		Hole Lost	
LBP019 (319, -74)	18.3	29.0	10.7	0.30	0.2	211.4	**B Pit- A Basin (Discovery 1 Zone)**	Step out along B Pit to A-Basin Section	**23.6**
and	88.4	91.4	3.0	0.38	0.2				
and	**129.5**	**172.2**	**42.7**	**0.41**	**0.2**				
including	**149.4**	**152.4**	**3.0**	**1.24**	**1**				
and	189.0	192.0	3.0	0.55	0.2				
LBP020 (036, -79)	38.1	50.3	12.2	0.40	0.2	257.6	**Discovery 1 Zone**	150 metre step-out from intercept in hole LBP002, along B Pit to A Basin Section (Discovery 1)	**57.3**
including	39.6	41.1	1.5	1.31	1				
and	74.7	80.8	6.1	0.21	0.2				
and	88.4	103.6	15.2	0.41	0.2				
including	102.1	103.6	1.5	1.18	1				
and	**164.6**	**199.6**	**35.1**	**0.75**	**0.2**				
including	**170.7**	**176.8**	**6.1**	**1.27**	**1**				
including	182.9	184.4	1.5	1.09	1				
including	**190.5**	**193.5**	**3.0**	**1.21**	1				
including	196.6	198.1	1.5	1.19	1				
and	**217.9**	**234.7**	**16.8**	**1.12**	**0.2**				
including	**227.1**	**233.2**	**6.1**	**2.62**	**1**				
LBP021 (144, -75)	38.1	53.3	15.2	0.36	0.2	266.7	**Discovery 1 Zone**	250 metre step-out from intercept in hole LBP002, and 300 metre step-out from intercept in hole LBP016, along B Pit to A Basin Section	**91.1**
and	83.8	89.9	6.1	0.22	0.2				
and	**189.0**	**236.2**	**47.2**	**1.78**	**0.2**				
including	**199.6**	**222.5**	**22.9**	**3.24**	**1**				
and including	**202.7**	**205.7**	**3.0**	**9.99**	**5**				
and including	**216.4**	**217.9**	**1.5**	**5.73**	**5**				
including	231.6	233.2	1.5	1.39	1				
LBP022 (017, -73)	**29.0**	**41.1**	**12.2**	**0.41**	**0.2**	294.1	**Discovery 1 Zone**	60 metre offset from LBP021	**36.5**
and	**71.6**	**82.3**	**10.7**	**0.68**	**0.2**				
including	**76.2**	**77.7**	**1.5**	**3.05**	**1**				
and	96.0	100.6	4.6	0.24	0.2				
and	121.9	126.5	4.6	0.31	0.2				
and	195.1	199.6	4.6	0.24	0.2				
and	**211.8**	**221.0**	**9.1**	**0.76**	**0.2**				
including	**211.8**	**214.9**	**3.0**	**1.05**	**1**				
including	219.5	221.0	1.5	1.09	1				
and	242.3	248.4	6.1	0.28	0.2				
and	**260.6**	**265.2**	**4.6**	**1.04**	**0.2**				
including	**260.6**	**262.1**	**1.5**	**1.82**	**1**				
and	**278.9**	**289.6**	**10.7**	**0.68**	**0.2**				
including	**285.0**	**288.0**	**3.0**	**1.58**	**1**				
LBP023 (062, -51)	25.9	32.0	6.1	0.32	0.2	278.9	**B-A Basin-A pit (Discovery 2)**	240 metre offset from LBP021 beneath A Pit Top of intercept is 65 metres below the floor of the historic A Pit.	**103.1**
and	42.7	50.3	7.6	0.43	0.2				
and	56.4	59.4	3.0	0.69	0.2				
and	102.1	109.7	7.6	0.52	0.2				
and	114.3	120.4	6.1	0.23	0.2				
and	123.4	128.0	4.6	0.27	0.2				
and	**204.2**	**253.0**	**48.8**	**1.78**	**0.2**				
including	214.9	216.4	1.5	1.29	1				
including	**224.0**	**239.3**	**15.2**	**4.72**	**1**				
and including	**225.6**	**231.6**	**6.1**	**7.95**	**5**				
and	272.8	278.9	6.1	0.39	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP024 (248, -64)	56.4	62.5	6.1	0.33	0.2	233.2	**Discovery 1 Zone**		**24.9**
and	71.6	76.2	4.6	0.26	0.2				
and	80.8	86.9	6.1	0.24	0.2				
and	134.1	141.7	7.6	0.34	0.2				
and	164.6	169.2	4.6	0.26	0.2				
and	**181.4**	**210.3**	**29.0**	**0.57**	**0.2**				
including	198.1	199.6	1.5	1.20	1				
including	201.2	202.7	1.5	2.25	1				
LBP025 (118, -83)	86.9	89.9	3.0	0.33	0.2	224.0	**Discovery 1 Zone**		**49.3**
and	100.6	105.2	4.6	0.56	0.2				
and	**140.2**	**172.2**	**32.0**	**1.36**	**0.2**				
including	146.3	147.8	1.5	2.08	1				
including	**153.9**	**170.7**	**16.8**	**1.95**	**1**				
and	193.5	201.2	7.6	0.28	0.2				
LBP026 (343, -51)	128.0	134.1	6.1	0.20	0.2	242.3	**Discovery 1 Zone**		**25.0**
and	135.6	140.2	3.0	1.10	0.2				
including	137.2	138.7	1.5	1.93	1				
and	**166.1**	**198.1**	**32.0**	**0.59**	**0.2**				
including	**190.5**	**195.1**	**4.6**	**2.47**	**1**				
and	211.8	216.4	4.6	0.32	0.2				
LBP027 (038, -66)	32.0	38.1	6.1	0.50	0.2	269.7	**A Basin**		**101.2**
and	**117.3**	**128.0**	**10.7**	**2.18**	**0.2**				
including	**118.9**	**126.5**	**7.6**	**2.90**	**1**				
and	**143.3**	**169.2**	**25.9**	**2.89**	**0.2**				
including	**143.3**	**158.5**	**15.2**	**4.52**	**1**				
and including	**144.8**	**150.9**	**6.1**	**6.63**	**5**				
and including	**152.4**	**155.4**	**3.0**	**5.01**	**5**				
LBP028 (138, -65)	**44.2**	**65.5**	**21.3**	**0.44**	**0.2**	300.2	**Discovery 1 Zone**		**63.1**
and	91.4	102.1	10.7	0.24	0.2				
and	**137.2**	**149.4**	**12.2**	**0.93**	**0.2**				
including	**137.2**	**144.8**	**7.6**	**1.25**	**1**				
and	192.0	198.1	6.1	0.23	0.2				
and	211.8	217.9	6.1	0.29	0.2				
and	**224.0**	**234.7**	**10.7**	**0.67**	**0.2**				
including	228.6	231.6	3.0	1.35	1				
and	**243.8**	**269.7**	**25.9**	**1.14**	**0.2**				
including	**253.0**	**257.6**	**4.6**	**4.17**	**1**				
and including	254.5	256.0	1.5	5.60	5				
LBP029 (105, -51)	**132.6**	**158.5**	**25.9**	**0.33**	**0.2**	251.5	**Discovery 1 Zone**	2nd best unmined intercept on property, 150 metres away from best unmined intercept (LBP002).	**113.7**
and	**166.1**	**207.3**	**41.1**	**2.56**	**0.2**				
including	**170.7**	**190.5**	**19.8**	**4.47**	**1**				
and including	**172.2**	**176.8**	**4.6**	**8.76**	**5**				
including	195.1	196.6	1.5	1.28	1				
including	199.6	202.7	3.0	2.53	1				
LBP030 (067, -65)	39.6	44.2	4.6	0.71	0.2	248.4	**Discovery 1 Zone**		**14.4**
including	42.7	44.2	1.5	1.04	1				
and	109.7	114.3	4.6	0.27	0.2				
and	121.9	125.0	3.0	0.33	0.2				
and	153.9	166.1	12.2	0.27	0.2				
and	172.2	178.3	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.39	0.2				
and	213.4	217.9	4.6	0.22	0.2				
and	240.8	243.8	3.0	0.58	0.2				
LBP031 (062, -48)	76.2	83.8	7.6	0.28	0.2	294.1	**Discovery 1 Zone**		**31.7**
and	96.0	108.2	12.2	0.26	0.2				
and	109.7	115.8	6.1	0.21	0.2				
and	**120.4**	**131.1**	**10.7**	**0.65**	**0.2**				
and including	128.0	129.5	1.5	1.85	1				
and	**141.7**	**167.6**	**25.9**	**0.33**	**0.2**				
and	178.3	181.4	3.0	0.33	0.2				
and	211.8	216.4	4.6	0.56	0.2				
and	**233.2**	**245.4**	**12.2**	**0.38**	**0.2**				
and	251.5	256.0	4.6	0.33	0.2				
LBP032 (065, -80)	24.4	42.7	18.3	0.33	0.2	288.0	**Discovery 1 Zone**		**31.7**
and	**62.5**	**76.2**	**13.7**	**0.75**	**0.2**				
including	70.1	71.6	1.5	1.05	1				
and	**221.0**	**243.8**	**22.9**	**0.63**	**0.2**				
including	**224.0**	**227.1**	**3.0**	**1.86**	**1**				
and	265.2	269.7	4.6	0.22	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP033 (067, -52)	41.1	53.3	12.2	0.34	0.2	291.1	**Discovery 1 Zone**		**26.1**
and	100.6	109.7	9.1	0.27	0.2				
and	164.6	170.7	6.1	0.35	0.2				
and	189.0	196.6	7.6	0.23	0.2				
and	**204.2**	**221.0**	**16.8**	**0.66**	**0.2**				
including	208.8	210.3	1.5	1.02	1				
including	217.9	221.0	3.0	1.26	1				
and	246.9	263.7	16.8	0.28	0.2				
LBP034 (68, -46)	**45.7**	**71.6**	**25.9**	**0.35**	0.2	374.9	**Discovery 1 Zone**		**67.9**
and	102.1	106.7	4.6	0.37	0.2				
and	129.5	137.2	7.6	0.38	0.2				
and	**144.8**	**169.2**	**24.4**	**0.39**	0.2				
and	**245.4**	**266.7**	**21.3**	**1.11**	0.2				
including	**245.4**	**251.5**	**6.1**	**3.19**	1				
and	**294.1**	**301.8**	**7.6**	**1.80**	0.2				
including	**295.7**	**300.2**	**4.6**	**2.56**	1				
and	307.8	313.9	6.1	0.62	0.2				
and	327.7	335.3	7.6	0.46	0.2				
LBP035 (100, -60)	45.7	65.5	19.8	0.30	0.2	288.0	**Discovery 1 Zone**		**44.8**
and	96.0	100.6	4.6	0.40	0.2				
and	128.0	131.1	3.0	0.46	0.2				
and	150.9	158.5	7.6	0.37	0.2				
and	**164.6**	**179.8**	**15.2**	**0.69**	0.2				
including	**175.3**	**178.3**	**3.0**	**1.94**	1				
and	**213.4**	**227.1**	**13.7**	**1.18**	0.2				
including	**221.0**	**225.6**	**4.6**	**2.68**	1				
and	239.3	246.9	7.6	0.31	0.2				
and	266.7	269.7	3.0	0.37	0.2				
and	278.9	281.9	3.0	0.89	0.2				
LBP036 (64, -57)	7.6	12.2	4.6	0.24	0.2	259.1	**Discovery 1 Zone**		**19.5**
and	33.5	47.2	13.7	0.57					
and	56.4	61.0	4.6	0.29					
and	111.3	115.8	4.6	0.25					
and	126.5	131.1	4.6	0.23					
and	143.3	147.8	4.6	0.42					
and	160.0	164.6	4.6	0.25					
and	190.5	193.5	3.0	0.35					
and	204.2	207.3	3.0	0.25					
and	242.3	251.5	9.1	0.24					
LBP037 (203, -65)	41.1	53.3	12.2	0.26	0.2	257.6	Discovery 1 Zone		9.6
and	73.2	85.3	12.2	0.28					
and	182.9	184.4	1.5	0.54					
and	198.1	204.2	6.1	0.35					
LBP038 (0, -90)	22.9	32.0	9.1	0.31	0.2	324.6	**Discovery 1 Zone**		**49.5**
and	83.8	88.4	4.6	0.39					
and	**210.3**	**248.4**	**38.1**	**0.57**					
and	259.1	281.9	22.9	0.26					
and	**294.1**	**313.9**	**19.8**	**0.87**					
LBP039 (255, -71)	42.7	50.3	7.6	0.34	0.2	227.1	**Discovery 1 Zone**		**13.1**
and	59.4	64.0	4.6	0.28					
and	111.3	114.3	3.0	1.13					
and	141.7	144.8	3.0	0.56					
and	146.3	150.9	4.6	0.20					
and	155.4	158.5	3.0	0.43					
and	187.5	192.0	4.6	0.40					
LBP040 (142, -72)	22.9	29.0	6.1	0.32	0.2	274.3	**Discovery 1 Zone**		**12.9**
and	50.3	53.3	3.0	0.40					
and	54.9	61.0	6.1	0.22					
and	105.2	106.7	1.5	0.39					
and	147.8	149.4	1.5	0.34					
and	222.5	233.2	10.7	0.55					
and	239.3	242.3	3.0	0.24					
and	257.6	260.6	3.0	0.23					
LBP041 (043, -80)	0.0	1.5	1.5	0.35	0.2	211.8	**Discovery 1 Zone**		**18.1**
and	56.4	57.9	1.5	0.55					
and	59.4	64.0	4.6	0.20					
and	67.1	106.7	39.6	0.36					
and	140.2	143.3	3.0	0.23					
and	147.8	150.9	3.0	0.22					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP042 (094, -58)	32.0	51.8	19.8	0.39	0.2	300.2	**Discovery 1 Zone**		**53.3**
and	56.4	59.4	3.0	0.24					
and	71.6	74.7	3.0	0.42					
and	102.1	109.7	7.6	0.62					
and	121.9	125.0	3.0	0.21					
and	126.5	129.5	3.0	0.37					
and	227.1	233.2	6.1	0.36					
and	**240.8**	**263.7**	**22.9**	**1.53**					
including	**242.3**	**259.1**	**16.8**	**1.88**	1				
LBP043 (102, -66)	10.7	21.3	10.7	0.45	0.2	266.7	**Discovery 2 Zone**	*Interval grades revised due to laboratory error on one sample and reissue of certificate	**317.7**
and	27.4	36.6	9.1	0.39					
and	83.8	89.9	6.1	0.54					
and	**140.2**	**150.9**	**10.7**	**1.52**					
including	**143.3**	**149.4**	**6.1**	**2.25**	1				
and	**158.5**	**167.6**	**9.1**	**4.92***	0.2				
including	**160.0**	**166.1**	**6.1**	**7.22***	1				
and including	**161.5**	**166.1**	**4.6**	**9.03***	5				
and	**208.8**	**262.1**	**53.3**	**4.39**	0.2				
including	**214.9**	**253.0**	**38.1**	**5.76**	1				
and including	**221.0**	**233.2**	**12.2**	**12.05**	5				
and including	**240.8**	**245.4**	**4.6**	**7.21**					
including	**254.5**	**257.6**	**3.0**	**2.69**	1				
LBP044 (107, -72)	32.0	38.1	6.1	0.29	0.2	269.7	**Discovery 2 Zone**	Hole Lost in Mineralization	**87.2**
and	45.7	54.9	9.1	0.32					
and	56.4	62.5	6.1	0.20					
and	76.2	80.8	4.6	0.31					
and	112.8	117.3	4.6	0.45					
and	**192.0**	**211.8**	**19.8**	**1.43**					
including	**201.2**	**208.8**	**7.6**	**3.33**	1				
and including	**204.2**	**205.7**	**1.5**	**5.14**	5				
and	234.7	237.7	3.0	0.31	0.2				
and	**253.0**	**269.7**	**16.8**	**2.90**					
including	**254.5**	**265.2**	**10.7**	**3.94**	1				
and including	**259.1**	**262.1**	**3.0**	**6.88**	5				
LBP045 (022, -66)	0.0	25.9	25.9	0.43	0.2	230.1	**Discovery 2 Zone**		**55.8**
and	**32.0**	**54.9**	**22.9**	**0.58**					
including	**36.6**	**42.7**	**6.1**	**1.36**	1				
and	56.4	64.0	7.6	0.74	0.2				
including	59.4	61.0	1.5	1.27	1				
and	89.9	102.1	12.2	0.33	0.2				
and	137.2	147.8	10.7	0.30					
and	167.6	173.7	6.1	0.62					
and	**179.8**	**192.0**	**12.2**	**1.22**					
including	**184.4**	**187.5**	**3.0**	**3.97**	1				
and including	**185.9**	**187.5**	**1.5**	**6.87**	5				
LBP046 (049, -70)	79.2	100.6	21.3	0.27	0.2	243.8		off-trend	**7.6**
and	196.6	202.7	6.1	0.29					
LBP047 (072, -62)	79.2	82.3	3.0	0.22	0.2	227.1	**Discovery 2 Zone**		**20.9**
and	88.4	100.6	12.2	0.31					
and	102.1	105.2	3.0	0.21					
and	106.7	108.2	1.5	0.35					
and	132.6	138.7	6.1	0.44					
including	132.6	134.1	1.5	1.10	1				
and	166.1	170.7	4.6	1.13	0.2				
including	167.6	170.7	3.0	1.39	1				
and	178.3	181.4	3.0	0.66	0.2				
and	201.2	208.8	7.6	0.70					
LBP048 (061, -63)	0.0	21.3	21.3	0.34	0.2	251.5	**Discovery 2 Zone**		**90.3**
and	25.9	45.7	19.8	0.33					
and	56.4	64.0	7.6	0.26					
and	79.2	89.9	10.7	0.38					
and	111.3	114.3	3.0	0.21					
and	**173.7**	**204.2**	**30.5**	**0.78**					
including	195.1	196.6	1.5	1.13	1				
including	**198.1**	**202.7**	**4.6**	**2.91**					
and	**208.8**	**248.4**	**39.6**	**1.16**	0.2				
including	**210.3**	**213.4**	**3.0**	**1.95**	1				
including	**225.6**	**243.8**	**18.3**	**1.82**					
LBP049 (088, -55)	100.6	120.4	19.8	0.34	0.2	269.7	**Discovery 2 Zone**		**16.4**
and	126.5	129.5	3.0	0.24					
and	160.0	166.1	6.1	0.68					
and	173.7	176.8	3.0	0.60					
and	184.4	190.5	6.1	0.48					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP050 (064, -67)	35.1	54.9	19.8	0.32	0.2	272.8	**Discovery 2 Zone**	Hole stopped short of potential lower target interval	**44.7**
and	61.0	68.6	7.6	0.35					
and	74.7	80.8	6.1	0.21					
and	83.8	91.4	7.6	0.39					
and	138.7	141.7	3.0	0.23					
and	205.7	213.4	7.6	0.28					
and	**230.1**	**242.3**	**12.2**	**2.34**					
including	**233.2**	**240.8**	**7.6**	**3.42**	1				
LBP051 (187, -66)	1.5	9.1	7.6	0.21	0.2	205.7	**Discovery 2 Zone**		**107.1**
and	77.7	80.8	3.0	0.24					
and	**131.1**	**172.2**	**41.1**	**2.51**					
including	**137.2**	**144.8**	**7.6**	**6.69**	1				
and including	**137.2**	**141.7**	**4.6**	**9.11**	5				
including	146.3	147.8	1.5	1.07	1				
including	**149.4**	**157.0**	**7.6**	**4.85**					
and including	**152.4**	**155.4**	**3.0**	**8.52**	5				
including	164.6	166.1	1.5	1.06	1				
including	169.2	172.2	3.0	1.14					
and	202.7	205.7	3.0	0.42	0.2				
LBP052 (35, -62)	22.9	29.0	6.1	0.64	0.2	342.9	**Discovery 2 Zone**		**64.9**
and	50.3	53.3	3.0	0.39					
and	**74.7**	**96.0**	**21.3**	**0.61**					
and	102.1	126.5	24.4	0.34					
and	202.7	231.6	29.0	0.28					
and	**269.7**	**309.4**	**39.6**	**0.77**					
LBP053 (45, -67)	4.6	7.6	3.0	0.25	0.2	257.6	Discovery 2 Zone		7.0
and	100.6	105.2	4.6	0.59					
and	132.6	135.6	3.0	0.27					
and	233.2	239.3	6.1	0.28					
and	243.8	248.4	4.6	0.22					
LBP054 (52, -66)	**39.6**	**68.6**	**29.0**	**0.31**	0.2	379.5	**Discovery 2 Zone**		**114.9**
and	70.1	74.7	4.6	0.20					
and	79.2	91.4	12.2	0.23					
and	93.0	96.0	3.0	0.25					
and	150.9	153.9	3.0	0.33					
and	166.1	170.7	4.6	0.21					
and	172.2	176.8	4.6	0.31					
and	207.3	214.9	7.6	0.27					
and	222.5	225.6	3.0	0.33					
and	**248.4**	**349.0**	**100.6**	**0.94**					
including	**253.0**	**268.2**	**15.2**	**1.65**	1				
and including	**335.3**	**345.9**	**10.7**	**2.33**					
LBP055 (88, -68)	**4.6**	**36.6**	**32.0**	**0.47**	0.2	300.2	**Discovery 2 Zone**		**123.1**
and	57.9	62.5	4.6	0.46					
and	**71.6**	**99.1**	**27.4**	**0.53**					
and	**166.1**	**179.8**	**13.7**	**1.21**					
and	**192**	**265.2**	**73.2**	**1.02**					
including	**192**	**208.8**	**16.8**	**2.39**	1				
LBP056 (245, -80)	27.4	33.5	6.1	0.24	0.2	285.0	**Discovery 2 Zone**	hole ended in grade	**93.8**
and	79.2	82.3	3.0	0.35					
and	89.9	99.1	9.1	0.28					
and	120.4	123.4	3.0	0.47					
and	**199.6**	**225.6**	**25.9**	**0.48**					
and	**231.6**	**271.3**	**39.6**	**1.89**					
including	**231.6**	**245.4**	**13.7**	**4.58**	1				
and	281.9	285.0	3.0	0.29	0.2				
LPB057 (105, -74)	**0.0**	**38.1**	**38.1**	**0.40**	0.2	266.7	**Discovery 2 Zone**		**71.8**
and	56.4	59.4	3.0	0.43					
and	68.6	74.7	6.1	0.47					
and	**173.7**	**239.3**	**65.5**	**0.77**					
including	**179.8**	**195.1**	**15.2**	**1.68**	1				
and	248.4	253.0	4.6	0.35	0.2				
LBP058 (10, -75)	89.9	111.3	21.3	0.46	0.2	324.6	**Discovery 2 Zone**		**71.2**
and	120.4	131.1	10.7	0.48					
and	224.0	239.3	15.2	0.62					
and	**251.5**	**291.1**	**39.6**	**1.18**					
including	**283.5**	**288.0**	**4.6**	**3.00**	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP059 (110, -58)	0.0	16.8	16.8	0.34	0.2	236.2	**Discovery 2 Zone**		**64.3**
and	25.9	35.1	9.1	0.44					
and	147.8	160.0	12.2	0.41					
and	170.7	202.7	32.0	0.38					
and	**208.8**	**233.2**	**24.4**	**1.53**					
including	**210.3**	**219.5**	**9.1**	**3.28**	1				
LBP060 (180, -70)	68.6	80.8	12.2	0.26	0.2	318.6	**Discovery 2 Zone**		**30.5**
and	86.9	97.5	10.7	0.33					
and	103.6	115.8	12.2	0.37					
and	121.9	128.0	6.1	0.35					
and	**216.4**	**248.4**	**32.0**	**0.54**					
LBP061 (173, -66)	0.0	13.7	13.7	0.38	0.2	221.0	**Discovery 2 Zone**		**10.2**
and	51.8	59.4	7.6	0.21					
and	73.2	77.7	4.6	0.55					
and	102.1	105.2	3.0	0.28					
LBP062 (150, -72)	76.2	85.3	9.1	0.40	0.2	221.0	**Discovery 2 Zone**	poor recovery between reportable intervals	**152.7**
and	**109.7**	**118.9**	**9.1**	**1.12**					
and	**129.5**	**173.7**	**44.2**	**3.14**					
including	**135.6**	**152.4**	**16.8**	**6.53**	1				
and including	**140.2**	**147.8**	**7.6**	**11.3**	5				
LBP063 (350, -73)	4.6	6.1	1.5	0.40	0.2	233.2	**Discovery 2 Zone**		**63.1**
and	**82.3**	**125.0**	**42.7**	**0.39**					
and	138.7	143.3	4.6	0.28					
and	155.4	160.0	4.6	0.38					
and	161.5	167.6	6.1	0.20					
and	**213.4**	**222.5**	**9.1**	**4.56**					
including	**214.9**	**219.5**	**4.6**	**7.32**	5				
LBP064 (110, -70)	77.7	80.8	3.0	0.46	0.2	227.1	**Discovery Zone 2**	Poor recovery at base of intercept	**217.8**
and	93.0	105.2	12.2	0.35					
and	**112.8**	**175.3**	**62.5**	**3.40**					
including	**141.7**	**175.3**	**33.5**	**5.01**	1				
and including	**146.3**	**167.6**	**21.3**	**6.2**	5				
LBP065 (45, -65)	71.6	74.7	3.0	0.42	0.2	304.8	**Discovery Zone 2**		**36.8**
and	80.8	86.9	6.1	0.33					
and	94.5	112.8	18.3	0.29					
and	121.9	149.4	27.4	0.37					
and	163.1	169.2	6.1	0.27					
and	210.3	213.4	3.0	1.85					
and	**242.3**	**253.0**	**10.7**	**0.79**					
Including	**245.4**	**249.9**	**4.6**	**1.20**					
and	259.1	268.2	9.1	0.26					
LBP066 (86, -60)	4.6	7.6	3.0	0.29	0.2	243.8	**Discovery Zone 2**	Hole ended in grade	**100.2**
and	12.2	15.2	3.0	0.45					
and	96.0	111.3	15.2	0.29					
and	131.1	146.3	15.2	0.46					
and	164.6	167.6	3.0	1.94					
and	**173.7**	**243.8**	**70.1**	**1.15**					
Including	**175.3**	**190.5**	**15.2**	**2.92**	1				
and including	**181.4**	**182.9**	**1.5**	**14.65**	5				
LBP067C (104, -66)	11.6	34.6	23.0	0.38	0.2	273.7	**Discovery 1 Zone**		**185.2**
and	78.6	81.7	3.0	1.03					
and	170.9	185.2	14.2	0.70					
and	**188.7**	**244.5**	**55.9**	**2.92**					
including	**195.1**	**217.2**	**22.1**	**5.64**	1				
and including	**203.9**	**211.2**	**7.3**	**12.39**	5				
LBP068 (360, -75)	74.7	89.9	15.2	0.26	0.2	318.5	**Discovery Zone 2**		**105.5**
and	**96.0**	**143.3**	**47.2**	**0.41**					
and	**172.2**	**184.4**	**12.2**	**0.78**					
and	**228.6**	**249.9**	**21.3**	**2.38**					
including	**237.7**	**246.9**	**9.1**	**4.89**	1				
and including	**239.3**	**245.4**	**6.1**	**5.93**	5				
and	**266.7**	**301.8**	**35.1**	**0.63**	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP069 (74, -78)	12.2	16.8	4.6	0.33	0.2	303.3	**Discovery Zone 2**		**149.6**
	22.9	25.9	3.0	0.34					
	70.1	86.9	16.8	0.32					
	160.0	**217.9**	**57.9**	**1.52**					
including	**173.7**	**182.9**	**9.1**	**7.42**	1				
and including	**176.8**	**181.4**	**4.6**	**12.2**	5				
	219.5	**228.6**	**9.1**	**2.91**	0.2				
including	**219.5**	**224.0**	**4.6**	**5.38**	1				
	271.3	**285.0**	**13.7**	**1.96**	0.2				
including	**271.3**	**281.9**	**10.7**	**2.30**	1				
LBP070 (165, -74)	57.9	61.0	3.0	0.33	0.2	306.3	Discovery Zone 2		14.8
and	77.7	91.4	13.7	0.24					
and	109.7	131.1	21.3	0.31					
and	158.5	160.0	1.5	0.57					
and	178.3	184.4	6.1	0.32					
and	230.1	233.2	3.0	0.37					
LBP071 (355, -73	7.6	22.9	15.2	0.38	0.2	251.5	**Discovery Zone 2**		**50.5**
and	25.9	36.6	10.7	0.39					
and	71.6	79.2	7.6	0.42					
and	**120.4**	**132.6**	**12.2**	**1.07**					
and	152.4	153.9	1.5	1.32					
and	**160.0**	**172.2**	**12.2**	**0.82**					
and	193.5	198.1	4.6	0.24					
and	**199.6**	**204.2**	**4.6**	**1.62**					
including	**199.6**	**202.7**	**3.0**	**2.21**	1				
and	230.1	239.3	9.1	0.41	0.2				
LBP072 (70, -75)	22.9	38.1	15.2	0.47	0.2	306.3	**Discovery Zone 2**		**62.0**
and	**57.9**	**94.5**	**36.6**	**0.62**					
and	100.6	106.7	6.1	0.24					
and	111.3	118.9	7.6	0.28					
and	128.0	132.6	4.6	0.52					
and	147.8	150.9	3.0	0.26					
and	189.0	192.0	3.0	0.27					
and	199.6	202.7	3.0	0.34					
and	208.8	211.8	3.0	0.28					
and	222.5	225.6	3.0	0.24					
and	234.7	237.7	3.0	0.33					
and	**277.4**	**288.0**	**10.7**	**1.96**					
including	**278.9**	**281.9**	**3.0**	**5.45**	1				
LBP073C (144, -81)	43.9	50.4	6.5	0.28	0.2	212.8	**Discovery Zone 1**		**50.4**
and	70.0	79.9	9.9	0.25					
and	94.1	100.4	6.4	0.34					
and	165.5	168.3	2.8	0.50					
and	**183.5**	**206.7**	**23.2**	**1.84**					
including	**185.6**	**199.3**	**13.7**	**2.79**	1				
LBP074 (50, -78)	76.2	89.9	13.7	0.35	0.2	306.3	**Discovery Zone 2**		**16.0**
and	118.9	126.5	7.6	0.24					
and	132.6	135.6	3.0	0.32					
and	**227.1**	**233.2**	**6.1**	**1.01**					
and	243.8	246.9	3.0	0.74					
LBP075 (80, -60)	0.0	16.8	16.8	0.29	0.2	242.3	**Discovery Zone 2**		**11.2**
and	29.0	32.0	3.0	0.87					
and	205.7	210.3	4.6	0.66					
LBP076 (245, -70)	0.0	7.6	7.6	0.33	0.2	211.8	**Discovery Zone 2**		**12.0**
and	117.3	118.9	1.5	0.51					
and	128.0	134.1	6.1	1.07					
and	155.4	161.5	6.1	0.35					
LBP077 (0, -70)	7.6	12.2	4.6	0.26	0.2	274.3	**Discovery Zone 2**		**34.3**
and	59.4	67.1	7.6	0.25					
and	125.0	129.5	4.6	0.29					
and	**167.6**	**181.4**	**13.7**	**0.90**					
and	**187.5**	**190.5**	**3.0**	**2.34**					
and	**202.7**	**216.4**	**13.7**	**0.67**					
LBP078C (48, -52)	**3.7**	**15.2**	**11.6**	**0.83**	0.2	194.2	**Discovery Zone 1**		**55.7**
and	22.4	41.8	19.3	0.43					
and	**178.6**	**194.2**	**15.5**	**2.43**					
including	**186.5**	**192.6**	**6.1**	**5.56**	1				
and including	**188.1**	**191.1**	**3.0**	**8.10**	5				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP079 (350, -58)	4.6	16.8	12.2	0.34	0.2	243.8	**Discovery Zone 2**		**21.8**
and	68.6	71.6	3.0	0.32					
and	132.6	143.3	10.7	0.30					
and	**166.1**	**175.3**	**9.1**	**0.48**					
and	**211.8**	**224.0**	**12.2**	**0.60**					
LBP080 (345, -83)	10.7	12.2	1.5	1.01	0.2	179.8	Discovery Zone 2		2.3
and	108.2	109.7	1.5	0.50					
LBP081 (025, -62)	12.2	18.3	6.1	0.35	0.2	275.8	**SE step-out on Discovery 2**		**51.9**
and	19.8	32.0	12.2	0.23					
and	57.9	62.5	4.6	0.27					
and	68.6	76.2	7.6	0.31					
and	111.3	114.3	3.0	0.40					
and	140.2	144.8	4.6	0.23					
and	**195.1**	**208.8**	**13.7**	**1.09**					
including	**202.7**	**207.3**	**4.6**	**2.44**	1				
and	**214.9**	**230.1**	**15.2**	**0.88**	0.2				
including	**214.9**	**224.0**	**9.1**	**1.17**	1				
and	**237.7**	**246.9**	**9.1**	**1.39**	0.2				
including	**240.8**	**245.4**	**4.6**	**2.27**	1				
LBP082C (15, -82)	24.8	38.1	13.3	0.34	0.2	264.6	**Discovery Zone 1**		**42.4**
and	55.5	57.0	1.5	0.77					
and	65.8	82.5	16.7	0.30					
and	183.8	189.7	5.9	0.24					
and	**196.8**	**216.6**	**19.7**	**0.70**					
including	**200.6**	**205.1**	**4.6**	**1.50**	1				
and	231.0	235.6	4.6	0.25	0.2				
and	**240.2**	**264.6**	**24.4**	**0.63**					
including	**251.2**	**253.9**	**2.7**	**1.35**	1				
LBP083 (100, -69)	54.9	59.4	4.6	0.24	0.2	178.3	Discovery Zone		7.9
and	74.7	77.7	3.0	0.40					
and	94.5	96.0	1.5	0.61					
and	102.1	112.8	10.7	0.43					
LBP084 (110, -70)	7.6	9.1	1.5	0.42	0.2	257.6	**SE step-out Discovery 2**		**36.5**
and	15.2	22.9	7.6	0.45					
and	76.2	79.2	3.0	0.34					
and	102.1	103.6	1.5	0.99					
and	**155.4**	**173.7**	**18.3**	**0.66**					
and	184.4	199.6	15.2	0.38					
and	214.9	219.5	4.6	0.69					
and	**227.1**	**236.2**	**9.1**	**0.96**					
LBP085 (65, -82)	4.6	38.1	33.5	0.42	0.2	257.6	**Discovery Zone 2**		**79.7**
and	51.8	68.6	16.8	0.70					
and	**143.3**	**184.4**	**41.1**	**1.31**					
including	**172.2**	**182.9**	**10.7**	**2.22**	1				
LBP086 (270, -65)	18.3	22.9	4.6	0.30	0.2	257.6	**Discovery Zone 1**		**47.3**
and	61.0	64.0	3.0	0.23					
and	74.7	77.7	3.0	0.28					
and	106.7	128.0	21.3	0.26					
and	149.4	160.0	10.7	0.74					
and	**178.3**	**192.0**	**13.7**	**2.25**					
including	**181.4**	**185.9**	**4.6**	**5.49**	1				
LBP087C (120, -80)	15.2	22.2	6.9	0.23	0.2	186.5	**Discovery Zone 1**		**42.2**
and	34.4	36.9	2.4	0.40					
and	84.7	87.8	3.0	0.37					
and	100.0	103.8	3.8	0.49					
and	**142.2**	**171.3**	**29.1**	**1.26**					
including	**162.5**	**171.3**	**8.8**	**1.77**	1				
LBP088 (75, -73)	30.5	41.1	10.7	0.34	0.2	327.7	**Discovery Zone 2**		**150.2**
and	48.8	56.4	7.6	0.24					
and	57.9	62.5	4.6	0.43					
and	73.2	79.2	6.1	0.37					
and	88.4	93.0	4.6	0.43					
and	120.4	137.2	16.8	0.29					
and	210.3	214.9	4.6	0.45					
and	237.7	239.3	1.5	2.21					
and	**257.6**	**318.5**	**61.0**	**2.10**					
including	**257.6**	**268.2**	**10.7**	**6.33**	1				
and including	**257.6**	**260.6**	**3.0**	**16.2**	5				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP089 (155, -75)	3.0	27.4	24.4	0.41	0.2	260.6	**Discovery Zone 2**		**50.3**
and	**41.1**	**79.2**	**38.1**	**0.86**					
incl	**59.4**	**70.1**	**10.7**	**2.20**	1				
and	**160.0**	**178.3**	**18.3**	**0.40**	0.2				
LBP090 (35, -80)	39.6	48.8	9.1	0.31	2	312.4	**Discovery Zone 1**		**63.8**
and	**175.3**	**216.4**	**41.1**	**0.56**					
and	**222.5**	**259.1**	**36.6**	**1.03**					
including	**222.5**	**228.6**	**6.1**	**4.25**	1				
LBP091 (260, -81)	**4.6**	**25.9**	**21.3**	**0.56**	0.2	243.8	**Discovery Zone 2**		**65.4**
and	32.0	45.7	13.7	0.32					
and	**141.7**	**163.1**	**21.3**	**2.22**					
including	**144.8**	**161.5**	**16.8**	**2.70**	1				
and	181.4	182.9	1.5	1.22	0.2				
LBP092 (205, -80)	25.9	33.5	7.6	0.24	0.2	295.7	**Discovery Zone 2**		**44.4**
and	**61.0**	**106.7**	**45.7**	**0.66**					
and	190.5	195.1	4.6	0.25					
and	**201.2**	**208.8**	**7.6**	**0.79**					
and	**234.7**	**243.8**	**9.1**	**0.41**					
and	253.0	257.6	4.6	0.33					
LBP093C (0, -90)	21.8	25.3	3.5	0.41	0.2	119.8	**Rangefront Target**	Hole ended in grade	**31.4**
and	26.8	32.8	5.9	0.23					
and	**46.2**	**101.5**	**55.3**	**0.49**					
incl	**93.2**	**96.9**	**3.7**	**1.80**	1				
and	113.7	119.8	6.1	0.28	0.2				
LBP094 (115, -68)	**6.1**	**29.0**	**22.9**	**0.43**	0.2	304.8	**Discovery Zone 2**		**58.7**
and	**79.2**	**83.8**	**4.6**	**0.57**					
and	115.8	131.1	15.2	0.34					
and	147.8	150.9	3.0	0.41					
and	160.0	161.5	1.5	0.69					
and	**189.0**	**224.0**	**35.1**	**0.92**					
including	**207.3**	**213.4**	**6.1**	**3.58**	1				
and	242.3	249.9	7.6	0.24	0.2				
and	256.0	265.2	9.1	0.26					
and	275.8	285.0	9.1	0.28					
LBP095 (260, -82)	33.5	47.2	13.7	0.27	0.2	285.0	**Discovery Zone 2**		**130.7**
and	70.1	80.8	10.7	0.30					
and	88.4	94.5	6.1	0.28					
and	**157.0**	**201.2**	**44.2**	**1.14**					
including	**193.5**	**196.6**	**3.0**	**1.77**					
and	**217.9**	**240.8**	**22.9**	**2.83**	0.2				
including	**219.5**	**234.7**	**15.2**	**4.03**	1				
and including	**227.1**	**231.6**	**4.6**	**5.99**	5				
and	257.6	269.7	12.2	0.57	0.2				
LBP096 (160, -70)	4.6	12.2	7.6	0.38	0.2	274.3	**Discovery Zone 2**		**88.5**
and	21.3	25.9	4.6	0.25					
and	167.6	170.7	3.0	0.94					
and	**178.3**	**216.4**	**38.1**	**0.72**					
including	**211.8**	**214.9**	**3.0**	**1.18**	1				
and	**227.1**	**256.0**	**29.0**	**1.87**	0.2				
including	**228.6**	**239.3**	**10.7**	**4.41**	1				
and including	**230.1**	**233.2**	**3.0**	**7.95**	5				
LBP097 (45, -75)	3.0	7.6	4.6	0.23	0.2	213.4	**Discovery Zone 2**		**38.2**
and	21.3	29.0	7.6	0.22					
and	77.7	80.8	3.0	0.24					
and	105.2	108.2	3.0	0.27					
and	**137.2**	**167.6**	**30.5**	**1.05**					
including	**147.8**	**160.0**	**12.2**	**1.86**	1				
and	193.5	196.6	3.0	0.63	0.2				
LBP098 (295, -62)	16.8	21.3	4.6	0.29	0.2	227.1	**South Discovery Zone 1**		**15.5**
and	105.2	115.8	10.7	0.45					
and	123.4	126.5	3.0	0.50					
and	137.2	144.8	7.6	0.56					
and	150.9	158.5	7.6	0.46					
LBP099 (205, -75)	12.2	15.2	3.0	0.23	0.2	239.3	**Sourth step out on Discovery 1**		**18.2**
and	96.0	102.1	6.1	0.46					
and	152.4	157.0	4.6	0.36					
and	166.1	170.7	4.6	0.33					
and	179.8	184.4	4.6	0.70					
and	**196.6**	**205.7**	**9.1**	**0.91**					
including	**198.1**	**204.2**	**6.1**	**1.21**	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP100 (280, -60)	**68.6**	**96.0**	**27.4**	**0.41**	0.2	251.5	**Ridge SW of Discovery 1**		**11.2**
LBP101 (340, -70)	24.4	27.4	3.0	0.29	0.2	239.3	SE of Discovery 2		8.1
and	29.0	33.5	4.6	0.21					
and	132.6	141.7	9.1	0.35					
and	214.9	224.0	9.1	0.33					
LBP102 (205, -50)	100.6	132.6	32.0	0.31	0.2	263.7	**Ridge SW of Discovery 1**		**17.1**
and	190.5	196.6	6.1	0.21					
and	214.9	217.9	3.0	0.56					
and	236.2	253.0	16.8	0.25					
LBP103 (295, -62)	79.2	82.3	3.0	0.23	0.2	280.4	**SE step-out on Discovery 2**		**17.1**
and	153.9	158.5	4.6	0.38					
and	**187.5**	**192.0**	**4.6**	**2.72**					
incl	**187.5**	**190.5**	**3.0**	**3.90**	1				
and	199.6	204.2	4.6	0.34	0.2				
and	275.8	277.4	1.5	0.41					
LBP104 (115, -50)	65.5	77.7	12.2	0.30	0.2	385.6	Ridge E of A Pit		7.3
and	88.4	91.4	3.0	0.41					
and	272.8	283.5	10.7	0.22					
LBP105 (220, -70)	9.1	12.2	3.0	0.39	0.2	248.4	Ridge SW of Discovery 1		2.9
and	77.7	82.3	4.6	0.38					
LBP106 (250, -70)	157.0	161.5	4.6	0.30	0.2	274.3	SE step-out on Discovery 2		6.7
and	167.6	172.2	4.6	0.23					
and	201.2	202.7	1.5	0.53					
and	222.5	228.6	6.1	0.36					
and	245.4	248.4	3.0	0.43					

Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

Liberty Gold - Black Pine 2020 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP107 (90, -83)	41.1	54.9	13.7	0.38	0.2	312.4	**D-2 Infill**		**49.0**
and	61.0	77.7	16.8	0.23					
and	89.9	93.0	3.0	0.42					
and	196.6	207.3	10.7	0.53					
and	**239.3**	**253.0**	**13.7**	**0.96**					
and	**262.1**	**283.5**	**21.3**	**0.92**					
incl	**268.2**	**274.3**	**6.1**	**2.17**	1				
LBP108 (85, -65)	6.1	13.7	7.6	0.40	0.2	221.0	**Trough Target (D-2 South)**		**15.9**
and	53.3	59.4	6.1	0.25					
and	**137.2**	**141.7**	**4.6**	**1.18**					
and	**184.4**	**193.5**	**9.1**	**0.50**					
and	208.8	211.8	3.0	0.45					
LBP109 (235, -71)	32.0	47.2	15.2	0.26	0.2	324.6	**D-2 Infill**		**51.6**
and	53.3	61.0	7.6	0.33					
and	77.7	80.8	3.0	0.34					
and	125.0	129.5	4.6	0.24					
and	169.2	175.3	6.1	0.65					
and	**196.6**	**221.0**	**24.4**	**0.58**					
incl	**214.9**	**219.5**	**4.6**	**1.24**					
and	234.7	240.8	6.1	0.35					
and	**249.9**	**265.2**	**15.2**	**0.66**					
and	297.2	301.8	4.6	1.41					
and	307.8	312.4	4.6	1.32					
LBP110 (70, -50)	3.0	6.1	3.0	0.38	0.2	251.5	**Trough Target (D-2 South)**		**30.4**
and	16.8	22.9	6.1	0.25					
and	**120.4**	**134.1**	**13.7**	**0.68**					
and	**152.4**	**175.3**	**22.9**	**0.80**					
LBP111 (93, -65)	38.1	42.7	4.6	0.30	0.2	342.9	**D-1 to D-2 Transition**		**85.7**
and	**68.6**	**97.5**	**29.0**	**0.45**					
and	**179.8**	**201.2**	**21.3**	**1.27**					
and	**237.7**	**245.4**	**7.6**	**0.94**					
and	**265.2**	**285.0**	**19.8**	**0.74**					
incl	**271.3**	**275.8**	**4.6**	**1.52**	1				
and	318.5	324.6	6.1	2.17	0.2				
and	330.7	333.8	3.0	3.05					
LBP112 (270, -47)	No Significant Results					257.6	Ravine Target		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP113 (120, -75)	10.7	19.8	9.1	0.43	0.2	330.7	**D-1 to D-2 Transition**		**42.5**
and	35.1	47.2	12.2	0.32					
and	64.0	77.7	13.7	0.39					
and	**94.5**	**109.7**	**15.2**	**0.58**					
and	121.9	125.0	3.0	0.47					
and	137.2	141.7	4.6	0.23					
and	172.2	176.8	4.6	0.40					
and	202.7	207.3	4.6	0.76					
and	**243.8**	**253.0**	**9.1**	**1.12**					
and	315.5	320.0	4.6	0.50					
LBP114 (240, -55)	153.9	158.5	4.6	0.70	0.2	233.2	Trough Target (D-2 South)		12.3
and	202.7	214.9	12.2	0.75					
LBP115 (300, -80)	27.4	82.3	54.9	0.32	0.2	361.2	**D-1 Step Out**		**68.2**
and	144.8	160.0	15.2	0.24					
and	**204.2**	**263.7**	**59.4**	**0.65**					
incl	**259.1**	**262.1**	**3.0**	**2.21**	1				
and	271.3	285.0	13.7	0.62	0.2				
LBP116 (150, -55)	No Significant Results					294.1	SE of A Pit		
LBP117 (145, -60)	No Significant Results					361.2	Discovery 1 to E pit deep test		
LBP118 (295, -50)	109.7	114.3	4.6	0.38	0.2	175.3	Trough Target		1.7
LBP119 (215, -55)	178.3	181.4	3.0	0.46	0.2	342.9	Discovery 1 to E pit deep test		1.4
LBP120 (200, -45)	No Significant Results					281.9	Trough Target		
LBP121 (290, -65)	271.3	274.3	3.0	0.44	0.2	295.7	Discovery 1 to E pit deep test		1.3
LBP122 (165, -65)	No Significant Results					349.0			
LBP123 (145, -60)	56.4	61.0	4.6	0.41	0.2	349.0	D-3	Good alteration and most assay intervals above detection	4.1
and	86.9	93.0	6.1	0.36					
LBP124 (250, -65)	6.1	13.7	7.6	0.24	0.2	208.8	**B Pit to Tallman Pit (D-1 SE extension)**		**21.9**
and	6.1	13.7	7.62	0.24					
and	51.8	61.0	9.1	0.36					
and	**85.3**	**123.4**	**38.1**	**0.39**					
LBP125 (200, -55)	**335.3**	**345.9**	**10.7**	**1.07**	0.2	365.8	**D-3**	Hole ended in mineralization	**16.6**
and	355.1	365.8	10.7	0.48					
LBP126 (150, -65)	18.3	21.3	3.0	0.34	0.2	208.8	**B Pit to Tallman Pit (D-1 SE extension)**		**30.0**
and	44.2	61.0	16.8	0.27					
and	70.1	83.8	13.7	0.44					
and	125.0	129.5	4.6	0.22					
and	**131.1**	**160.0**	**29.0**	**0.54**					
incl.	**150.9**	**153.9**	**3.0**	**1.54**	1				
and	163.1	170.7	7.6	0.24	0.2				
LBP127 (60, -58)	89.9	93.0	3.0	0.36	0.2	294.1	**D-3**	Hole lost; last five assay intervals returne > 2 g/t Au: no recovery in some of the lower interval (assigned 0 grade)	**109.5**
and	128.0	132.6	4.6	0.54					
and	155.4	158.5	3.0	0.57					
and	187.5	201.2	13.7	0.28					
and	**224.0**	**257.6**	**33.5**	**1.98**					
incl	**239.3**	**254.5**	**15.2**	**3.93**	1				
and	**263.7**	**294.1**	**30.5**	**1.11**	0.2				
incl	**286.5**	**294.1**	**7.6**	**2.39**	1				
LBP128 (90, -65)	3.0	7.6	4.6	0.29	0.2	213.4	**B Pit to Tallman Pit (D1 SE extension)**		**18.7**
and	64.0	85.3	21.3	0.31					
and	**155.4**	**173.7**	**18.3**	**0.59**					
incl	**164.6**	**169.2**	**4.6**	**1.42**	1				
LBP129 (15, -65)	1.5	12.2	10.7	0.27	0.2	339.9	**D-3**		**69.2**
and	32.0	41.1	9.1	0.33					
and	65.5	80.8	15.2	0.41					
and	137.2	157.0	19.8	0.31					
and	**222.5**	**228.6**	**6.1**	**0.73**					
and	**240.8**	**269.7**	**29.0**	**1.60**					
incl	**243.8**	**263.7**	**19.8**	**2.09**	1				
LBP130 (250, -80)	**51.8**	**73.2**	**21.3**	**0.82**	0.2	196.6	**D-3**	Tentatively assigned to D-3 zone pending additional results	**25.5**
and	74.7	83.8	9.1	0.22					
and	86.9	88.4	1.5	1.20					
and	114.3	117.3	3.0	0.36					
and	173.7	184.4	10.7	0.28					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP131 (15, -80)	1.5	4.6	3.0	0.76	0.2	373.4	**D-3**		**92.7**
and	19.8	24.4	4.6	0.36					
and	62.5	67.1	4.6	0.24					
and	73.2	77.7	4.6	0.32					
and	96.0	100.6	4.6	0.22					
and	102.1	115.8	13.7	0.25					
and	141.7	144.8	3.0	0.31					
and	**169.2**	**245.4**	**76.2**	**0.82**					
incl	**187.5**	**210.3**	**22.9**	**1.65**	1				
and	**257.6**	**269.7**	**12.2**	**0.58**	0.2				
and	**275.8**	**288.0**	**12.2**	**0.77**					
and	304.8	307.8	3.0	0.33					
LBP132 (270, -55)	**76.2**	**89.9**	**13.7**	**1.27**	0.2	227.1	**D-3**	Tentatively assigned to D-3 zone; Hole ended in 0.411 g/t Au	**17.4**
incl	**77.7**	**86.9**	**9.1**	**1.68**	1				
LBP133 (270, -65)	**15.2**	**45.7**	**30.5**	**0.68**	0.2	239.3	**D-3**	Tentively assigned to D-3 zone pending additional results	**35.6**
and	**53.3**	**62.5**	**9.1**	**0.80**					
and	207.3	234.7	27.4	0.28					
LBP134 (10, -55)	**99.1**	**108.2**	**9.1**	**0.65**	0.2	291.1	**D-3**		**33.5**
and	**117.3**	**134.1**	**16.8**	**0.52**					
and	**169.2**	**195.1**	**25.9**	**0.68**					
incl	**173.7**	**176.8**	**3.0**	**1.97**	1				
and	257.6	260.6	3.0	0.37	0.2				
LBP135 (70, -70)	NSR					86.9	D-3	Not Assayed; Hole lost in void	
LBP136 (205, -65)	13.7	19.8	6.1	0.69	0.2	367.3	**D-3**		**56.6**
and	50.3	56.4	6.1	0.29					
and	**61.0**	**91.4**	**30.5**	**0.44**					
and	134.1	138.7	4.6	0.44					
and	176.8	193.5	16.8	0.39					
and	211.8	216.4	4.6	0.52					
and	228.6	233.2	4.6	0.66					
and	260.6	263.7	3.0	0.40					
and	**274.3**	**281.9**	**7.6**	**0.60**					
and	**288.0**	**301.8**	**13.7**	**1.27**					
LBP137 (95, -60)	16.8	29.0	12.2	0.29	0.2	211.8	**D-2 South**	Offset to LBP110 south of D2 zone	**28.1**
and	53.3	56.4	3.0	0.65					
and	**105.2**	**111.3**	**6.1**	**0.88**					
and	**117.3**	**138.7**	**21.3**	**0.75**					
incl	**117.3**	**120.4**	**3.0**	**2.05**	1				
and	144.8	147.8	3.0	0.38	0.2				
LBP138 (33, -52)	**117.3**	**126.5**	**9.1**	**1.43**	0.2	284.9	**D-3**	Hole ended in grade; last assay interval 0.84 g/t Au	**97.9**
and	199.6	208.8	9.1	0.48					
and	**217.9**	**285.0**	**67.1**	**1.20**					
incl	**217.9**	**234.7**	**16.8**	**2.57**	1				
and incl	**227.1**	**230.1**	**3.0**	**8.51**	5				
LBP139 (26, -70)	**80.8**	**123.4**	**42.7**	**0.85**	0.2	227.1	**D-2 South**	Offset to LBP110 south of D2 Zone	**41.4**
incl	**88.4**	**94.5**	**6.1**	**1.73**	1				
and	129.5	144.8	15.2	0.34	0.2				
LBP140 (240, -70)	**61.0**	**77.7**	**16.8**	**0.51**	0.2	342.9	**D-3**		**88.1**
and	**118.9**	**131.1**	**12.2**	**0.52**					
and	**190.5**	**196.6**	**6.1**	**6.33**					
Incl	**190.5**	**195.1**	**4.6**	**8.29**	1				
and	**205.7**	**221.0**	**15.2**	**1.12**	0.2				
and	**231.6**	**259.1**	**27.4**	**0.59**					
and	318.5	323.1	4.6	0.29					