

- Collars Current Release
- Gold (g/t)**
- 1.0 - 23.7
- 0.6 - 1.0
- 0.4 - 0.6
- 0.2 - 0.4
- 0.15 - 0.2
- 0.0 - 0.15
- ▭ Drill Permit Boundary
- ▭ Road & Pad Outlines

**LBP356**  
86.9 m @ 0.91 g/t Au  
21.3 m @ 2.03 g/t Au

**LBP358**  
24.4 m @ 1.23 g/t Au  
50.3 m @ 1.37 g/t Au

**LBP350**  
12.2 m @ 1.40 g/t Au

**LBP337**  
13.7 m @ 2.10 g/t Au

**LBP277**  
3.0 m @ 6.17 g/t Au

**LBP290**  
24.4 m @ 1.03 g/t Au

3D drill assays are display weighted to preferentially show higher grade assays above lower grade in order to highlight the distribution of high grade gold.


LBP333  
LBP335







LBP286  
LBP287  
LBP290  
LBP291  
LBP294  
LBP296

LBP282  
LBP283  
LBP298

LBP312  
LBP306  
LBP320  
LBP300  
LBP295  
LBP324  
LBP302

LBP280  
LBP277





**LBP356**

15.2 m @ 0.24 g/t Au
86.9 m @ 0.91 g/t Au
21.3 m @ 2.03 g/t Au
21.3 m @ 0.23 g/t Au

**LBP358**

29.0 m @ 0.22 g/t Au
24.4 m @ 1.23 g/t Au
50.3 m @ 1.37 g/t Au
12.2 m @ 0.24 g/t Au

