

Cutoff (g/t)	1e, expansion5, 1Resource up
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.20	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4	
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.20	117.3	Basal Jasperoid		30.2	
and	62.5	65.5	3.0	0.86						
and	80.8	88.4	7.6	0.92						
and	114.3	115.8	1.5	0.41						
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.20	105.2	Basal Jasperoid		40.0	
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.20	190.5	Basal Jasperoid		34.5	
including	76.2	105.2	29.0	1.08	0.50					
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost		
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.20	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8	
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.20	221.0	Basal Jasperoid		29.7	
including	140.2	146.3	6.1	1.78	1.00					
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.20	172.2	Basal Jasperoid		38.5	
including	126.5	138.7	12.2	2.67	1.00					
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.20	144.8	Basal Jasperoid	Hole lost in mineralization	8.5	
and	129.5	143.3	13.7	0.37						
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.20	175.3	Basal Jasperoid		38.8	
including	115.8	129.5	13.7	1.89	1.00					
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.20	135.6	Covington Hill Fault Zone		13.5	
and	42.7	57.9	15.2	0.84						
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.20	175.3	Bogart Dike Margin		52.5	
and	57.9	76.2	18.3	2.72						
including	64.0	74.7	10.7	4.32						1.00
and	152.4	158.5	6.1	0.28						0.20
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.20	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1	
and	41.1	56.4	15.2	0.35						
and	57.9	61.0	3.0	0.20						
and	64.0	70.1	6.1	0.59						
and	82.3	86.9	4.6	0.34						
and	102.1	106.7	4.6	0.55						
and	125.0	196.6	71.6	0.48						
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.20	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4	
and	48.8	59.4	10.7	0.35						
and	64.0	103.6	39.6	0.47						
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.20	166.1	Moosehead area		1.8	
PGS016 (170, -65)	143.3	147.8	4.6	0.53	0.20	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9	
and	158.5	161.5	3.0	0.22						
and	166.1	169.2	3.0	0.22						
and	170.7	198.1	27.4	0.66						
PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.20	160.0	West Moosehead		1.0	
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.20	208.8	West Moosehead		2.7	

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.20	143.3	Basal Claron		73.5
including	70.1	83.8	13.7	4.42	1.00				
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.20	181.4	Basal Claron		32.6
including	166.1	169.2	3.0	2.96	1.00				
PGS021 (330, -55)	No Significant Results					169.2	Basal Claron		
PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.20	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.20	163.1	Basal Claron		19.2
including	129.5	134.1	4.6	1.93	1.00				
PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.20	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.20	172.2	Basal Claron		42.8	
including.	131.1	150.9	19.8	1.98	1.00					
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.20	196.6	Basal Claron		68.9	
including.	108.2	138.7	30.5	1.65	1.00					
PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.20	160.0	Basal Claron		56.1	
and	88.4	89.9	1.5	0.40						
and	94.5	96.0	1.5	0.48						
and	106.7	153.9	47.2	1.14						
including	109.7	117.3	7.6	2.06						
including	120.4	129.5	9.1	1.56						
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.20	117.3	Basal Claron	target stratigraphy faulted off	0.9	
PGS029 (185, -65)	No Significant Results						132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.20	153.9	Basal Claron		1.7	
PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.20	182.9	Basal Claron		13.5	
and	140.2	158.5	18.3	0.30						
and	173.7	179.8	6.1	0.42						
PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.20	208.8	Basal Claron		25.6	
and	132.6	137.2	4.6	0.22						
and	160.0	185.9	25.9	0.80						
including	181.4	185.9	4.6	1.54						
PGS033 (180, -75)	80.8	82.3	1.5	0.46	0.20	166.1	Basal Claron		15.4	
and	93.0	97.5	4.6	0.33						
and	99.1	125.0	25.9	0.41						
and	126.5	129.5	3.0	0.25						
and	132.6	140.2	7.6	0.24						
PGS034 (180, -50)	88.4	97.5	9.1	0.28	0.20	167.6	Basal Claron		17.5	
and	102.1	105.2	3.0	0.20						
and	106.7	141.7	35.1	0.41						
PGS035 (230, -65)	86.9	114.3	27.4	0.42	0.20	166.1	Basal Claron		37.0	
and	115.8	140.2	24.4	1.05						
including	117.3	128.0	10.7	1.68						
PGS036 (225, -60)	1.5	16.8	15.2	0.27	0.20	190.5	Basal Claron	Upper interval is the old stockpile	5.9	
and	134.1	141.7	7.6	0.23						
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.20	190.5	Basal Claron		19.0	
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.20	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3	
and	12.2	16.8	4.6	0.29						
and	22.9	24.4	1.5	0.36						
and	138.7	149.4	10.7	0.34						
and	164.6	166.1	1.5	0.36						
and	178.3	184.4	6.1	0.34						
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.20	182.9	Basal Claron		24.38	
including	118.9	121.9	3.0	1.65						
and	152.4	153.9	1.5	0.37						
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.20	198.1	Basal Claron		48.6	
including	137.2	143.3	6.1	1.95						
and	166.1	198.1	32.0	0.86						
including	172.2	182.9	10.7	1.72						
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.20	112.0	Basal Claron		56.5	
and	71.0	101.5	30.5	1.85						
including	71.0	89.3	18.3	2.63						
PGS042 (0, -90)	No Significant Results					0.20	135.6			0
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.20	204.2	Basal Claron		7.5	
and	102.1	117.3	15.2	0.32						
and	158.5	164.6	6.1	0.25						
and	176.8	178.3	1.5	0.43						
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.20	136.6	Basal Claron		58.1	
and	116.3	118.0	1.7	0.22						
and	119.3	135.0	15.7	0.47						
PGS045 (180, -48)	No Significant Results						182.9	Basal Claron		0
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.20	186.8	Basal Claron		40.6	
including	132.9	136.6	3.7	1.65						
and	173.1	177.7	4.6	0.25						
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.20	146.3	Basal Claron		27.9	
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.20	121.9	Basal Claron		125.0	
including	54.9	77.7	22.9	4.92						
including	65.5	76.2	10.7	8.27						
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.20	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
including	93.0	100.6	7.6	2.83						
and including	144.8	147.8	3.0	1.72						
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.20	129.5	Basal Claron		22.9	
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.20	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						
including	119.5	151.5	32.0	3.22						
including	133.5	139.3	5.8	6.56						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.20	198.1	Basal Claron		19.4
and	102.1	105.2	3.0	0.21					
and	106.7	111.3	4.6	0.22					
and	114.3	149.4	35.1	0.44					
and	161.5	164.6	3.0	0.26					
and	178.3	179.8	1.5	0.43					
and	182.9	184.4	1.5	0.22					
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.20	198.1	Basal Claron		51.1
including	143.3	149.4	6.1	1.91	1.00				
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.20	154.6	Basal Claron		131.6
including	82.6	94.9	12.3	2.00	1.00				
and including	101.9	138.1	36.2	2.77	5.00				
including	124.7	127.7	3.0	6.04	5.00				
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.20	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.20	155.8	Basal Claron		11.4
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.20	132.6	Basal Claron		20.8
and	93.0	117.3	24.4	0.76					
including	108.2	115.8	7.6	1.34					
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.20	141.7	Basal Claron		73.4
including	27.4	47.2	19.8	1.98	1.00				
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.20	87.5	Basal Claron	Core loss - Poor recovery	13.6
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.20	102.1	Basal Claron		9.3
and	50.3	53.3	3.0	0.50					
and	64.0	73.2	9.1	0.33					
PGS061 (0, -90)	No Significant Results					106.7	Basal Claron	target interval faulted out?	0
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.20	152.4	Basal Claron		3.2
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.20	134.7	Basal Claron		4.2
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.20	182.9	Basal Claron	some quality control issues in the lab	24.4
and	131.1	157.0	25.9	0.42					
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.20	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.20	121.9	Basal Claron		2.1
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.20	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
and	159.7	187.8	28.0	0.52	0.20				
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.20	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
and	144.8	152.4	7.6	1.97	0.20				
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.20	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.20	86.9	Basal Claron		0.7
PGS071 (0, -90)	No Significant Results					86.9	Basal Claron		
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.20	176.8	Basal Claron		11.8
and	123.4	134.1	10.7	0.58	0.20				
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.20	177.4	Basal Claron		21.5
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.20	89.9	Basal Claron		5.6
and	48.8	59.4	10.7	0.40	0.20				
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.20	91.4	Basal Claron		7.3
and	53.3	56.4	3.0	0.20	0.20				
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.20	121.9	Basal Claron	likely old leach pad material	180.7
and	99.1	105.2	6.1	29.1	0.20				
including	100.6	105.2	4.6	38.8	5.00			102 ppm met screen sample	
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.20	144.8	Basal Claron		8.6
PGS078 (60, -65)	No Significant Results					105.2	Basal Claron		
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.20	117.3	Basal Claron		8.4
and	42.7	47.2	4.6	0.38	0.20				
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.20	121.9	Basal Claron		23.9
and	32.0	33.5	1.5	0.95	0.20				
and	38.1	42.7	4.6	0.30	0.20				
and	54.9	88.4	33.5	0.42	0.20				
PGS081 (200, -45)	No Significant Results					121.9	Basal Claron		
PGS082 (0, -90)	No Significant Results					121.9	Basal Claron		
PGS083 (0, -90)	No Significant Results					141.7	Basal Claron		
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.20	182.9	Basal Claron		5.3
and	141.7	152.4	10.7	0.32	0.20				
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.20	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.20	166.1	Basal Claron		4.3
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.20	182.9	Basal Claron		10.0
and	102.1	115.8	13.7	0.38	0.20				
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.20	195.1	Basal Claron		1.4
PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.20	181.4	Basal Claron		13.7
including	97.5	102.1	4.6	1.52	1.00				
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.20	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.20		Paleozoic Rocks		
including	99.1	100.6	1.5	2.30	1.00				
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.20	144.8	Basal Claron		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.20	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.20		Basal Claron		
and	94.5	97.5	3.0	1.10	0.20		Paleozoic Rocks		
PGS093 (313, -75)	No Significant Results					135.6	Basal Claron		
PGS094 (57, -65)	No Significant Results					182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.20	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.20				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.20	213.4	Basal Claron		16.4
including	146.3	153.9	7.6	1.32	1.00				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.20	201.2	Basal Claron		49.2
including	99.1	105.2	6.1	3.06	1.00				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.20	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.20				
including	105.2	109.7	4.6	1.61	1.00				
and	118.9	121.9	3.0	0.40	0.20				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.20	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.20	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60					
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.20	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.20	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.20	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.20	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.20				
including	57.9	73.2	15.2	2.35	1.00				
and	118.9	129.5	10.7	0.74	0.20				
and	135.6	144.8	9.1	0.29	0.20				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.20	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.20	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.20	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.20	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.20	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.20	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.20	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.20	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.20	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.20	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.20				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.20	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.20				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.20	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.20				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.20	172.2	Basal Claron		27.4
including	93.0	99.1	6.1	2.48	1.00				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.20	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.20				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.20	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.20	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.20				
PGS121 (160, -55)	No Significant Results					144.8			
PGS122 (65, -67)	No Significant Results					117.3			
PGS123 (290, -55)	No Significant Results					213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.20	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.20	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.20				
including	153.9	160.0	6.1	1.20	1.00				
and	166.1	169.2	3.0	0.23	0.20				
and	170.7	181.4	10.7	0.83	0.20				
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)	No Significant Results					135.6		Peg Leg Graben	
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.20	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.20				
and	42.7	70.1	27.4	0.84	0.20				
and	76.2	82.3	6.1	0.54	0.20				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.20	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.20	106.7	Basal Claron	Goldstrike Graben	12.0
including	57.9	62.5	4.6	1.03	0.50				
PGS132 (45, -65)	No Significant Results					105.2		Peg Leg Graben	
PGS133 (310, -45)	No Significant Results					109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.20	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.20				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.20	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)	No Significant Results					86.9	Basal Claron	Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.20	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.20	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.20	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)	No Significant Results					138.7	Basal Claron	Peg Leg Graben	
PGS141 (270, -70)	No Significant Results					111.3	Basal Claron	Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.20	152.4	Basal Claron	Dip Slope Zone	20.9
including	97.5	103.6	6.1	1.24	0.50				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.20	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.20	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.20				
and	120.4	126.5	6.1	1.14	0.20				
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.20	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.20				
and	115.8	118.9	3.0	0.58	0.20				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.20	135.6	Mine Dump	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.20		Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.20	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.20	169.2	Basal Claron	Main	11.5
including	111.3	117.3	6.1	0.96	0.50				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.20	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.20				
and	147.8	158.5	10.7	0.75	0.20				
PGS150 (0, -90)	No Significant Results					117.3	Basal Claron	Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.20	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.20	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.20				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.20	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.20	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)	No Significant Results					189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.20	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)	No Significant Results					227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)	No Significant Results					77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)	No Significant Results					221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.20	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.20	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.20	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.20	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.20	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.20				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.20	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.20				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.20	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.20				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.20	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)	No Significant Results					201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.20	172.2	Basal Claron/Pz Limestone	Aggie	23.0
including	128.0	132.6	4.6	2.07	1.00				
PGS171 (0, -90)	No Significant Results					166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.20	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)	No Significant Results					175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)	No Significant Results					182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.20	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.20				
and	108.2	111.3	3.0	0.21	0.20				
and	125.0	152.4	27.4	0.84	0.20				
including	134.1	144.8	10.7	1.55	1.00				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.20	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.20	111.3	Basal Claron	Goldstrike Graben	0.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.20	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.20	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
including	96.0	108.2	12.2	3.54	1.00				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.20	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)	No Significant Results					172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.20	129.5	Covington Dike	Covington	13.9
and	100.6	111.3	10.7	1.15					
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.20	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.20				
including	125.0	131.1	6.1	1.47	1.00				
PGS184 (280, -60)	No Significant Results					117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.20	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.20				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.20	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
including	50.3	62.5	12.2	1.77	1.00				
and	65.5	73.2	7.6	0.20	0.20				
and	80.8	83.8	3.0	0.27	0.20				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.20	155.4	Basal Claron	Warrior	19.7
including	137.2	141.7	4.6	1.45	1.00				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.20	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)	No Significant Results					170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.20	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.20				
including	29.0	33.5	4.6	6.32	1.00				
and	41.1	45.7	4.6	1.76	0.20				

## Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)	No Significant Results					172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.20	147.8	West Aggie Extension	Aggie	26.0
including	79.2	86.9	7.6	1.21	1.00				
and	94.5	108.2	13.7	0.46	0.20				
and	117.3	123.4	6.1	1.16	0.20				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.20	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.20				
and	146.3	150.9	4.6	0.26	0.20				
and	158.5	164.6	6.1	0.41	0.20				
PGS195 (100, -65)	No Significant Results					129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.20	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.20				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.20	152.4	Warrior		29.4
PGS198 (300, -75)	No Significant Results					172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.20	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)	No Significant Results					129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.20	230.1	Warrior	Warrior	25.5
including	173.7	187.5	13.7	1.08	0.50				
PGS202 (100, -45)	No Significant Results					160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.20	147.8	Dip Slope		5.9
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.20	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.20				
including	161.5	170.7	9.1	0.92	0.50				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.20	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.20			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.20	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.20	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)	No Significant Results					202.7	Western Grabens	Anomalous	
PGS209 (0, -45)	No Significant Results					93.0	Western Grabens	Hole Lost Above Target	
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.20	141.7	Dip Slope		8.6
including	115.8	120.4	4.6	0.89	0.50				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS211 (320, -45)	No Significant Results					166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.20	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
including	143.3	152.4	9.1	1.02	0.50				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.20	166.1	Western Grabens		2.3
PGS214 (340, -45)	No Significant Results					187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.20	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.20	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)	No Significant Results						Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.20	138.7	Dip Slope		5.8
PGS219 (120, -85)	No Significant Results					117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.20	210.3	Dip Slope		24.1
including	152.4	167.6	15.2	1.16	0.50				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.20	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.20	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.20	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.20				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.20	190.5	Peg Leg	Claron Host Rocks	27.8
including	99.1	115.8	16.8	1.15	0.50			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.20				
PGS225 (340, -65)	No Significant Results					205.7	Dip Slope	Anomalous	
PGS226 (285, -45)	No Significant Results					166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.20	135.6	Peg Leg		42.0
including	65.5	74.7	9.1	2.05	1.00				
and	86.9	102.1	15.2	0.98	0.20				
including	89.9	97.5	7.6	1.35	1.00				
and	118.9	126.5	7.6	0.65	0.20				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.20	166.1	Dip Slope		9.2
including	91.4	93.0	1.5	2.56	1.00				
and	149.4	153.9	4.6	0.30	0.20				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.20	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.20	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.20				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.20	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.20				
PGS232 (205, -77)	No Significant Results					86.9	Dip Slope		
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.20	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.20	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.20	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.20				
including	129.5	144.8	15.2	1.81	0.50				
and	175.3	176.8	1.5	0.66	0.20				
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.20	160.0	Main		0.4
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.20	160.0	Main		19.7
including	76.2	83.8	7.6	2.33	0.50				
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.20	160.0	West Aggie		1.4
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.20	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.20				
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.20	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.20				
and	182.9	193.5	10.7	0.42	0.20				
PGS241 (95, -62)	No Significant Results					147.8	Warrior		
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.20	169.1	Warrior		43.2
including	109.7	118.9	9.1	3.48	1.00				
and	143.3	153.9	10.7	0.34	0.20				
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.20	182.8	Warrior		31.1
including	128.0	135.6	7.6	1.61	1.00				
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.20	135.6	Peg Leg		11.6
including	111.3	120.4	9.1	0.84	0.50				
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.20	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.20			Paleozoic Strata	
including	105.2	117.3	12.2	2.98	1.00				
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.20	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.20	152.4	Peg Leg		14.9
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.20	141.7	East Aggie		14.8
including	82.3	89.9	7.6	1.20	1.00				
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.20	160.0	Dip Slope		2.7
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.20	129.5	Dip Slope	Bull Valley Wash area	36.3
including	47.2	53.3	6.1	5.59	1.00				
PGS251 (210, -55)	No Significant Results					109.7	Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.20	179.8	Dip Slope	Bull Valley Wash area	22.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.20	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
and	108.2	118.9	10.7	0.74					
and	157.0	161.5	4.6	0.37					
and	169.2	172.2	3.0	0.23					
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.20	135.6	Dip Slope	Bull Valley Wash area	6.2
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.20	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
including	0.0	4.6	4.6	3.48	1.00				
and	54.9	56.4	1.5	0.63	0.20				
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.20	152.4	Dip Slope	Basal Claron Formation	12.1
and	134.1	140.2	6.1	1.85	0.20			Paleozoic strata	
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.20	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.20	172.2	Mineral Mtn		7.3
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.20	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.20			Paleozoic strata	
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.20	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.20				
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.20	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.20			Paleozoic strata	
PGS262 (105, -60)	No Significant Results					120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.20	114.3	Peg Leg		15.1
including	35.1	41.1	6.1	1.46	1.00				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.20	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.20	111.3	Mineral Mtn		22.9
including	65.5	70.1	4.6	1.97	1.00				
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.20	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.20	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.20	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.20				
PGS269 (180, -75)	No Significant Results					166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.20	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.20	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)	No Significant Results					121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.20	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)	No Significant Results					219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.20	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)	No Significant Results					196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.20	166.1	Mineral Mtn		119.4
including	0.0	32.0	32.0	3.14	1.00				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.20	182.9	Warrior		23.7
including	108.2	120.4	12.2	1.01	0.50				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.20	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.20				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.20	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.20	294.1	Caribou		61.0
including	38.1	44.2	6.1	2.09	1.00				
and	61.0	68.6	7.6	0.41	0.20				
and	82.3	96.0	13.7	0.48	0.20				
and	97.5	138.7	41.1	0.74	0.20				
including	121.9	132.6	10.7	1.79	1.00				
PGS282 (0, -90)	96.0	111.3	15.2	0.94	0.20	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220, -65)	65.5	99.1	33.5	0.41	0.20	152.4	Aggie		13.9
PGS284 (330, -75)	No Significant Results					19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180, -65)	29.0	30.5	1.5	0.49	0.20	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.20	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)	No Significant Results					32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165, -57)	No Significant Results					208.8	Caribou	Hole did not intersect target	



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.20	213.4	Caribou		27.3
including.	112.8	118.9	6.1	1.20	1.00				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.20	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.20				
including	103.6	112.8	9.1	1.96	1.00				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.20	239.3	Moosehead		23.5
including	166.1	170.7	4.6	1.97	1.00				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.20	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.20	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.20				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.20	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.20	213.4	Moosehead		21.5
including	173.7	182.9	9.1	1.62	1.00				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.20	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.20				
and	53.3	77.7	24.4	0.63	0.20				
including	61.0	68.6	7.6	1.14	1.00				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.20	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.20	237.7	Moosehead		22.5
PGS299 (280,-50)	No Significant Results					129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)	No Significant Results					152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.20	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.20	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.20	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.20	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.20	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.20	135.6	Main	Aggie	50.9
including	96.0	111.3	15.2	2.22	1.00				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.20	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.20	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.20	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.20				
PGS310 (90,-60)	76.2	105.2	29.0	0.46	0.20	121.9	Main	Aggie	13.3
PGS311 (0,-90)	76.2	77.7	1.5	0.40	0.20	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.20				
PGS312 (0,-65)	No Significant Results					152.4	Western	Picaroon - long anomalous interval	
PGS313 (170,-78)	201.2	207.3	6.1	0.32	0.20	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.20				
PGS314 (0,-90)	93.0	102.1	9.1	0.41	0.20	129.5	Western	Picaroon	3.7
PGS315 (140,-50)	82.3	111.3	29.0	0.38	0.20	132.6	Main	Aggie	11.0
PGS316 (70,-70)	No Significant Results					129.5	Western	Picaroon - long anomalous interval	
PGS317 (150,-45)	19.8	59.4	39.6	0.48	0.20	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.20				
and	80.8	86.9	6.1	0.97	0.20				
PGS318 (0,-90)	71.6	93.0	21.3	0.83	0.20	111.3	Main	Aggie	17.7
PGS319 (0,-75)	No Significant Results					144.8	Western	Picaroon	
PGS320 (110,-55)	29.0	38.1	9.1	0.79	0.20	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.20				
and	70.1	96.0	25.9	0.99	0.20				
including	82.3	93.0	10.7	1.40	1.00				
PGS321 (180,-60)	No Significant Results					91.4	Main	Aggie	
PGS322 (90,-45)	18.3	22.9	4.6	0.77	0.20	160.0	Western	Caribou	36.2
and	30.5	94.5	64.0	0.51	0.20				
PGS323 (0,-90)	No Significant Results					166.1	Western	Picaroon	
PGS324 (62,-55)	39.6	82.3	42.7	0.70	0.20	141.7	Western	Caribou	30.0
including	48.8	56.4	7.6	1.72	1.00				
PGS325 (20,-78)	73.2	76.2	3.0	0.81	0.20	141.7	Main	Aggie	9.5
and	94.5	108.2	13.7	0.52	0.20				
PGS326 (170,-50)	108.2	111.3	3.0	0.57	0.20	173.7	Western	Caribou	1.7
PGS327 (78,-67)	65.5	67.1	1.5	0.53	0.20	111.3	Main	Aggie	0.8
PGS328 (0,-90)	85.3	88.4	3.0	0.54	0.20	135.6	Western	Picaroon	1.6
PGS329 (140,-55)	94.5	97.5	3.0	0.72	0.20	176.8	Western	Caribou	2.2
PGS330 (120,-78)	93.0	94.5	1.5	0.24	0.20	121.9	Main		0.4
PGS331 (0,-90)	No Significant Results					193.5	Western	Picaroon	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS332 (225, -65)	152.4	167.6	15.2	0.41	0.20	221.0	Dip Slope	Padre Haul Road	13.3
and	178.3	192.0	13.7	0.52	0.20				
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.20	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.20	157.0	Western	Picaroon	2.0
PGS335 (180, -65)	121.9	175.3	53.3	0.67	0.20	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
including	125.0	135.6	10.7	1.93	1.00				
PGS336 (170, -45)	140.2	153.9	13.7	0.50	0.20	198.1	Western	Moosehead	8.2
and	157.0	163.1	6.1	0.23	0.20				
PGS337 (56, -55)	No Significant Results					134.1	Peg Leg		
PGS338 (295, -55)	57.9	91.4	33.5	0.64	0.20	135.6	Peg Leg		26.5
and	100.6	105.2	4.6	0.77	0.20				
and	128.0	129.5	1.5	0.96	0.20				
PGS339 (150, -45)	115.8	120.4	4.6	0.33	0.20	239.3	Western	Moosehead	35.2
and	129.5	172.2	42.7	0.79	0.20				
including	146.3	157.0	10.7	1.60	1.00				
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.20	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.20	129.5	Peg Leg		7.0
PGS342 (135, -65)	137.2	176.8	39.6	0.38	0.20	208.8	Dip Slope	Padre Haul Road	25.4
and	178.3	189.0	10.7	0.96	0.20				
PGS343 (345, -65)	No Significant Results					105.2	Peg Leg		
PGS344 (130, -45)	170.7	173.7	3.0	0.82	0.20	230.1	Western	Moosehead	17.8
and	181.4	185.9	4.6	0.28					
and	190.5	202.7	12.2	1.15					
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.20	102.1	Peg Leg		1.4
PGS346 (145, -68)	No Significant Results					91.4	Peg Leg		
PGS347 (85, -65)	161.5	201.2	39.6	0.69	0.20	224.0	Dip Slope	Padre	27.5
including	173.7	184.4	10.7	1.35	1.00				
PGS348 (340, -65)	4.6	6.1	1.5	0.48	0.20	103.6	Peg Leg		2.0
and	71.6	73.2	1.5	0.80	0.20				
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.20	117.3	Peg Leg		0.7
PGS350 (270, -55)	No Significant Results					147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.20	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.20	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)	No Significant Results					80.8	Peg Leg		
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.20	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60)	91.4	123.4	32.0	0.52	0.20	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.20				
PGS356 (115, -55)	94.5	102.1	7.6	0.56	0.20	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.20				
including	121.9	125.0	3.0	1.71	1.00				
PGS357 (0, -90)	9.1	12.2	3.0	0.38	0.20	121.9	Western		5.5
and	57.9	70.1	12.2	0.36	0.20				
PGS358 (75, -60)	15.2	16.8	1.5	0.62	0.20	121.9	Western		2.2
and	94.5	99.1	4.6	0.29	0.20				
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.20	50.3	Peg Leg		8.2
PGS360 (130, -60)	No Significant Results					137.2	Peg Leg		
PGS361 (0, -60)	No Significant Results					135.6	Western		
PGS362 (0, -90)	76.2	108.2	32.0	1.22	0.20	141.7	Dip Slope	Padre	38.8
including	76.2	89.9	13.7	1.89	1.00				
PGS363 (80, -55)	61.0	74.7	13.7	0.82	0.20	114.3	Peg Leg		13.5
including	67.1	70.1	3.0	2.32	1.00				
and	91.4	99.1	7.6	0.30	0.20				
PGS364 (120, -45)	54.9	74.7	19.8	0.92	0.20	152.4	Western		18.3
including	56.4	65.5	9.1	1.66	1.00				
PGS365 (0, -70)	97.5	135.6	38.1	0.65	0.20	163.1	Dip Slope	Padre	24.9
including	117.3	120.4	3.0	2.03	1.00				
PGS366 (185, -45)	41.1	48.8	7.6	0.57	0.20	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.20				
and	158.5	160.0	1.5	1.92	0.20				
PGS367 (0, -90)	16.8	18.3	1.52	0.40	0.20	38.1	Peg Leg		0.6
PGS368 (90, -55)	83.8	103.6	19.8	0.54	0.20	146.3	Dip Slope	Padre	10.7
including	86.9	89.9	3.0	1.22	1.00				
PGS369 (0, -85)	No Significant Results					184.4	Western	Bull Run	
PGS370 (0, -90)	No Significant Results					160.0	Dip Slope	Padre	
PGS371 (240, -75)	30.5	48.8	18.3	0.36	0.20	141.7	Western		6.6
PGS372 (0, -90)	36.6	41.1	4.6	0.34	0.20	120.4	Western		1.6
PGS373 (0, -65)	189.0	190.5	1.5	0.40	0.20	307.8	Western	Bull Run	0.6
PGS374 (40, -60)	135.6	144.8	9.1	0.4	0.20	170.7	Dip Slope	Padre	4.0
PGS375 (300, -65)	25.9	47.2	21.3	0.60	0.20	129.5	Western		12.8
PGS376 (290, -70)	No Significant Results					214.9	Dip Slope	Padre	
PGS377 (155, -85)	57.9	64.0	6.1	0.39	0.20	178.3	Western		4.6
and	160.0	163.1	3.0	0.74	0.20				
PGS378 (180, -60)	No Significant Results					211.8	Western	Bull Run	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS379 (290, -60)	83.8	105.2	21.3	0.94	0.20	182.9	Dip Slope	Padre	20.0
PGS380 (310, -65)	44.2	47.2	3.0	0.43	0.20	121.9	Western	Western Graben	1.3
PGS381 (0, -65)	36.6	47.2	10.7	0.43	0.20	132.6	Western	Western Graben	6.0
and	54.9	59.4	4.6	0.32	0.20				
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.20	120.4	Dip Slope	Padre	0.5
PGS383 (150, -85)	No Significant Results					121.9	Western	Western Graben	
PGS384 (0, -65)	No Significant Results					144.8	Western	Bull Run	
PGS385 (0, -80)	No Significant Results					123.4	Western	Bull Run	
PGS386 (200, -65)	No Significant Results					160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.20	233.2	Western	Bull Run	11.7
PGS388 (0, -90)	No Significant Results					202.7	Western	Western Graben	
PGS389 (180, -65)	No Significant Results					135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)	No Significant Results					99.1	Western		
PGS391 (0, -60)	No Significant Results					189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.20	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.20	152.4	Western		1.6
PGS394 (0, -45)	No Significant Results					172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.20	129.5	Western		6.0
PGS396 (90, -50)	No Significant Results					152.4	Dip Slope	Padre Pit	
PGS397 (0, -50)	147.8	202.7	54.9	0.64	0.20	208.8	Western	North Moosehead Pit	35.0
including	161.5	170.7	9.1	1.40	1.00				
PGS398 (0, -90)	0.0	10.7	10.7	0.47	0.20	227.1	Dip Slope	Mineralized Mine Spoils	6.2
and	138.7	143.3	4.6	0.26	0.20			Padre Haul Road	
PGS399 (0, -62)	No Significant Results					74.7	Western	Bull Run	
PGS400 (137, -80)	99.1	147.8	48.8	0.74	0.20	160.0	Western	North Moosehead Pit	36.2
including	111.3	117.3	6.1	1.93	1.00				
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.20	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)	No Significant Results					103.6	Bull Run		
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.20	187.5	Main	Warrior	12.3
including	155.4	160.0	4.6	1.16	1.00				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.20		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.20		Main	Warrior	7.3
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.20	211.8	Western	Moosehead	60.3
including	117.3	123.4	6.1	3.24	1.00				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.20	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.20	182.9	Western	Bull Run	1.7
PGS409 (0, -90)	No Significant Results					304.8	Warrior	Water Test Well	
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.20	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.20	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)	No Significant Results					288.0	Covington	Water Test Well	
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.20	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.20	117.3	Western	North Moosehead Pit	51.7
including.	39.6	64.0	24.4	1.70	1.00				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.20	178.3	Dip Slope	North Hassayampa Pit	40.3
including.	106.7	117.3	10.7	2.49	1.00				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.20	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.20	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.20	134.1	Western	North Moosehead Pit	34.6
including	77.7	82.3	4.6	3.09	1.00				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.20	253.0	Dip Slope	Water Test Well	7.1
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.20	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.20	202.7	Dip Slope	North Hassayampa Pit	53.3
including	125.0	144.8	19.8	1.84	1.00				
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.20	227.1	Western	North Moosehead Pit	36.2
including	202.7	207.3	4.6	2.06	1.00				
PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot	
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.20	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.20	182.9	Dip Slope	Lunch Spot	9.2
and	123.4	126.5	3.0	0.75	0.20				
PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead	
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.20	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.20				
and	86.9	97.5	10.7	0.51	0.20				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.20	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.20	221.0	Dip Slope		
PGS431 (0, -90)	No Significant Results					196.6	Western	Beavertail	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS432 (0, -90)	No Significant Results					205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.20	129.5	Western	Beavertail	33.4
including	16.8	21.3	4.6	2.35	1.00				
and	41.1	48.8	7.6	0.69	0.20				
and	50.3	71.6	21.3	0.55	0.20				
PGS434 (70, -82)	No Significant Results					147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.20	233.2	Dip Slope		10.4
and	195.1	198.1	3.0	0.69	0.20				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.20	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.20				
PGS437 (105, -65)	No Significant Results					150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)	No Significant Results					196.6	Western	Beavertail	
PGS439 (320, -75)	No Significant Results					152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.20	248.4	Dip Slope		22.4
including	227.1	233.2	6.1	2.23	1.00				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.20	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.20				
and	48.8	54.9	6.1	0.37	0.20				
and	62.5	74.7	12.2	0.39	0.20				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.20	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)	No Significant Results					114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.20	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.20	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.20				
and	50.3	53.3	3.0	1.06	0.20				
PGS446 (0, -90)	No Significant Results					243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.20	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.20	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)	No Significant Results					147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.20	80.8	Dip Slope	Goldtown Ridge	35.1
including	19.8	29.0	9.1	1.63	1.00				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.20	135.6	Western	Beavertail	1.8
PGS452 (0, -90)	91.4	97.5	6.1	0.69	0.20	175.3	Dip Slope		7.1
and	103.6	111.3	7.6	0.38	0.20				
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.20	108.2	Western	Beavertail	1.3

## Liberty Gold - Goldstrike 2018 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70)	2.1	27.0	24.8	0.73	0.20	95.1	Dip Slope	Met Core Hole	18.1
including	0.6	6.9	6.2	1.47	0.50				
PGS478C (98, -65)	0.8	34.2	33.5	0.67	0.20	50.1	Dip Slope	Met Core Hole	22.5
including	3.7	13.4	9.8	1.45	0.50				
PGS479C (290, -65)	No Significant Results					18.6	Dip Slope	Hole Lost Above Target	
PGS480C (190, -80)	44.0	57.9	13.9	0.43	0.20	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2
and	68.3	73.1	4.8	0.46	0.20				
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.20	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4
PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.20	122.5	Caribou Pit (Western)	Met Core Hole	25.4
and	101.2	112.5	11.3	0.60	0.20				
PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.20	159.1	Caribou Pit (Western)	Met Core Hole	61.5
and	59.4	68.1	8.7	0.59	0.20				
and	76.8	146.5	69.6	0.79	0.20				
including.	138.9	146.5	7.6	2.46	1.00				
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.20	107.3	Moosehead Pit (Western)	Met Core Hole	33.4
PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.20	79.9	Moosehead Pit (Western)	Met Core Hole	16.2
and	46.3	60.0	13.7	0.77	0.20				
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.20	145.4	Moosehead Pit (Western)	Met Core Hole	52.0
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.20	107.3	Moosehead Pit (Western)	Met Core Hole	32.3
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.20	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3
PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.20	92.0	Beavertail Pit (Western)	Met Core Hole	19.7
and	67.7	86.0	18.3	0.41	0.20				
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.20	95.3	Beavertail Pit (Western)	Met Core Hole	11.1
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.20	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0
PGS491 (200, -65)	No Significant Results					61.0	Dip Slope		
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.20	80.8	Dip Slope		4.6
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.20	91.4	Dip Slope		13.1
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.20	68.6	Dip Slope		3.8
PGS495 (0, -90)	No Significant Results					56.4	Dip Slope		
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.20	121.9	Dip Slope		3.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.20	47.2	Dip Slope		4.5
PGS498 (0, -90)	No Significant Results					105.2	Dip Slope		
PGS499 (300, -65)	No Significant Results					108.2	Dip Slope		
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.20	121.9	Dip Slope		2.8
PGS501 (0, -90)	No Significant Results					91.4	Dip Slope		
PGS502 (0, -90)	No Significant Results					61.0	Dip Slope		
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.20	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.20	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.20	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.20	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.20	193.5	Dip Slope		2.8
PGS508 (0, -90)	No Significant Results					68.6	Goldtown Back Fill		
PGS509 (0, -90)	No Significant Results					19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.20	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.20	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.20	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90) and	0.0 15.2	7.6 30.5	7.6 15.2	0.56 0.73	0.20 0.20	111.3	Goldtown Back Fill	Back Fill Material Bedrock	15.5
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.20	129.5	Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.20	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)	No Significant Results					91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.20	105.2	Jedi		1.1
PGS518 (272, -50)	No Significant Results					129.5	Peg Leg		
PGS519 (180, -65)	No Significant Results					80.8	Jedi		
PGS520 (225, -50)	No Significant Results					182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.20	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.20	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.20	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.20	91.4	Jacks Camp		14.2
PGS525 (50, -50) and	13.7 53.3	24.4 62.5	10.7 9.1	0.64 0.28	0.20	91.4	Jacks Camp		9.4
PGS526 (0, -90) and	0.0 35.1	32.0 47.2	32.0 12.2	0.57 0.32	0.20 0.20	62.5	Leach Pad 1	Leach Pad Material Back Fill Material	22.1
PGS527 (0, -90)	No Significant Results					80.8	Jacks Camp		
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.20	132.6	Jacks Camp		1.6
PGS529 (0, -90) and and and and	0.0 15.2 41.1 53.3 82.3	13.7 19.8 44.2 59.4 106.7	13.7 4.6 3.0 6.1 24.4	0.64 0.20 0.41 0.31 0.73	0.20	121.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	30.6
PGS530 (180, -50)	No Significant Results					86.9	Jacks Camp		
PGS531 (0, -90) and and and	0.0 38.1 48.8 105.2	30.5 48.8 89.9 112.8	30.5 10.7 41.1 7.6	0.27 0.37 0.55 1.05	0.20	118.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	42.6
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.20	80.8	Fence Line		21.1
PGS533 (320, -85) and and	0.0 13.7 131.1	10.7 29.0 170.7	10.7 15.2 39.6	0.55 0.27 0.85	0.20	178.3	Leach Pad1	Leach Pad Material Bedrock	43.5
PGS534 (180, -75)	No Significant Results						Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.20	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90) and	0.0 15.2	15.2 50.3	15.2 35.1	0.62 0.16	0.20 0.15	80.8	Leach Pad 2	Leach Pad Material Back Fill Material	15.1
PGS537 (110, -65)	No Significant Results						Fence Line		
PGS538 (0, -90) and	0.0 16.8	16.8 33.5	16.8 16.7	0.23 0.58	0.20	41.1	Leach Pad 2	Leach Pad Material Back Fill Material	13.6
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.20	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90) and	0.0 24.4	24.4 48.8	24.4 24.4	0.17 0.21	0.15 0.20	53.3	Leach Pad 2	Leach Pad Material Back Fill Material	9.4
PGS541 (0, -90) and	0.0 47.2	33.5 62.5	33.5 15.2	0.32 0.22	0.20	93.0	Leach Pad 2	Leach Pad Material Back Fill Material	14.1
PGS542 (0, -90) and	0.0 35.1	35.1 53.3	35.1 18.2	0.52 0.35	0.20	56.4	Leach Pad 2	Leach Pad Material Back Fill Material	12.3
PGS543 (0, -90) and	0.0 15.2	15.2 28.6	15.2 13.4	0.32 0.25	0.20 0.20	53.3	Leach Pad 2	Leach Pad Material Back Fill Material	8.2
PGS544 (0, -90) and	0.0 29.0	29.0 36.6	29.0 7.6	0.19 0.36	0.15 0.20	68.6	Leach Pad 2	Leach Pad Material Back Fill Material	8.3
PGS545 (250, -60)	No Significant Results					117.3	Fence Line		
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.20	44.2	Leach Pad 2	Leach Pad Material	9.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.20	56.4	Leach Pad 2	Leach Pad Material	12.0
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.20	80.8	Leach Pad 2	Leach Pad Material	19.5
and	21.3	48.8	27.5	0.28				Back Fill Material	
and	48.8	61.0	12.2	0.42				Bedrock	
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.20	160.0	Fence Line		1.4
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.20	61.0	Leach Pad 2	Leach Pad Material	10.2
and	44.2	50.3	6.1	0.32				Back Fill Material	
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.20	61.0	Leach Pad 2	Leach Pad Material	22.1
and	47.2	53.3	6.1	0.69				Back Fill Material	
PGS552 (20, -75)	No Significant Results					138.7	Big Red		
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.20	91.4	Leach Pad 2	Leach Pad Material	17.5
and	42.7	51.8	9.1	0.36				Back Fill Material	
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.20	61.0	Leach Pad 2	Leach Pad Material	11.4
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.20	141.7	Big Red		3.0
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9
and	76.2	89.9	13.7	1.42				0.20	
PGS557 (90, -65)	No Significant Results					99.1	Peg Leg		
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.20	93.0	Big Red		7.1
and	12.2	16.8	4.6	1.12					
and	57.9	61.0	3.0	0.30					
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.20	138.7	Peg Leg		
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.20	91.4	Big Red		1.6
PGS561 (0, -50)	No Significant Results					91.4	Big Red		
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.20	190.5	Peg Leg		13.1
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.20	82.3	Peg Leg		3.9
PGS564 (0, -75)	No Significant Results					100.6	Big Red		
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.20	135.6	Potter's Peak		4.3
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.23	182.9	Potter's Peak		0.3
PGS567 (305, -65)	3.0	7.6	4.6	0.71	0.20	51.8	Peg Leg		16.8
and	19.8	21.3	1.5	8.85					
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.20	126.5	Peg Leg		3.4
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.20	86.9	Potter's Peak		0.7
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.20	61.0	Peg Leg		0.5
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.20	79.3	Peg Leg		1.1
PGS572 (90, -75)	No Significant Results					105.2	Potter's Peak		
PGS573 (270, -50)	No Significant Results					61.0	Peg Leg		
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.20	141.7	Peg Leg		36.3
including	61.0	71.6	10.7	1.88	1.00				
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.20	121.9	Peg Leg		6.2
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.20	83.8	Potter's Peak		1.0
PGS577 (145, -45)	0.0	16.8	16.8	0.48	0.20	144.8	Peg Leg		34.1
and	96.0	132.6	36.6	0.71					
PGS578 (0, -50)	No Significant Results					115.8	Potter's Peak		
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.20	121.9	Peg Leg		62.7
and	77.7	120.4	42.7	1.14	0.20				
including	100.6	118.9	18.3	2.00	1.00				
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.20	129.5	Peg Leg		31.4
including	62.5	65.5	3.0	3.43	1.00				
and	86.9	100.6	13.7	0.52	0.20				
PGS581 (150, -70)	No Significant Results					80.8	Potter's Peak		
PGS582 (120, -60)	3.0	7.6	4.6	0.47	0.20	105.2	Peg Leg		9.4
and	13.7	25.9	12.2	0.60					
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.20	91.4	Potter's Peak		1.0
PGS584 (240, -73)	86.9	108.2	21.3	0.74	0.20	202.7	Main		38.5
and	117.3	166.1	48.8	0.42					
and	178.3	187.5	9.1	0.27					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.20	91.4	Fence Line		15.1
PGS586 (177, -60)	118.9	123.4	4.6	0.91	0.20	227.1	Main Zone	Warrior	6.6
and	175.3	181.4	6.1	0.39					
PGS587 (0, -70)	No Significant Results					182.9	Picaroon		
PGS588 (0, -45)	No Significant Results					117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65)	7.6	36.6	29.0	0.56	0.20	202.7	Western	Beavertail	30.2
and	48.8	54.9	6.1	0.36					
and	89.9	103.6	13.7	0.85					
PGS590 (0, -70)	No Significant Results					135.6	Main Zone	Aggie Footwall	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS591 (145, -65)	0.0	76.2	76.2	0.72	0.20	135.6	Western	Beavertail	55.1
including	15.2	21.3	6.1	1.26	1.00				
PGS592 (310, -45)	No Significant Results					80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.20	196.6	Main Zone	Aggie	1.8
PGS594 (40, -70)	9.1	24.4	15.2	0.98	0.20	105.2	Western	Beavertail	37.3
and	35.1	62.5	27.4	0.81					
PGS595 (157, -49)	117.3	121.9	4.6	0.32	0.20	196.6	Main Zone	Aggie	34.0
and	132.6	166.1	33.5	0.97	0.20				
including	146.3	161.5	15.2	1.64	1.00				
PGS596 (60, -55)	0.0	21.3	21.3	0.79	0.20	196.6	Western	Beavertail	26.5
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
PGS597 (210, -70)	121.9	138.7	16.8	1.06	0.20	117.3	Main zone	Aggie	17.8
PGS598 (0, -90)	44.2	45.7	1.5	0.36	0.20	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
PGS599 (138, -80)	No Significant Results					172.2	Main zone	Aggie	
PGS600 (0, -90)	42.7	45.7	3.0	0.56	0.20	86.9	Western	Goldstrike Graben	1.7
PGS601 (305, -72)	No Significant Results					144.8	Main zone	Aggie	
PGS602 (49, 52)	57.9	64.0	6.1	0.41	0.20	99.1	Western	Goldstrike Graben	5.2
and	65.5	77.7	12.2	0.22					
PGS603 (70, -50)	93.0	112.8	19.8	0.33	0.20	144.8	Main zone		6.5
PGS604 (0, -90)	62.5	65.5	3.0	0.40	0.20	129.5	Western	Goldstrike Graben	1.2
PGS605 (305, -50)	No Significant Results					166.1	Main zone		
PGS606 (30, -50)	126.5	132.6	6.1	0.35	0.20	182.9	Western	Goldstrike Graben	6.5
and	143.3	146.3	3.0	1.03					
and	150.9	153.9	3.0	0.39					
PGS607 (250, -50)	117.3	121.9	4.6	0.36	0.20	182.9	Main zone		1.7
PGS608 (165, -70)	4.6	13.7	9.1	0.52	0.20	147.8	Main zone		20.3
and	38.1	71.6	33.5	0.46					
PGS609 (0, -75)	No Significant Results					152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.20	86.9	Dip Slope	Hassayampa Backfill	7.2
PGS611 (0, -90)	No Significant Results					152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.20	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.20	123.4	Dip Slope		0.7
PGS614 (0, -80)	No Significant Results					158.5	Western	Goldstrike Graben	
PGS615 (0, -55)	9.1	25.9	16.8	2.09	0.20	117.3	Dip Slope		42.7
including	12.2	19.8	7.6	3.94	1.00				
and	56.4	57.9	1.5	0.38	0.20				
and	64.0	76.2	12.2	0.90	0.20				
and	93.0	96.0	3.0	0.37	0.20				
PGS616 (55, -50)	No Significant Results					80.8	Dip Slope		
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.20	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)	No Significant Results					105.2	Main zone	Aggie	
PGS619 (310, -65)	No Significant Results					86.9	Main zone	Aggie	
PGS620 (145, -65)	No Significant Results					178.3	Western	Goldstrike Graben	
PGS621 (90, -70)	No Significant Results					121.9	Peg Leg		
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.20	152.4	Peg Leg		1.1
PGS623 (350, -70)	6.1	10.7	4.57	0.54	0.20	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.20				
PGS624 (45, -80)	No Significant Results					111.3	Peg Leg		
PGS625 (50, -70)	0.0	15.2	15.2	0.36	0.20	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
PGS626 (190, -55)	0.0	13.7	13.7	0.54	0.20	147.8	Peg Leg		16.9
and	99.1	105.2	6.1	0.55					
and	123.4	135.6	12.2	0.51					
PGS627 (345, -82)	80.8	83.8	3.0	0.40	0.20	202.7	Western	Covington Dyke	1.2
PGS628 (60, -75)	0.0	12.2	12.2	0.61	0.20	140.2	Peg Leg		11.3
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
PGS629 (70, -65)	No Significant Results					147.8	Peg Leg		
PGS630 (60, -75)	39.6	106.7	67.1	1.17	0.20	129.5	Peg Leg		78.3
including	51.8	77.7	25.9	2.21	1.00				
PGS631 (0, -75)	44.2	96.0	51.8	0.99	0.20	120.4	Peg Leg		59.7
including	74.7	85.3	10.7	2.45	1.00				
and	105.2	109.7	4.6	1.84	0.20				
PGS632 (255, -50)	No Significant Results					178.3	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS633 (180, -55)	0.0	9.1	9.1	1.01	0.20	160.0	Main zone	Hamburg Ext	34.0
and	48.8	59.4	10.7	0.30	0.20				
and	70.1	96.0	25.9	0.80	0.20				
including	88.4	93.0	4.6	2.03	1.00				
and	112.8	115.8	3.0	0.31	0.20				
PGS634 (180, -75)	57.9	97.5	39.6	0.65	0.20	135.6	Peg Leg		25.6
PGS635 (180, -60)	44.2	105.2	61.0	0.62	0.20	178.3	Main zone	Hamburg Ext	37.7
including	86.9	94.5	7.6	1.70	1.00				
PGS636 (180, -70)	0.0	9.1	9.1	1.63	0.20	141.7	Peg Leg		51.4
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	79.2	100.6	21.3	1.59					
PGS637 (0, -90)	56.4	79.2	22.9	0.52	0.20	141.7	Main	Hamburg Ext	11.8
PGS638 (290, -75)	0.0	9.1	9.1	0.80	0.20	152.4	Peg Leg		12.8
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
PGS639 (180, -67)	56.4	80.8	24.4	0.63	0.20	166.1	Main zone	Hamburg Ext	15.5
PGS640 (0, -90)	7.6	30.5	22.9	0.37	0.20	56.3	Main	Hamburg East Backfill	16.9
and	38.1	54.9	16.8	0.50					
PGS641 (0, -90)	No Significant Results					44.2	Main	Hamburg West Backfill	
PGS642 (180, -45)	44.2	47.2	3.0	1.34	0.20	182.9	Main zone	Hamburg Ext	17.0
and	48.8	73.2	24.4	0.53					
PGS643 (180, -67)	No Significant Results					91.4	Western	Picaron	
PGS644 (0, -65)	No Significant Results					117.3	Western	West Beavertail	
PGS645 (180, -50)	51.8	67.1	15.2	0.36	0.20	166.1	Main	Hamburg Ext	5.5
PGS646 (180, -70)	10.7	18.3	7.6	0.44	0.20	128.0	Western	West Beavertail	3.4
PGS647 (145, -65)	18.3	21.3	3.0	0.36	0.20	135.6	Main	Hamburg Ext	1.1
PGS648 (0, -65)	7.6	27.4	19.8	0.46	0.20	138.7	Western	West Beavertail	9.2
PGS649 (180, -65)	0.0	10.7	10.7	0.40	0.20	134.1	Western	West Beavertail	12.5
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
PGS650 (180, -65)	3.0	4.6	1.5	0.21	0.20	123.4	Western	West Beavertail	26.8
and	6.1	24.4	18.3	1.24					
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
PGS651 (180, -65)	No Significant Results					129.5	Western	West Beavertail	
PGS652 (0, -90)	No Significant Results					160.0	Western	West Beavertail	
PGS653 (180, -65)	No Significant Results					121.9	Western	West Beavertail	
PGS654 (180, -65)	No Significant Results					99.1	Western	West Beavertail	
PGS655 (325, -69)	3.0	35.1	32.0	0.44	0.20	141.7	Western	Beavertail	32.6
and	42.7	70.1	27.4	0.68					
PGS656 (67, -65)	3.0	15.2	12.2	0.35	0.20	147.8	Western	Beavertail	29.0
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					
PGS657 (235, -65)	0.0	27.4	27.4	0.38	0.20	105.2	Western	Beavertail	26.1
and	33.5	42.7	9.1	0.31					
and	48.8	54.9	6.1	0.57					
and	61.0	79.2	18.3	0.51					
PGS658 (100, -57)	0.0	22.9	22.9	0.48	0.20	166.1	Western	Beavertail	12.0
and	132.6	135.6	3.0	0.35					
PGS659 (35, -53)	0.0	44.2	44.2	0.54	0.20	160.0	Western	Beavertail	25.9
and	64.0	70.1	6.1	0.33					
PGS660 (180, -50)	0.0	15.2	15.2	0.39	0.20	129.5	Western	Beavertail	42.6
and	16.8	50.3	33.5	0.88					
including	33.5	44.2	10.7	1.47					
and	85.3	89.9	4.6	1.51					
PGS661 (65, -45)	0.0	13.7	13.7	0.49	0.20	99.1	Western	Beavertail	37.5
and	19.8	56.4	36.6	0.80					
and	64.0	67.1	3.0	0.46					
PGS662 (0, -90)	No Significant Results					16.8	Western	Moosehead Dump	
PGS663 (0, -90)	0.0	12.2	12.2	0.52	0.20	19.8	Western	Moosehead Dump	6.3
PGS664 (0, -90)	0.0	18.3	18.3	0.31	0.20	25.9	Western	Moosehead Dump	5.7
PGS665 (0, -90)	0.0	7.6	7.6	0.28	0.20	38.1	Western	Moosehead Dump	3.3
	15.2	18.3	3.0	0.36					
PGS666 (0, -90)	0.0	24.4	24.4	0.29	0.20	44.2	Western	Moosehead Dump	7.0
PGS667	112.8	118.9	6.1	0.47	0.20	147.8	Peg Leg		2.8
PGS668	45.7	70.1	24.4	0.70	0.20	157.0	Peg Leg		19.3
and	80.8	86.9	6.1	0.37					
PGS669	70.1	77.7	7.6	0.22	0.20	135.6	Peg Leg		15.4
and	85.3	99.1	13.7	1.00					



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS670 (350, -75)	68.6	86.9	18.3	2.95	0.20	152.4	Peg Leg		56.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	105.2	109.7	4.6	0.47						PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.20	141.7	Peg Leg		2.6	PGS672 (185, -50)	70.1	76.2	6.1	0.73	0.20	157.0	Peg Leg		7.1	and	123.4	129.5	6.1	0.43	PGS673 (145, -65)	No Significant Results					166.1	Aggie			PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.20	105.2	Dip Slope		19.2	and	30.5	32.0	1.5	0.48	and	38.1	39.6	1.5	0.69	and	51.8	70.1	18.3	0.49	and	89.9	93.0	3.0	2.42	PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.20	117.3	Dip Slope		11.3	and	57.9	62.5	4.6	0.36	and	71.6	83.8	12.2	0.72	PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.20	147.8	Hamburg Extension		18.7	and	47.2	56.4	9.1	1.17	and	65.5	68.6	3.0	0.26	PGS677 (203, -60)	0.0	7.6	7.6	0.85	0.20	117.3	Hamburg Extension		58.5	and	50.3	86.9	36.6	1.29	0.20	including	67.1	76.2	9.1	2.82	1.00	and	94.5	97.5	3.0	0.45	0.20	and	103.6	114.3	10.7	0.33	0.20	PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.20	121.9	Hamburg Extension		10.2	PGS679 (158, -54)	47.2	59.4	12.2	0.37	0.20	121.9	Hamburg Extension		7.4	and	64.0	68.6	4.6	0.62	PGS680 (285, -75)	50.3	53.3	3.0	0.45	0.20	105.2	Hamburg Extension		3.6	and	74.7	79.2	4.6	0.26	and	94.5	96.0	1.5	0.69	PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.20	99.1	West Beavertail		10.1	PGS682 (180, -60)	No Significant Results					117.3	West Beavertail			PGS683 (180, -60)	No Significant Results					147.8	West Beavertail			PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.20	121.9	West Beavertail		1.9	PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.20	129.5	West Beavertail		0.6	PGS686 (0, -75)	42.7	44.2	1.5	0.31	0.20	114.3	West Beavertail		2.7	and	48.8	51.8	3.0	0.24	and	53.3	56.4	3.0	0.51	PGS687 (180, -45)	7.6	10.7	3.0	0.20	0.20	61.0	West Beavertail		22.8	and	13.7	29.0	15.2	1.45	including	13.7	18.3	4.6	3.90	1.00	PGS688 (0, -90)	0.0	4.6	4.6	0.20	0.20	108.2	West Beavertail		1.8	and	7.6	9.1	1.5	0.59	PGS689 (180, -45)	No Significant Results					100.6	West Beavertail			PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.20	109.7	West Beavertail		25.0	including	10.7	16.8	6.1	3.37	1.00	PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.20	121.9	West Beavertail		3.0	PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.20	121.9	West Beavertail		5.3	PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.20	121.9	West Beavertail		3.7	PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.20	135.6	West Beavertail		4.4	PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0	PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.20	121.9	West Beavertail		14.6	and	22.9	32.0	9.1	0.55	and	38.1	42.7	4.6	0.43	PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.20	91.4	West Beavertail		18.6	and	53.3	57.9	4.6	0.32	PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.20	91.4	West Beavertail		5.4	PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0	PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.20	86.9	West Beavertail		0.9	PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.20	77.7	West Beavertail		5.2	PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.20	86.9	West Beavertail		19.2	PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0	PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0	PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0	PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0	PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.20	102.1	Beavertail		10.7	PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0	PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost		PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0	PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.20	121.9	Dip Slope		27.8	including
PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.20	141.7	Peg Leg		2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS672 (185, -50)	70.1	76.2	6.1	0.73	0.20	157.0	Peg Leg		7.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	123.4	129.5	6.1	0.43						PGS673 (145, -65)	No Significant Results					166.1	Aggie			PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.20	105.2	Dip Slope		19.2	and	30.5	32.0	1.5	0.48	and	38.1	39.6	1.5	0.69	and	51.8	70.1	18.3	0.49	and	89.9	93.0	3.0	2.42						PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.20	117.3	Dip Slope		11.3	and	57.9	62.5	4.6	0.36	and	71.6	83.8	12.2	0.72	PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.20	147.8	Hamburg Extension		18.7	and	47.2	56.4	9.1	1.17	and	65.5	68.6	3.0	0.26	PGS677 (203, -60)	0.0	7.6	7.6	0.85	0.20	117.3	Hamburg Extension		58.5	and	50.3	86.9	36.6	1.29	0.20	including	67.1	76.2	9.1	2.82	1.00	and	94.5	97.5	3.0					0.45	0.20	and	103.6	114.3	10.7	0.33	0.20	PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.20	121.9	Hamburg Extension		10.2	PGS679 (158, -54)	47.2	59.4	12.2	0.37	0.20	121.9	Hamburg Extension		7.4	and	64.0	68.6	4.6	0.62	PGS680 (285, -75)	50.3	53.3	3.0	0.45	0.20	105.2	Hamburg Extension		3.6	and	74.7	79.2	4.6	0.26	and	94.5	96.0	1.5	0.69	PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.20	99.1	West Beavertail		10.1	PGS682 (180, -60)	No Significant Results					117.3	West Beavertail			PGS683 (180, -60)	No Significant Results					147.8	West Beavertail			PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.20	121.9	West Beavertail		1.9	PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.20	129.5	West Beavertail		0.6	PGS686 (0, -75)	42.7	44.2	1.5	0.31	0.20	114.3	West Beavertail		2.7	and	48.8	51.8	3.0	0.24	and	53.3	56.4	3.0	0.51	PGS687 (180, -45)	7.6	10.7	3.0	0.20	0.20	61.0	West Beavertail		22.8	and	13.7	29.0	15.2	1.45	including	13.7	18.3	4.6	3.90	1.00	PGS688 (0, -90)	0.0	4.6	4.6	0.20	0.20	108.2	West Beavertail		1.8	and	7.6	9.1	1.5	0.59	PGS689 (180, -45)	No Significant Results					100.6	West Beavertail			PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.20	109.7	West Beavertail		25.0	including	10.7	16.8	6.1	3.37	1.00	PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.20	121.9	West Beavertail		3.0	PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.20	121.9	West Beavertail		5.3	PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.20	121.9	West Beavertail		3.7	PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.20	135.6	West Beavertail		4.4	PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0	PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.20	121.9	West Beavertail		14.6	and	22.9	32.0	9.1	0.55	and	38.1	42.7	4.6	0.43	PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.20	91.4	West Beavertail		18.6	and	53.3	57.9	4.6	0.32	PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.20	91.4	West Beavertail		5.4	PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0	PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.20	86.9	West Beavertail		0.9	PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.20	77.7	West Beavertail		5.2	PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.20	86.9	West Beavertail		19.2	PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0	PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0	PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0	PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0	PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.20	102.1	Beavertail		10.7	PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0	PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost		PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0	PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.20	121.9	Dip Slope		27.8	including	100.6	109.7	9.1	2.79	1.00											
PGS673 (145, -65)	No Significant Results					166.1	Aggie																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.20	105.2	Dip Slope		19.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	30.5	32.0	1.5	0.48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	38.1	39.6	1.5	0.69																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	51.8	70.1	18.3	0.49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	89.9	93.0	3.0	2.42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.20	117.3	Dip Slope		11.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	57.9	62.5	4.6	0.36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	71.6	83.8	12.2	0.72																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.20	147.8	Hamburg Extension		18.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	47.2	56.4	9.1	1.17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	65.5	68.6	3.0	0.26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS677 (203, -60)	0.0	7.6	7.6	0.85	0.20	117.3	Hamburg Extension		58.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	50.3	86.9	36.6	1.29	0.20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
including	67.1	76.2	9.1	2.82	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	94.5	97.5	3.0	0.45	0.20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	103.6	114.3	10.7	0.33	0.20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.20	121.9	Hamburg Extension		10.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS679 (158, -54)	47.2	59.4	12.2	0.37	0.20	121.9	Hamburg Extension		7.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	64.0	68.6	4.6	0.62																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS680 (285, -75)	50.3	53.3	3.0	0.45	0.20	105.2	Hamburg Extension		3.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	74.7	79.2	4.6	0.26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	94.5	96.0	1.5	0.69																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.20	99.1	West Beavertail		10.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS682 (180, -60)	No Significant Results					117.3	West Beavertail																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PGS683 (180, -60)	No Significant Results					147.8	West Beavertail																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.20	121.9	West Beavertail		1.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.20	129.5	West Beavertail		0.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS686 (0, -75)	42.7	44.2	1.5	0.31	0.20	114.3	West Beavertail		2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	48.8	51.8	3.0	0.24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	53.3	56.4	3.0	0.51																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS687 (180, -45)	7.6	10.7	3.0	0.20	0.20	61.0	West Beavertail		22.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	13.7	29.0	15.2	1.45																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
including	13.7	18.3	4.6	3.90						1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
PGS688 (0, -90)	0.0	4.6	4.6	0.20	0.20	108.2	West Beavertail		1.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	7.6	9.1	1.5	0.59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS689 (180, -45)	No Significant Results					100.6	West Beavertail																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.20	109.7	West Beavertail		25.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
including	10.7	16.8	6.1	3.37	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.20	121.9	West Beavertail		3.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.20	121.9	West Beavertail		5.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.20	121.9	West Beavertail		3.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.20	135.6	West Beavertail		4.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.20	121.9	West Beavertail		14.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	22.9	32.0	9.1	0.55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
and	38.1	42.7	4.6	0.43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.20	91.4	West Beavertail		18.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
and	53.3	57.9	4.6	0.32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.20	91.4	West Beavertail		5.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.20	86.9	West Beavertail		0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.20	77.7	West Beavertail		5.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.20	86.9	West Beavertail		19.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.20	102.1	Beavertail		10.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.20	121.9	Dip Slope		27.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
including	100.6	109.7	9.1	2.79	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.20	140.2	Dip Slope		13.0
PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.20	91.4	Dip Slope		4.2
PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.20	91.4	Dip Slope		2.7
PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.20	74.7	Dip Slope		1.3
PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.20	77.7	Dip Slope		0.4
PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.20	74.7	Dip Slope		7.3
PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.20	50.3	Dip Slope		2.1
PGS721 (0, -60)	157	168	10.7	0.45	0.20	182.9	Dip Slope		4.8
PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.20	99.1	Dip Slope		0.9
PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.20	91.4	Dip Slope		1.2
PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.20	182.9	Dip Slope		1.6
PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.20	74.7	Dip Slope		3.6
PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.20	91.4	Dip Slope		15.9
PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.20	48.8	Dip Slope		9.1
and	21.3	25.9	4.6	0.21					
and	27.4	36.6	9.1	0.59					
PGS728 (308, -45)	1.5	15.2	13.7	0.28	0.20	64.0	Dip Slope		22.7
and	24.4	32.0	7.6	0.57	0.20				
and	36.6	61.0	24.4	0.60	0.20				
PGS729 (251, -51)	51.8	53.3	1.5	0.56	0.20	65.5	Dip Slope		0.8
PGS730 (30, -50)	No Significant Results					59.4	Dip Slope		
PGS731 (300, -50)	No Significant Results					50.3	Dip Slope		
PGS732 (280, -50)	7.6	16.8	9.1	0.39	0.20	45.7	Dip Slope		5.5
and	24.4	27.4	3.0	0.36					
and	33.5	35.1	1.5	0.56					
PGS733 (0, -57)	7.6	35.1	27.4	1.15	0.20	61.0	Dip Slope		31.4
including	24.4	30.5	6.1	3.39	1.00				
PGS734 (160, -50)	10.7	16.8	6.1	0.25	0.20	48.8	Dip Slope		1.5
PGS735 (0, -90)	No Significant Results					117.3	Hamburg Extension		
PGS736 (31, -51)	68.6	123.4	54.9	0.50	0.20	146.3	Hamburg Extension		27.7
PGS737 (346, -68)	51.8	54.9	3.0	0.23	0.20	121.9	Hamburg Extension		9.5
and	62.5	82.3	19.8	0.45	0.20				
PGS738 (235, -60)	83.8	85.3	1.5	3.09	0.20	108.2	Hamburg Extension		4.7

## Liberty Gold - Goldstrike 2021 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS739 (0, -90)	4.6	9.1	4.6	0.30	0.20	147.8	Beavertail		24.9	
and	32.0	41.1	9.1	0.40						
and	79.2	91.4	12.2	1.02						
including	85.3	86.9	1.5	6.01						1.00
and	117.3	126.5	9.1	0.82						0.20
PGS740 (85, -50)	15.2	18.3	3.0	0.33	0.20	135.7	Beavertail		27.3	
and	77.7	111.3	33.5	0.79						
including	80.8	88.4	7.6	1.03						1.00
PGS741 (195, -70)	19.8	27.4	7.6	0.30	0.20	178.3	Beavertail		6.6	
and	44.2	45.7	1.5	0.84						
and	51.8	54.9	3.0	0.68						
and	62.5	65.5	3.0	0.33						
PGS742 (200, -68)	0.0	62.5	62.5	0.46	0.20	120.4	Beavertail		28.8	
including	35.1	38.1	3.0	1.55	1.00					
PGS743 (65, -80)	4.6	76.2	71.6	0.38	0.20	147.9	Beavertail		28.7	
including	62.5	64.0	1.5	2.02	1.00					
and	94.5	100.6	6.1	0.25	0.20					
PGS744 (135, -50)	33.5	36.6	3.0	0.74	0.20	117.3	Beavertail		2.3	
PGS745 (80, -60)	No Significant Results					129.6	Beavertail			
PGS746 (180, -45)	74.7	88.4	13.7	0.27	0.20	114.3	Hamburg		3.7	
PGS747 (180, -80)	65.5	68.6	3.0	0.30	0.20	117.4	Hamburg		1.0	
PGS748 (0, -60)	0.0	3.0	3.0	0.40	0.20	114.3	Hamburg		53.1	
and	36.6	47.2	10.7	0.39						
and	74.7	97.5	22.9	2.09						
including	76.2	85.3	9.1	4.36						1.00
PGS749 (270, -60)	50.3	53.3	3.0	0.33	0.20	141.7	Hamburg		9.9	
and	70.1	86.9	16.8	0.53						
including	83.8	85.3	1.5	1.58						1.00
PGS750 (0, -85)	21.3	44.2	22.9	0.90	0.20	135.6	Hamburg		20.5	
including	21.3	25.9	4.6	2.86	1.00					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS751 (0, -65)	48.8	59.4	10.7	0.84	0.20	120.4	Hamburg		24.8
including	54.9	56.4	1.5	2.06	1.00				
and	68.6	86.9	18.3	0.83	0.20				
including	71.6	74.7	3.0	1.49	1.00				
and	99.1	100.6	1.5	0.41	0.20				
PGS752 (18, -45)	30.5	47.2	16.8	0.78	0.20	105.2	Hamburg		25.5
and	59.4	65.5	6.1	0.37					
and	76.2	89.9	13.7	0.74					
including	80.8	86.9	6.1	1.14					
PGS753 (280, -85)	56.4	96.0	39.6	1.19	0.20	141.7	Hamburg		49.9
including	56.4	57.9	1.5	1.59	1.00				
including	62.5	65.5	3.0	1.53					
including	67.1	70.1	3.0	1.01					
including	73.2	83.8	10.7	1.89					
including	85.3	93.0	7.6	1.39					
and	102.1	108.2	6.1	0.43					
PGS754 (245, -40)	77.7	93.0	15.2	3.60	0.20	126.5	Hamburg		54.8
including	77.7	83.8	6.1	7.75	1.00				
also including	77.7	82.3	4.6	9.98	5.00				
PGS755 (220, -57)	56.4	74.7	18.3	1.74	0.20	121.9	Hamburg		31.9
including	56.4	71.6	15.2	2.03	1.00				
PGS756 (240, -70)	44.2	62.5	18.3	1.07	0.20	129.5	Hamburg		27.2
also including	50.3	57.9	7.6	1.52	1.00				
and	80.8	86.9	6.1	0.75	0.20				
including	82.3	83.8	1.5	1.17	1.00				
and	94.5	96.0	1.5	0.64	0.20				
and	108.2	112.8	4.6	0.48	0.20				
PGS757 (170, -70)	39.6	51.8	12.2	0.95	0.20				
including	47.2	50.3	3.0	2.49	1.00				
and	61.0	68.6	7.6	0.54	0.20				
and	88.4	93.0	4.6	1.02					
including	88.4	91.4	3.0	1.24		1.00			
and	112.8	114.3	1.5	0.74	0.20				
and	115.8	118.9	3.0	0.20					
PGS758 (020, -50)	74.7	141.7	67.1	0.62	0.20	178.3	Hamburg		41.5
including	77.7	80.8	3.0	1.76	1.00				
also including	82.3	83.8	1.5	1.22					
also including	88.4	89.9	1.5	1.02					
also including	121.9	123.4	1.5	2.31					
also including	125.0	126.5	1.5	1.04					
PGS759 (355, -50)	61.0	65.5	4.6	0.22	0.20	141.7	Hamburg		43.7
and	70.1	140.2	70.1	0.61					
including	94.5	100.6	6.1	1.74					
PGS760 (0, -90)	36.6	41.1	4.6	0.30	0.20	144.8	Hamburg		11.8
and	47.2	71.6	24.4	0.43					
including	64.0	65.5	1.5	1.12					
PGS761 (290, -65)	48.8	80.8	32.0	0.38	0.15	166.1	Hamburg		30.5
also including	54.9	80.8	25.9	0.42	0.20				
and	89.9	103.6	13.7	0.88	0.15				
including	89.9	100.6	10.7	1.08	0.20				
also including	94.5	97.5	3.0	2.70	1.00				
and	109.7	126.5	16.8	0.38	0.15				
including	109.7	123.4	13.7	0.42	0.20				
PGS762	0.0	3.0	3.0	0.58	0.20	121.9	Hamburg		2.4
and	57.9	59.4	1.5	0.41					
PGS763	0.0	3.0	3.0	0.47	0.20	141.7	Hamburg		3.1
and	44.2	47.2	3.0	0.35					
and	121.9	123.4	1.5	0.37					
PGS764 (200, -80)	0.0	4.6	4.6	0.47		121.9	Hamburg		2.1
PGS765 (300, -74)	1.5	6.1	4.6	0.47	0.20	121.9	Hamburg		4.5
and	16.8	18.3	1.5	0.43					
and	65.5	68.6	3.0	0.41					
and	83.8	85.3	1.5	0.34					
PGS766 (350, -60)		No Significant Results				121.9	Hamburg		
PGS767 (250, -60)		No Significant Results				141.7	Hamburg		
PGS768 (10, -45)		No Significant Results				135.6	Hamburg		
PGS769 (0, -60)		No Significant Results				146.3	Hamburg		
PGS770 (335, -50)	22.9	48.8	25.9	0.67	0.20	129.5	Hamburg		17.4
PGS771 (5, -85)	0.0	33.5	33.5	0.28	0.15	144.8	Hamburg		15.9
including	1.5	32.0	30.5	0.29	0.20				
and	35.1	39.6	4.6	0.15	0.15				
and	41.1	53.3	12.2	0.48	0.20				
also including	48.8	50.3	1.5	1.17	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	AuCN/ AuFA%	
PGS772 (280, -65)	0.0	33.5	33.5	0.32	0.15	121.9	East Hamburg		18.7		
including	0.0	33.5	33.5	0.32	0.20						
and	41.1	54.9	13.7	0.44	0.15						
including	44.2	54.9	10.7	0.51	0.20						
also including	50.3	53.3	3.0	1.14	1.00						
and	62.5	67.1	4.6	0.45	0.15						
including	62.5	65.5	3.0	0.58	0.20						
PGS773 (25, -50)	32.0	94.5	62.5	0.79	0.15	105.2	East Hamburg		49.5		
including	32.0	93.0	61.0	0.81	0.20						
also including	35.1	36.6	1.5	1.33	1.00						
also including	39.6	54.9	15.2	1.48							
also including	56.4	57.9	1.5	1.06							
also including	68.6	70.1	1.5	1.05							
also including	71.6	73.2	1.5	1.24							
PGS774 (345, -75)	35.1	82.3	47.2	0.45	0.15	99.1	East Hamburg		21.3		
including	38.1	73.2	35.1	0.48	0.20						
also including	74.7	80.8	6.1	0.59							
PGS775 (350, -80)	9.1	15.2	6.1	2.72	1.00	117.3	Hamburg Pit		18.3		
and	22.9	56.4	33.5	0.58	0.15						
including	24.4	54.9	30.5	0.61	0.20						
also including	24.4	25.9	1.5	1.17	1.00						
also including	47.2	53.3	6.1	1.24							
and	62.5	70.1	7.6	0.31						0.15	
including	62.5	68.6	6.1	0.34		0.20					
PGS776 (290, -65)	21.3	53.3	32.0	0.35	0.15	99.1	Hamburg Pit		11.3		
including	38.1	53.3	15.2	0.54	0.20						
also including	44.2	45.7	1.5	1.13	1.00						
PGS777 (250, -60)	0.0	4.6	4.6	0.22	0.15	121.9	Hamburg Pit		16.5	84%	
and	18.3	22.9	4.6	0.26	0.15						
and	35.1	45.7	10.7	0.42							
including	35.1	41.1	6.1	0.62						0.20	
also including	39.6	41.1	1.5	1.67						1.00	
and	48.8	57.9	9.1	0.25						0.15	
including	48.8	53.3	4.6	0.34						0.20	
and	68.6	76.2	7.6	0.62						0.15	
including	68.6	76.2	7.6	0.62						0.20	
also including	71.6	74.7	3.0	1.08						1.00	
and	94.5	99.1	4.6	0.62						0.15	
including	94.5	99.1	4.6	0.62	0.20						
PGS778 (200, -70)	1.5	4.6	3.0	0.38	0.15	157.0	Hamburg Pit		11.8	90%	
and	16.8	27.4	10.7	0.33	0.15						
and	73.2	77.7	4.6	0.41	0.15						
and	86.9	97.5	10.7	0.49	0.15						
PGS779 (145, 62)	3.0	6.1	3.0	0.36	0.15	135.6	Hamburg Pit		3.8	90%	
including	3.0	4.6	1.5	0.53	0.20						
and	85.3	89.9	4.6	0.58	0.15						
PGS780 (80, -83)	0.0	4.6	4.6	0.25	0.15	138.7	Hamburg Pit		52.2	81%	
including	3.0	4.6	1.5	0.44	0.20						
and	10.7	19.8	9.1	2.21	0.15						
including	10.7	19.8	9.1	2.21	0.20						
also including	12.2	18.3	6.1	3.06	1.00						
and	25.9	61.0	35.1	0.70	0.15						
including	25.9	47.2	21.3	0.90	0.20						
including	53.3	61.0	7.6	0.59							
also including	25.9	32.0	6.1	1.82							
also including	33.5	35.1	1.5	1.02							
also including	54.9	56.4	1.5	1.26							
and	83.8	91.4	7.6	0.83						0.15	
including	83.8	89.9	6.1	0.98						0.20	
also including	85.3	88.4	3.0	1.60						1.00	
PGS781 (60, -55)	0.0	4.6	4.6	0.28		0.15	160.0	Hamburg Pit		18.8	93%
and	13.7	27.4	13.7	0.94		0.15					
including	13.7	25.9	12.2	1.04		0.20					
also including	15.2	19.8	4.6	1.75		1.00					
and	48.8	53.3	4.6	0.45		0.15					
and	103.6	112.8	9.1	0.28	0.15						
including	103.6	111.3	7.6	0.30	0.20						
PGS782 (187, -75)	7.6	54.9	47.2	0.56	0.15	141.7	Hamburg Pit		26.7	88%	
including	9.1	53.3	44.2	0.59	0.20						
also including	24.4	25.9	1.5	1.13	1.00						
also including	27.4	29.0	1.5	2.54							
also including	42.7	44.2	1.5	1.64							
PGS783 (170, -55)	7.6	19.8	12.2	0.30	0.15	135.6	Hamburg Pit		20.2	81%	
including	9.1	19.8	10.7	0.31	0.20						
and	30.5	47.2	16.8	0.83	0.15						
including	30.5	47.2	16.8	0.83	0.20						
also including	32.0	42.7	10.7	1.10	1.00						
and	53.3	57.9	4.6	0.34	0.15						
including	53.3	56.4	3.0	0.43	0.20						
and	80.8	85.3	4.6	0.26	0.15						
including	80.8	83.8	3.0	0.30	0.20						
PGS784 (225, -40)	No Significant Results					129.5	West Hamburg				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS785 (195, -45)	61.0	77.7	16.8	0.25	0.15	121.9	West Hamburg		4.1	79%
including	62.5	73.2	10.7	0.29	0.20					77%
PGS786 (135, -72)	62.5	97.5	35.1	0.76	0.15	199.6	West Hamburg		26.7	90%
including	62.5	82.3	19.8	1.05	0.20					92%
also including	62.5	74.7	12.2	1.37	1.00					93%
including	89.9	97.5	7.6	0.64	0.20					96%
PGS787 (70, -75)	70.1	114.3	44.2	0.75	0.15	196.6	West Hamburg		33.3	83%
including	70.1	111.3	41.1	0.80	0.20					84%
also including	71.6	74.7	3.0	1.31	1.00					83%
also including	89.9	94.5	4.6	1.05						90%
also including	96.0	99.1	3.0	1.94						86%
also including	103.6	105.2	1.5	1.16						93%
PGS788 (0, -90)	19.8	24.4	4.6	0.50	0.20	132.6	Hassayampa		16.6	90%
and	30.5	45.7	15.2	0.25	0.15					82%
and	54.9	61.0	6.1	0.17						66%
and	62.5	91.4	29.0	0.33	90%					
including	62.5	88.4	25.9	0.35	0.20					92%
PGS789 (90, -60)	30.5	35.1	4.6	0.29	0.15	99.1	Hassayampa		4.8	95%
and	38.1	44.2	6.1	0.18	0.15					61%
and	48.8	61.0	12.2	0.20	0.15					68%
PGS790 (40, -50)	30.5	67.1	36.6	0.72	0.20	121.9	Hassayampa		28.9	89%
also including	36.6	38.1	1.5	1.24	1.00					68%
also including	44.2	45.7	1.5	1.74						94%
also including	50.3	51.8	1.5	1.40						94%
also including	56.4	59.4	3.0	1.05						95%
also including	61.0	65.5	4.6	1.35						91%
and	85.3	91.4	6.1	0.43						0.20
PGS791 (340, -60)	29.0	33.5	4.6	0.48	0.15	111.3	Hassayampa		9.2	97%
including	30.5	33.5	3.0	0.65	0.20					97%
also including	32.0	33.5	1.5	1.09	1.00					97%
and	54.9	76.2	21.3	0.33	0.15					94%
including	56.4	74.7	18.3	0.35	0.20					94%
PGS792 (0, -57)	No Significant Results					213.4	Hassayampa			
PGS793 (320, -62)	77.7	99.1	21.3	0.63	0.15	152.4	Hassayampa		13.4	60%
including	77.7	97.5	19.8	0.66	0.20					60%
also including	79.2	82.3	3.0	1.92	1.00					45%
PGS794 (60, -65)	0.0	15.2	15.2	1.14	0.20	138.7	Hassayampa		22.6	59%
also including	0.0	9.1	9.1	1.66	1.00					67%
and	51.8	56.4	4.6	0.30	0.15					70%
including	51.8	54.9	3.0	0.38	0.20					69%
and	85.3	94.5	9.1	0.18	0.15					69%
and	109.7	117.3	7.6	0.28						41%
including	111.3	117.3	6.1	0.30						0.20
PGS795 (110, 60)	42.7	56.4	13.7	0.70	0.15	178.3	Hassayampa		11.1	90%
including	42.7	54.9	12.2	0.77	0.20					90%
also including	44.2	47.2	3.0	1.88	1.00					96%
and	73.2	80.8	7.6	0.20	0.15					85%
PGS796 (310, -65)	0.0	16.8	16.8	0.51	0.20	172.2	Hassayampa		71.0	66%
also including	0.0	1.5	1.5	1.38	1.00					90%
also including	15.2	16.8	1.5	1.31	0.20					14%
and	51.8	65.5	13.7	0.77						76%
including	54.9	56.4	1.5	1.29	1.00					85%
including	61.0	64.0	3.0	1.31						90%
and	85.3	141.7	56.4	0.82						0.15
including	86.9	140.2	53.3	0.86	0.20					94%
also including	91.4	102.1	10.7	2.48	1.00					98%
also including	93.0	94.5	1.5	5.66	5.00					99%
also including	112.8	114.3	1.5	1.26	1.00					85%
also including	128.0	131.1	3.0	2.10						90%
and	150.9	164.6	13.7	0.42						0.20
PGS797 (290, -80)	0.0	7.6	7.6	1.16	0.15	141.7	Hassayampa		52.8	92%
including	0.0	6.1	6.1	1.41	0.20					94%
also including	0.0	1.5	1.5	4.00	1.00					98%
and	44.2	67.1	22.9	0.81	0.15					77%
including	44.2	53.3	9.1	0.53	0.20					85%
also including	47.2	48.8	1.5	1.06	1.00					83%
including	59.4	67.1	7.6	1.73	0.20					75%
also including	61.0	65.5	4.6	2.58	1.00					74%
also including	61.0	62.5	1.5	5.06	5.00					66%
and	77.7	93.0	15.2	1.17	0.20					92%
including	85.3	91.4	6.1	2.01	1.00					92%
and	103.6	117.3	13.7	0.56	0.15					94%
including	105.2	117.3	12.2	0.61	0.20					90%
also including	109.7	111.3	1.5	1.52	1.00					94%
PGS798 (225, -60)	33.5	93.0	59.4	0.94	0.15	196.6	Hamburg		55.9	88%
including	41.1	93.0	51.8	1.05	0.20					88%
also including	42.7	47.2	4.6	3.73	1.00					90%
also including	53.3	70.1	16.8	1.30						87%
also including	71.6	73.2	1.5	1.14						93%
and also including	44.2	45.7	1.5	5.71						5.00

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS799 (0, -90)	36.6	39.6	3.0	0.36	0.15	152.4	Hamburg		14.9	74%
including	36.6	38.1	1.5	0.54	0.20					80%
and	53.3	79.2	25.9	0.53	0.15					82%
including	56.4	77.7	21.3	0.61	0.20					82%
also including	68.6	71.6	3.0	1.50	1.00					77%
PGS800 (203, -58)	41.1	85.3	44.2	0.72	0.20	137.2	Hamburg		33.3	79%
also including	67.1	80.8	13.7	1.41	1.00					80%
and	91.4	97.5	6.1	0.26	0.15					73%
including	91.4	94.5	3.0	0.34	0.20					85%
PGS801 (200, -50)	45.7	86.9	41.1	0.31	0.15	152.4	Hamburg		12.6	90%
including	51.8	74.7	22.9	0.39	0.20					96%
PGS802 (155, -45)	0.0	9.1	9.1	0.37	0.15	152.4	Hamburg		31.3	80%
including	1.5	9.1	7.6	0.40	0.20					81%
and	64.0	106.7	42.7	0.59	0.15					87%
including	64.0	105.2	41.1	0.61	0.20					87%
also including	64.0	68.6	4.6	1.74	1.00					89%
also including	99.1	102.1	3.0	1.61	1.00					93%
and	117.3	125.0	7.6	0.35	0.15					72%
including	117.3	120.4	3.0	0.64	0.20	87%				
PGS803 (155, -65)	0.0	4.6	4.6	0.48	0.15	160.0	Hamburg		29.2	76%
including	0.0	1.5	1.5	1.07	1.00					73%
and	57.9	79.2	21.3	0.37	0.15					74%
including	57.9	77.7	19.8	0.39	0.20					73%
and	97.5	131.1	33.5	0.57	0.15					93%
including	97.5	123.4	25.9	0.69	0.20					95%
also including	102.1	103.6	1.5	1.02	1.00					100%
also including	117.3	123.4	6.1	1.13	1.00	93%				
PGS804 (130, -75)	0.0	6.1	6.1	0.40	0.15	144.8	Hamburg		11.1	66%
including	1.5	4.6	3.0	0.62	0.20					72%
and	80.8	106.7	25.9	0.28	0.15					82%
including	80.8	89.9	9.1	0.39	0.20					70%
and	128.0	134.1	6.1	0.24	0.15					34%
PGS805 (60, -85)	73.2	97.5	24.4	0.30	0.15	221.0	Hamburg		23.2	88%
including	76.2	88.4	12.2	0.42	0.20					96%
and	135.6	170.7	35.1	0.45	0.20					91%
also including	163.1	164.6	1.5	1.09	1.00					100%
PGS806 (190, -80)	0.0	3.0	3.0	0.35	0.20	213.4	Hamburg		48.6	53%
and	47.2	138.7	91.4	0.52	0.15					90%
including	47.2	137.2	89.9	0.53	0.20					90%
also including	48.8	50.3	1.5	1.14	1.00					90%
also including	70.1	71.6	1.5	1.32	1.00					89%
also including	108.2	111.3	3.0	1.30	1.00					99%
also including	125.0	126.5	1.5	1.53	1.00					100%
PGS807 (190, -63)	0.0	4.6	4.6	0.81	0.20	172.2	Hamburg		53.8	53%
including	0.0	1.5	1.5	1.45	1.00					46%
and	44.2	89.9	45.7	0.64	0.20					85%
including	45.7	48.8	3.0	2.08	1.00					95%
including	51.8	53.3	1.5	1.02	1.00					98%
including	57.9	62.5	4.6	1.43	0.20					82%
and	99.1	135.6	36.6	0.57	0.20					81%
including	111.3	115.8	4.6	1.46	1.00					88%
including	121.9	123.4	1.5	1.18	1.00					81%
including	132.6	134.1	1.5	1.04	1.00					85%
PGS808 (0, -90)	137.2	144.8	7.6	0.22	0.15	164.6	Dip Slope Extension		1.7	80%
including	137.2	141.7	4.6	0.25	0.20					80%
PGS809 (90, -60)	149.4	164.6	15.2	0.46	0.15	201.2	Dip Slope Extension		6.9	92%
including	149.4	160.0	10.7	0.57	0.20					91%
also including	150.9	152.4	1.5	1.53	1.00					97%
PGS810 (0, -65)	182.9	208.8	25.9	0.78	0.20	274.3	Dip Slope Extension	Reduced cyanide solubility	32.7	6%
including	198.1	205.7	7.6	1.46	1.00					5%
and	243.8	263.7	19.8	0.62	0.20					4%
including	249.9	254.5	4.6	1.26	1.00					5%
PGS811 (0, -90)	128.0	135.6	7.6	0.20	0.15	166.1	Dip Slope Extension		1.5	85%
including	128.0	132.6	4.6	0.23	0.20					98%
PGS812 (70, -50)	80.8	86.9	6.1	0.24	0.20	144.8	Dip Slope Extension		5.3	78%
and	126.5	129.5	3.0	1.24	1.00					36%
inc	126.5	128.0	1.5	2.23	1.00					35%
PGS813 (0, -90)	41.1	50.3	9.1	0.27	0.15	93.0	Dip Slope Extension		2.5	80%
PGS814 (0, -90)	13.7	18.3	4.6	0.41	0.20	178.3	Basin		1.9	86%
PGS815 (310, -70)	3.0	10.7	7.6	0.18	0.15	141.7	Basin		16.8	86%
and	12.2	27.4	15.2	0.64	0.20					60%
including	13.7	25.9	12.2	0.75	0.20					60%
also including	13.7	18.3	4.6	1.39	1.00					56%
and	56.4	64.0	7.6	0.36	0.15					59%
including	57.9	62.5	4.6	0.50	0.20					59%
and	71.6	79.2	7.6	0.39	0.15					67%
including	73.2	79.2	6.1	0.45	0.20	71%				
PGS816 (250, -70)	27.4	36.6	9.1	0.73	0.15	121.9	Basin		8.0	88%
also including	33.5	36.6	3.0	1.88	1.00					92%
and	44.2	48.8	4.6	0.29	0.15					58%
including	45.7	48.8	3.0	0.35	0.20					52%

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS817 (190, -70)	1.5	7.6	6.1	0.21	0.15	141.7	Basin		9.7	73%
including	3.0	7.6	4.6	0.22	0.20					79%
and	9.1	29.0	19.8	0.28	0.15					70%
including	21.3	27.4	6.1	0.55	0.20					77%
also including	22.9	24.4	1.5	1.09	1.00					92%
and	41.1	50.3	9.1	0.31	0.15					63%
including	45.7	50.3	4.6	0.46	0.20	73%				
PGS818 (150, -50)	3.0	9.1	6.1	0.23	0.15	135.6	Basin		9.5	46%
and	15.2	44.2	29.0	0.28	0.15					67%
including	15.2	27.4	12.2	0.35	0.20					77%
PGS819 (120, -50)	4.6	9.1	4.6	0.36	0.15	208.8	Basin		20.3	89%
including	4.6	7.6	3.0	0.45	0.20					90%
and	18.3	36.6	18.3	1.02	0.15					88%
including	18.3	35.1	16.8	1.10	0.20					88%
also including	24.4	33.5	9.1	1.71	1.00					88%
PGS820 (0, -90)	39.6	62.5	22.9	0.45	0.20	152.4	Basin		17.7	77%
including	51.8	53.3	1.5	1.08	1.00					83%
and	68.6	80.8	12.2	0.61	0.15					82%
including	70.1	80.8	10.7	0.67	0.20					82%
also including	74.7	76.2	1.5	1.18	1.00					82%
PGS821 (60, -50)	61.0	80.8	19.8	0.52	0.15	152.4	Basin		10.2	83%
including	61.0	79.2	18.3	0.55	0.20					83%
also including	68.6	71.6	3.0	1.34	1.00					92%
PGS822 (20, -50)	44.2	73.2	29.0	0.72	0.20	208.8	Basin		20.9	84%
including	45.7	48.8	3.0	3.09	1.00					96%
including	65.5	67.1	1.5	1.14	1.00					32%
PGS823 (335, -50)	73.2	77.7	4.6	0.28	0.20	164.6	Basin		1.3	88%
PGS824 (160, -40)	54.9	65.5	10.7	0.27	0.15	138.7	Basin		2.9	98%
including	54.9	62.5	7.6	0.31	0.20					97%
PGS825 (110, -45)	68.6	93.0	24.4	0.76	0.20	138.7	Basin		18.4	90%
including	73.2	77.7	4.6	1.64	1.00					86%
PGS826 (335, -65)	0.0	6.1	6.1	0.33	0.15	166.1	Basin		34.1	89%
including	0.0	4.6	4.6	0.38	0.20					89%
and	30.5	80.8	50.3	0.61	0.15					89%
including	39.6	41.1	1.5	1.60	1.00					91%
including	42.7	44.2	1.5	1.06	1.00					93%
including	62.5	80.8	18.3	1.03	0.20					94%
also including	70.1	74.7	4.6	2.86	1.00					96%
including	120.4	123.4	3.0	0.46	0.20					89%
PGS827 (0, -90)	85.3	120.4	35.1	0.70	0.20	172.2	Basin		24.5	75%
including	111.3	117.3	6.1	1.27	1.00					98%
PGS828 (20, -75)	97.5	128.0	30.5	0.89	0.20	141.7	Basin	reduced cyanide solubility 97 - 102 m	27.0	54%
including	97.5	102.1	4.6	1.23	1.00					2%
including	114.3	117.3	3.0	2.00	1.00					95%
PGS829 (300, -77)	106.7	126.5	19.8	0.74	0.15	163.1	Basin		14.6	94%
including	108.2	126.5	18.3	0.78	0.20					94%
also including	111.3	112.8	1.5	1.19	1.00					84%
also including	117.3	120.4	3.0	1.19	1.00					92%
PGS830 (175, -55)	129.5	144.8	15.2	0.37	0.20	160.0	Basin		5.6	76%
PGS831 (15, -80)	118.9	129.5	10.7	0.22	0.15	167.6	Basin		2.4	69%
PGS832 (90, -70)	0.0	4.6	4.6	0.23	0.15	182.9	Basin		18.0	83%
including	0.0	3.0	3.0	0.25	0.20					83%
and	121.9	131.1	9.1	0.36	0.15					83%
including	121.9	128.0	6.1	0.44	0.20					88%
and	135.6	158.5	22.9	0.60	0.15					67%
including	137.2	157.0	19.8	0.66	0.20					66%
also including	146.3	147.8	1.5	2.09	1.00					50%
also including	149.4	153.9	4.6	1.05	1.00					68%
PGS833 (270, -80)	91.4	102.1	10.7	0.68	0.20	182.9	Main	Reduced cyanide solubility	7.3	53%
including	91.4	93.0	1.5	1.66	1.00					10%
PGS834 (260, -65)			No Significant Results			147.8	Main			
PGS835 (50, -75)			No Significant Results			147.8	Main			
PGS836 (180, -40)			No Significant Results			68.6	Dipslope			
PGS837 (60, -40)			No Significant Results			61.0	Dipslope			
PGS838 (240, -40)			No Significant Results			61.0	Dipslope			
PGS839 (135, -40)	3.0	30.5	27.4	0.64	0.20	65.5	Dipslope		17.5	99%
also including	21.3	24.4	3.0	1.54	1.00					100%
also including	25.9	27.4	1.5	1.24	1.00					96%
PGS840 (0, -90)	1.5	21.3	19.8	0.88	0.20	61.0	Dipslope		17.5	94%
also including	9.1	16.8	7.6	1.25	1.00					93%
PGS841 (355, -75)	3.0	9.1	6.1	0.19	0.15	152.4	Dipslope		3.0	59%
and	25.9	33.5	7.6	0.24	0.20					68%
including	25.9	32.0	6.1	0.26	0.20					67%
PGS842 (20, -50)	80.8	105.2	24.4	0.32	0.15	187.5	Hassayampa		7.8	88%
including	82.3	103.6	21.3	0.34	0.20					88%
including	172.2	178.3	6.1	0.33	0.20					93%

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS843 (90, -45)	3.0	9.1	6.1	0.23	0.20	167.6	Hassayampa		8.3	61%
and	44.2	48.8	4.6	0.25	0.15					92%
and	56.4	76.2	19.8	0.29						78%
including	56.4	74.7	18.3	0.30	0.20					79%
PGS844 (275, -55)	0.0	15.2	15.2	0.84	0.15	169.2	Hassayampa		15.4	68%
including	0.0	13.7	13.7	0.91	0.20					69%
also including	0.0	4.6	4.6	1.30	1.00					86%
and	51.8	64.0	12.2	0.21	0.15					60%
including	51.8	56.4	4.6	0.30	0.20					71%
PGS845 (290, -80)	120.4	141.7	21.3	0.59	0.20	182.9	Hamburg		13.9	81%
also including	126.5	129.5	3.0	1.28	1.00					86%
and	155.4	158.5	3.0	0.46	0.20					16%
PGS846 (340, -65)	No Significant Results						32.0	Hamburg		
Cutoff (g/t)	0.15, 0.2, 0.5, 1.0, 5.0									
Min g/t*m	1.0									
Max Waste (m)	5.0									
Topcut (g/t)	100.0									

## Liberty Gold - Goldstrike 2022 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	AuCN/ AuFA%
PGS847 (250, -60)	57.9	74.7	16.8	0.3	0.15	135.6	Basin	Resource upgrade, expansion	5.0	81%
including	57.9	70.1	12.2	0.3	0.20					84%
PGS848C (335, -65)	40.2	44.5	4.3	0.27	0.20	150.0	Hamburg	Metallurgical Core Hole	47.1	14%
and	49.4	66.3	16.9	0.42	0.15					99%
including	52.0	62.5	10.5	0.58	0.20					101%
also including	57.0	57.8	0.8	1.52	1.00					106%
and	69.6	143.0	73.3	0.53	0.20					99%
including	81.4	84.1	2.7	1.23	1.00					104%
including	88.9	90.0	1.1	2.25	1.00					99%
including	90.8	92.4	1.5	1.04	1.00					105%
including	101.8	103.3	1.5	1.08	1.00					103%
including	111.2	112.5	1.3	1.18	1.00					103%
including	134.4	137.2	2.7	1.56	1.00					99%
including	138.4	141.4	3.0	1.21	1.00	89%				
PGS849 (230, -70)	77.7	93.0	15.2	0.3	0.15	135.6	Basin	Resource upgrade, expansion	5.0	82%
including	79.2	93.0	13.7	0.3	0.20					83%
PGS850 (140, -45)	No Significant Results					121.9	Basin	Resource upgrade, expansion		
PGS851 (110, -45)	No Significant Results					147.8	Aggie	Resource upgrade, expansion		
PGS852 (110, --75)	No Significant Results					137.2	Aggie	Resource upgrade, expansion		
PGS853 (60, -65)	No Significant Results					137.2	Basin	Resource upgrade, expansion		
PGS854 (0, -90)	4.6	16.8	12.2	0.21	0.15	39.6	Basin	Resource upgrade, expansion	14.4	78%
including	12.2	16.8	4.6	0.29	0.20					92%
and	22.9	39.6	16.8	0.70	0.20					95%
also including	24.4	25.9	1.5	1.05	1.00					96%
PGS855 (10, -57)	33.2	44.3	11.1	0.32	0.15	125.3	Hamburg	Metallurgical Core	42.5	78%
including	33.2	41.1	7.9	0.38	0.20					84%
also including	38.3	39.2	0.9	1.23	1.00					93%
and	58.7	91.9	33.2	1.17	0.20					94%
including	65.1	82.6	17.5	1.60	1.00					93%
including	87.9	91.9	4.0	1.42	1.00					95%
PGS856 (0, -90)	15.2	21.3	6.1	0.26	0.15	30.5	Goldtown	Resource upgrade, expansion	1.6	69%
including	15.2	19.8	4.6	0.29	0.20					72%
PGS857 (0, -90)	0.0	15.2	15.2	0.34	0.15	22.9	Hassayampa	Resource upgrade, expansion	5.2	79%
including	0.0	13.7	13.7	0.36	0.20					80%
PGS858 (0, -90)	0.0	13.7	13.7	0.5	0.20	30.5	Hassayampa	Resource upgrade, expansion	8.6	73%
including	1.5	4.6	3.0	1.31	1.00					70%
and	19.8	25.9	6.1	0.25	0.15					79%
including	21.3	25.9	4.6	0.28	0.20					83%
PGS859 (25, -75)	67.1	74.7	7.6	0.35	0.15	190.5	Hamburg	Resource upgrade, expansion	10.0	94%
including	70.1	74.7	4.6	0.47	0.20					96%
and	83.8	108.2	24.4	0.30	0.15					87%
including	85.3	102.1	16.8	0.35	0.20					89%
including	105.2	108.2	3.0	0.33						93%
PGS860 (310, -75)	61.0	77.7	16.8	0.94	0.20					166.1
including	67.1	71.6	4.6	1.54	1.00	91%				
and	94.5	117.3	22.9	0.55	0.15	95%				
including	94.5	115.8	21.3	0.57	0.20	95%				
and including	100.6	102.1	1.5	1.04	1.00	92%				
PGS861C (190, -75)	11.2	24.7	13.5	0.75	0.15	137.2	Basin	Resource upgrade, expansion	10.1	74%
including	11.2	23.6	12.4	0.80	0.20					74%
and including	11.2	15.5	4.3	1.41	1.00					73%



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS862 (190, -75)</b>	59.4	77.7	18.3	0.42	0.15	137.2	Basin	Resource upgrade, expansion	9.1	87%
including	59.4	73.2	13.7	0.50	0.20					89%
and including	65.5	67.1	1.5	1.03	1.00					97%
and	83.8	86.9	3.0	0.45	0.20					93%
<b>PGS863C (240, -66)</b>	20.3	94.6	74.3	0.87	0.15	101.803	Basin	Metallurgical Core	64.4	92%
including	21.3	86.7	65.4	0.94	0.20					92%
and including	55.8	68.1	12.3	1.51	1.00					93%
and including	29.7	30.8	1.1	5.27	5.00					97%
and including	78.3	81.7	3.4	1.20	1.00					89%
<b>PGS864 (0, -90)</b>	94.5	97.5	3.0	0.55	0.20	205.7	Basin	Resource upgrade, expansion	4.2	73%
and	141.7	150.9	9.1	0.27						0.20
<b>PGS865 (0, -90)</b>	0.0	4.6	4.6	0.25	0.15	106.7	Hassayampa	Resource upgrade, expansion	5.4	76%
and	25.9	42.7	16.8	0.25	0.15					78%
including	25.9	36.6	10.7	0.30	0.20					82%
<b>PGS866 (300, -65)</b>	21.3	32.0	10.7	0.27	0.15	128.0	Hassayampa	Resource upgrade, expansion	2.9	79%
including	22.9	32.0	9.1	0.28	0.20					
<b>PGS867 (190, -65)</b>	32.0	44.2	12.2	0.67	0.15	121.9	Hassayampa	Resource upgrade, expansion	16.5	67%
including	32.0	42.7	10.7	0.75	0.20					85%
and including	36.6	41.1	4.6	1.32	1.00					92%
and	57.9	65.5	7.6	0.83	0.20					95%
including	59.4	61.0	1.5	1.06	1.00					93%
including	62.5	64.0	1.5	1.58						105%
and	103.6	111.3	7.6	0.26	0.15					109%
including	103.6	106.7	3.0	0.37	0.20					
<b>PGS868C (130, -75)</b>	6.1	18.9	12.8	0.58	0.20	101.194	Basin	Metallurgical Core	24.8	75%
including	15.2	16.6	1.4	1.86	1.00					69%
including	17.8	18.9	1.1	1.01	1.00					89%
and	25.8	35.4	9.7	0.59	0.20					38%
including	25.8	28.6	2.8	1.20	1.00					8%
and	42.0	53.2	11.2	0.67	0.15					94%
including	45.3	53.2	7.9	0.86	0.20					95%
also including	48.8	50.3	1.5	1.39	1.00					94%
and	65.1	76.6	11.5	0.37	0.20					97%
<b>PGS869 (305, -87)</b>	Abandoned									103.6
<b>PGS870 (305, -80)</b>	No Significant Results					182.9	Basin	Resource upgrade, expansion		
<b>PGS871 (170, -65)</b>	102.1	123.4	21.3	0.88	0.15	233.2	Basin	Resource upgrade, expansion	27.6	93%
including	102.1	117.3	15.2	1.17	0.20					94%
and including	106.7	111.3	4.6	3.07	1.00					94%
and including	108.2	109.7	1.5	5.93	5.00					93%
and	129.5	152.4	22.9	0.38	0.15					95%
including	129.5	149.4	19.8	0.42	0.20					94%
and including	143.3	144.8	1.5	1.31	1.00					97%
<b>PGS872C (305, -70)</b>	63.6	105.8	42.2	0.68	0.15	122.53	Pegleg	Metallurgical Core	30.2	27%
including	63.6	97.7	34.1	0.76	0.20					21%
and	116.6	119.5	2.9	0.46						44%
<b>PGS873 (0, -90)</b>	1.5	38.1	36.6	0.63	0.15	46.5	Leachpad 2	Leachpad	30.8	56%
including	9.1	38.1	29.0	0.75	0.20					57%
and including	35.1	38.1	3.0	2.97	1.00			68%		
and	38.1	45.7	7.6	1.02	0.20			46%		
including	38.1	42.7	4.6	1.51	1.00			45%		
<b>PGS874 (240, -75)</b>	0.0	7.6	7.6	0.38	0.15	160.0	Hassayampa	Resource upgrade, expansion	52.6	86%
including	0.0	6.1	6.1	0.43	0.20					
and	105.2	129.5	24.4	1.75	0.20					63%
including	106.7	117.3	10.7	3.52	1.00					61%
and including	109.7	111.3	1.5	5.76	5.00					22%
and	135.6	146.3	10.7	0.67	0.20					6%
including	137.2	138.7	1.5	1.86						1%
including	144.8	146.3	1.5	1.02	1.00					3%
<b>PGS875 (0, -90)</b>	0.0	4.6	4.6	0.22	0.15	53.3	Leachpad 2	Leachpad	8.8	56%
and	19.8	38.1	18.3	0.24						44%
including	22.9	38.1	15.2	0.25				45%		
and	38.1	51.8	13.7	0.25	0.20			85%		
<b>PGS876 (0, -90)</b>	0.0	38.1	38.1	0.27	0.15	51.1	Leachpad 2	Leachpad	12.9	54%
including	4.6	38.1	33.5	0.28	0.20					55%
and	38.1	42.7	4.6	0.59				41%		
including	41.1	42.7	1.5	1.00	1.00			50%		
<b>PGS877 (0, -90)</b>	0.0	15.2	15.2	0.34	0.15	33.4	Leachpad 2	Leachpad	5.1	45%
including	0.0	12.2	12.2	0.38	0.20					46%
<b>PGS878 (0, -90)</b>	No Significant Results					68.6	Hassayampa	Resource upgrade, expansion		
<b>PGS879 (0, -90)</b>	3.0	21.3	18.3	0.49	0.15	35.1	Leachpad 2	Leachpad	12.6	60%
including	4.6	21.3	16.8	0.52						62%
and	21.3	35.1	13.7	0.27	0.20			Backfill		62%
<b>PGS880 (260, -60)</b>	No Significant Results					65.5	Hassayampa	Resource upgrade, expansion		
<b>PGS881 (0, -90)</b>	0.0	9.1	9.1	0.24	0.15	30.5	Leachpad 2	Leachpad	7.6	71%
including	0.0	7.6	7.6	0.25	0.20					72%
and	15.2	22.9	7.6	0.71	0.15					52%
including	16.8	22.9	6.1	0.85	0.20					52%
and including	19.8	21.3	1.5	1.59	1.00					45%

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m		
PGS882 (0, -90)	21.3	25.9	4.6	0.28	0.15	51.8	Leachpad 2	Leachpad	7.2	53%	
and	32.0	45.7	13.7	0.43						54%	
including	32.0	38.1	6.1	0.73						53%	
including	39.6	45.7	6.1	0.20						59%	
PGS883 (190, -55)	85.3	106.7	21.3	0.86	0.15	193.5	Hassayampa	Resource Upgrade, Expansion	18.4	26%	
including	86.9	103.6	16.8	1.05						26%	
and including	86.9	94.5	7.6	1.34						1.00	4%
PGS884 (0, -90)	0.0	19.8	19.8	0.31	0.20	50.3	Leachpad 2	Leachpad	17.1	51%	
and	19.8	42.7	22.9	0.5				63%			
including	19.8	33.5	13.7	0.7				61%			
and including	30.5	33.5	3.0	1.5				1.00		59%	
PGS885C (45, -80)	40.2	69.5	29.3	0.40	0.15	92.0	Pegleg	Resource upgrade, expansion	11.8	87%	
including	46.0	57.0	11.0	0.58						89%	
and including	46.0	49.4	3.4	1.22						1.00	89%
including	58.5	69.5	11.0	0.37						0.20	102%
PGS886 (0, -90)	1.5	22.9	21.3	0.23	0.15	50.3	Leachpad 2	Leachpad	8.9	67%	
including	1.5	15.2	13.7	0.25				69%			
and	24.4	29.0	4.6	0.27				80%			
and	30.5	35.1	4.6	0.55				90%			
PGS887 (0, -90)	0.0	15.2	15.2	0.57	0.15	25.9	Leachpad 2	Leachpad	11.8	83%	
including	0.0	13.7	13.7	0.61						0.20	84%
and including	0.0	3.0	3.0	1.16						1.00	84%
and including	6.1	7.6	1.5	1.03							94%
including	15.2	22.9	7.6	0.40							0.20
PGS888 (0, -90)	0.0	13.7	13.7	0.60	0.20	28.2	Leachpad 2	Leachpad	11.0	71%	
including	12.2	13.7	1.5	1.09				1.00		90%	
and	13.7	16.8	3.0	0.35				0.20		80%	
and	18.3	28.2	9.9	0.18				0.15		61%	
PGS889 (0, -90)	0.0	15.2	15.2	0.30	0.15	25.9	Leachpad 1	Leachpad	5.6	64%	
including	0.0	12.2	12.2	0.31				0.20		65%	
and	15.2	21.3	6.1	0.18				0.15		74%	
PGS890 (0, -90)	0.0	18.3	18.3	0.43	0.15	35.1	Leachpad 1	Leachpad	9.6	44%	
including	4.6	18.3	13.7	0.52				0.20		45%	
and	27.4	33.5	6.1	0.27				0.15		65%	
PGS891 (0, -90)	0.0	25.9	25.9	1.02	0.15	35.8	Leachpad 1	Leachpad	26.3	80%	
including	0.0	18.3	18.3	1.37						0.20	82%
and including	4.6	13.7	9.1	2.17						1.00	86%
and including	15.2	16.8	1.5	1.15							82%
PGS892 (0, -90)	0.0	30.5	30.5	0.63	0.20	39.6	Leachpad 1	Leachpad	19.3	79%	
including	4.6	7.6	3.0	1.75						1.00	93%
including	10.7	12.2	1.5	1.09							80%
PGS893 (0, -90)	0.0	13.7	13.7	0.29	0.20	23.6	Leachpad 1	Leachpad	4.0	32%	
PGS894 (0, -90)	0.0	24.4	24.4	0.54	0.15	29.7	Leachpad 1	Leachpad	13.2	66%	
including	9.1	24.4	15.2	0.77						0.20	70%
and including	13.7	15.2	1.5	1.29						1.00	90%
and including	21.3	24.4	3.0	1.23							71%
PGS895 (0, -90)	1.5	19.8	18.3	0.77	0.15	29.0	Leachpad 1	Leachpad	14.1	86%	
including	1.5	18.3	16.8	0.82						0.20	86%
and including	10.7	18.3	7.6	1.51						1.00	91%
PGS896 (0, -90)	9.1	18.3	9.1	0.33	0.15	25.9	Leachpad 1	Leachpad	3.0	51%	
including	15.2	18.3	3.0	0.59						0.20	56%
PGS897 (0, -90)	1.5	19.8	18.3	0.37	0.20	25.9	Leachpad 1	Leachpad	7.3	66%	
including	1.5	3.0	1.5	1.75				1.00		95%	
and	19.8	21.3	1.5	0.23				0.15		66%	
PGS898 (0, -90)	0.0	18.3	18.3	0.26	0.15	22.9	Leachpad 1	Leachpad; reduced cyanide solubility	4.8	27%	
including	0.0	16.8	16.8	0.27						0.20	26%
PGS899 (0, -90)	0.0	13.7	13.7	0.68	0.20	22.9	Hassayampa Pit	Backfill	9.4	60%	
including	0.0	4.6	4.6	1.14						1.00	69%
PGS900 (0, -90)	0.0	41.9	41.9	0.30	0.15	41.9	Hamburg Pit	Backfill	12.8	79%	
including	0.0	9.1	9.1	0.46						0.20	89%
PGS901 (170, -65)	0.0	4.6	4.6	0.23	0.15	161.5	Hassayampa	Resource upgrade, expansion	4.3	64%	
and	91.4	100.6	9.1	0.36						55%	
including	91.4	97.5	6.1	0.45						0.20	58%
PGS902C (347, -78)	44.0	50.9	6.9	0.59	0.20	116.4	Hassayampa	Resource upgrade, expansion	18.2	95%	
and	63.4	70.0	6.6	0.33						88%	
and	76.6	106.7	30.1	0.40						0.15	75%
including	91.6	97.7	6.1	1.08						0.20	88%
and including	91.6	93.7	2.1	1.62						1.00	95%
including	103.8	106.7	2.9	0.46						0.20	38%
PGS903 (0, -90)	No Significant Results					61.0	Hassayampa	Resource upgrade, expansion			
PGS904 (330, -70)	61.0	67.1	6.1	0.25	0.15	115.8	Dipslope	Resource upgrade, expansion	1.5	82%	
PGS905 (0, -90)	No Significant Results					53.3	Dipslope	Resource upgrade, expansion			
PGS906C (340, -72)	76.2	99.2	23.0	1.29	0.20	103.0	Padre	Metallurgical Core	29.7	46%	
including	79.2	90.1	10.8	1.96	1.00					31%	
including	97.7	99.2	1.5	2.13	1.00					98%	
PGS907 (150, -50)	No Significant Results					47.2	Dipslope	Resource upgrade, expansion			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS908 (235, -75)</b>	114.3	118.9	4.6	0.23	0.15	160.0	Hassayampa	Resource upgrade, expansion	18.5	24%
and	120.4	141.7	21.3	0.82						85%
including	123.4	141.7	18.3	0.93						86%
and including	132.6	135.6	3.0	3.55						1.00
<b>PGS909 (150, -80)</b>	No Significant Results					178.3	Hassayampa	Resource upgrade, expansion		
<b>PGS910C (33, -57)</b>	0.0	8.4	8.4	0.40	0.20	101.2	Padre	Resource upgrade, expansion	3.4	87%
<b>PGS911 (190, -70)</b>	123.4	132.6	9.1	0.36	0.15	178.3	Hassayampa	Resource upgrade, expansion	3.3	91%
including	125.0	132.6	7.6	0.40	0.20					92%
<b>PGS912 (330, -60)</b>	32.0	33.5	1.5	0.96	0.20	150.9	Pegleg	Resource upgrade, expansion	1.5	113%
<b>PGS913C (0, -90)</b>	12.2	27.1	14.9	0.20	0.15	118.9	Hassayampa	Metallurgical Core reduced cyanide solubility below 36 m	64.6	75%
including	19.5	24.1	4.6	0.25	0.20					84%
and	36.2	68.6	32.4	0.92	0.20					46%
including	41.1	46.2	5.0	2.74	1.00					46%
including	47.9	51.5	3.7	1.32	1.00					87%
and	74.5	109.3	34.7	0.92	0.20					30%
including	75.9	83.1	7.2	1.23	1.00					17%
including	94.3	100.7	6.4	1.65	1.00					21%
including	106.5	109.3	2.7	1.25	1.00					16%
<b>PGS914 (240, -55)</b>	128.0	135.6	7.6	0.37	0.20	175.3	Pegleg	Resource upgrade, expansion	2.8	66%
<b>PGS915 (20, -45)</b>	No Significant Results					99.1	Pegleg	Resource upgrade, expansion		
<b>PGS916C (110, -75)</b>	73.9	86.0	12.0	0.32	0.20	86.0	Moosehead	Metallurgical Core	3.8	93%
<b>PGS917 (270, -65)</b>	No Significant Results					105.2	Pegleg	Resource upgrade, expansion		
<b>PGS918 (210, -80)</b>	No Significant Results					105.2	Pegleg	Resource upgrade, expansion		
<b>PGS919 (340, -65)</b>	No Significant Results					121.9	Pegleg	Resource upgrade, expansion		
<b>PGS920 (240, -75)</b>	No Significant Results					140.2	Pegleg	Resource upgrade, expansion		
<b>PGS921 (290, -60)</b>	91.4	105.2	13.7	0.24	0.20	121.9	Pegleg	Resource upgrade, expansion	3.3	108%
<b>PGS922 (330, -45)</b>	No Significant Results					140.2	Pegleg	Resource upgrade, expansion		
<b>PGS923 (100, -65)</b>	85.3	94.5	9.1	1.70	0.15	166.1	Pegleg	Resource upgrade, expansion reduced cyanide solubility	20.4	25%
including	86.9	94.5	7.6	2.01	0.20					25%
and including	86.9	93.0	6.1	2.45	1.00					25%
and	102.1	106.7	4.6	0.38	0.20					93%
and	117.3	134.1	16.8	0.19	0.15					55%
<b>PGS924 (315, -65)</b>	0.0	21.3	21.3	0.25	0.15	164.6	Hassayampa	Resource upgrade, expansion	6.8	54%
including	0.0	15.2	15.2	0.28	0.20					57%
and	50.3	54.9	4.6	0.31						90%
<b>PGS925 (0, -90)</b>	0.0	13.7	13.7	0.39	0.20	121.9	Leach Pad 1	Leach Pad	24.5	58%
and	19.8	25.9	6.1	0.17	0.15					41%
and	42.7	51.8	9.1	0.34						85%
including	42.7	50.3	7.6	0.37	0.20			85%		
and	59.4	65.5	6.1	0.27	0.15			99%		
including	59.4	64.0	4.6	0.31	0.20			99%		
and	73.2	115.8	42.7	0.44	0.15			95%		
including	73.2	111.3	38.1	0.47	0.20			95%		
and including	99.1	100.6	1.5	1.14	1.00			95%		
<b>PGS926 (0, -90)</b>	0.0	9.1	9.1	0.19	0.15	61.0	Leach Pad 1	Leachpad	11.5	37%
and	10.7	25.9	15.2	0.64						61%
including	13.7	25.9	12.2	0.76	0.20					62%
and including	18.3	19.8	1.5	1.03						73%
and including	24.4	25.9	1.5	1.24	1.00					69%
<b>PGS927 (0, -90)</b>	4.6	32.0	27.4	0.33	0.15	32.0	Leach Pad 1	Leachpad	9.0	52%
including	9.1	24.4	15.2	0.47						48%
and including	19.8	21.3	1.5	1.13	1.00					35%
<b>PGS928 (0, -90)</b>	21.3	25.9	4.6	0.32	0.15	44.2	Leach Pad 2	Leachpad	6.1	64%
including	21.3	25.9	4.6	0.32	0.20					64%
and	32.0	44.2	12.2	0.38						59%
<b>PGS929 (0, -90)</b>	0.0	42.7	42.7	0.40	0.15	57.9	Leach Pad 2	Leachpadfill, to 24.4m, Backfill to 45.7m	17.1	60%
and including	16.8	19.8	3.0	1.27	1.00					53%
<b>PGS930 (0, -90)</b>	12.2	27.4	15.2	0.33	0.20	35.1	Leach Pad 2	Leachpad	5.0	76%
<b>PGS931 (0, -90)</b>	0.0	32.0	32.0	0.75	0.15	32.0	Padre	Resource upgrade, expansion	24.1	84%
including	13.7	32.0	18.3	1.17	0.20					86%
and including	19.8	22.9	3.0	2.45						86%
and including	27.4	32.0	4.6	1.99	1.00					97%
<b>PGS932 (0, -90)</b>	0.0	22.9	22.9	0.20	0.15	30.5	Padre	Resource upgrade, expansion	4.5	69%
including	0.0	4.6	4.6	0.28	0.20					89%
<b>PGS933 (290, -55)</b>	68.6	105.2	36.6	0.24	0.15	121.9	Padre	Resource upgrade, expansion	9.0	71%
including	71.6	79.2	7.6	0.41	0.20					77%
<b>PGS934 (220, -60)</b>	0.0	9.1	9.1	0.49	0.20	99.1	Main	Resource upgrade, expansion	4.5	85%
<b>PGS935 (150, -60)</b>	0.0	7.6	7.6	0.42	0.20	111.3	Main	Resource upgrade, expansion	3.2	82%
<b>PGS936 (45, -50)</b>	0.0	16.8	16.8	0.30	0.15	89.9	Main	Resource upgrade, expansion	6.4	72%
including	1.5	10.7	9.1	0.40	0.20					85%
and	50.3	54.9	4.6	0.30	0.15					88%
including	51.8	54.9	3.0	0.35	0.20					85%

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS937 (0, -90)	No Significant Results					47.2	Main	Resource upgrade, expansion		
PGS938 (0, -90)	No Significant Results					56.4	Main	Resource upgrade, expansion		
PGS939 (0, -90)	No Significant Results					50.3	Main	Resource upgrade, expansion		
PGS940 (0, -90)	No Significant Results					38.1	Main	Resource upgrade, expansion		
PGS941 (0, -90)	0.0	19.8	19.8	0.22	0.15	29.0	Leach Pad 2	Leachpad	4.4	69%
including	0.0	12.2	12.2	0.24	0.20					68%
including	13.7	19.8	6.1	0.20						72%
PGS942 (0, -90)	0.0	29.0	29.0	0.29	0.15	35.1	Leach Pad 2	Leachpad	8.5	66%
including	19.8	27.4	7.6	0.40	0.20					82%
PGS943 (210, -70)	70.1	74.7	4.6	0.31	0.20	105.2	Padre	Resource Expansion	1.4	76%
PGS944 (0, -90)	4.6	9.1	4.6	0.29	0.15	35.1	Padre	Resource Expansion	1.3	93%
PGS945 (0, -90)	0.0	9.1	9.1	0.32	0.20	29.0	Padre	Resource Expansion	3.0	81%
PGS946 (0, -90)	0.0	35.1	35.1	0.37	0.20	35.1	Hamburg	Backfill	13.0	72%
PGS947 (0, -90)	0.0	13.7	13.7	0.34	0.15	29.0	Hamburg	Backfill	4.7	87%
including	0.0	12.2	12.2	0.37	0.20					88%
PGS948 (0, -90)	0.0	25.9	25.9	0.28	0.15	25.9	Hamburg	Backfill	7.3	73%
PGS949 (0, -90)	9.1	32.0	22.9	0.42	0.20	32.0	Hamburg	Backfill	9.7	86%
including	27.4	29.0	1.5	1.14	1.00					78%
PGS950 (0, -90)	1.5	6.1	4.6	0.41	0.20	44.2	Hassayampa	Backfill	1.9	67%
PGS951 (0, -90)	0.0	12.2	12.2	0.38	0.20	32.0	Hassayampa	Backfill	4.7	76%
PGS952 (0, -90)	0.0	4.6	4.6	0.77	0.20	44.2	Hassayampa	Backfill	4.6	63%
also including	1.5	3.0	1.5	1.29	1.00					72%
and	7.6	13.7	6.1	0.17	0.15					16%
PGS953 (0, -90)	0.0	7.6	7.6	0.27	0.15	19.8	Goldtown	Resource Expansion	2.0	31%
including	1.5	7.6	6.1	0.29	0.20					26%
PGS954 (0, -90)	No Significant Results					15.2	Goldtown			
PGS955 (0, -90)	0.0	16.8	16.8	0.35	0.20	19.8	Goldtown	Resource Expansion	5.9	42%
PGS956 (0, -90)	0.0	18.3	18.3	0.28	0.15	19.8	Goldtown	Resource Expansion	5.1	32%
including	0.0	16.8	16.8	0.29	0.20					31%
PGS957 (0, -90)	0.0	9.1	9.1	0.27	0.20	56.4	Goldtown	Resource Expansion	2.5	39%
PGS958 (220, -45)	68.6	76.2	7.6	0.22	0.15	105.2	West Hamburg	Resource Expansion	1.7	62%
including	68.6	73.2	4.6	0.24	0.20					72%
PGS959 (350, -65)	6.1	13.7	7.6	1.73	0.15	91.4	Dipslope	Resource Expansion	17.9	81%
including	6.1	10.7	4.6	2.77	0.20					83%
and	6.1	9.1	3.0	3.88	1.00					83%
also including	45.7	50.3	4.6	0.65	0.15					86%
including	47.2	50.3	3.0	0.89	0.20					89%
also including	47.2	48.8	1.5	1.35	1.00					88%
and	70.1	74.7	4.6	0.37	0.20					88%
PGS960 (250, -55)	No Significant Results					91.4	Dipslope	Resource Expansion		
PGS961 (0, -90)	0.0	16.8	16.8	0.29	0.15	41.1	Leach Pad 2	Leachpad; reduced cyanide solubility	6.9	18%
including	0.0	13.7	13.7	0.32	0.20					16%
and	29.0	36.6	7.6	0.26	0.15					24%
including	33.5	36.6	3.0	0.39	0.20					27%
PGS962 (0, -90)	0.0	25.9	25.9	0.28	0.15	35.1	Leach Pad 2	Leachpad; reduced cyanide solubility	7.1	31%
including	0.0	10.7	10.7	0.23	0.20					20%
and including	16.8	25.9	9.1	0.39	0.20					36%
PGS963 (335, -50)	10.7	74.7	64.0	0.33	0.15	74.7	Leach Pad 2	Leachpad	21.3	36%
including	9.1	59.4	50.3	0.30	0.20					30%
and including	67.1	71.6	4.6	0.84	0.20					60%
also including	68.6	70.1	1.5	1.34	1.00					54%
PGS964 (240, 45)	22.9	30.5	7.6	0.18	0.15	59.4	Leach Pad 2	Leachpad	1.4	75%
including	47.2	57.9	10.7	0.38	0.20					75%
PGS965 (260, -45)	6.1	45.7	39.6	0.36	0.15	47.2	Leach Pad 2	Leachpad reduced cyanide solubility	14.1	16%
including	6.1	45.7	39.6	0.36	0.20					16%
PGS966 (0, -90)	0.0	6.1	6.1	0.25	0.15	54.9	Leach Pad 2	Leachpad to 38.1m, backfill to 42.7m; reduced cyanide solubility	14.5	8%
and	15.2	42.7	27.4	0.47	0.15					19%
including	18.3	32.0	13.7	0.76	0.20					18%
including	33.5	39.6	6.1	0.20	0.20					28%
also including	25.9	27.4	1.5	1.21	1.00					7%
PGS967 (0, -90)	10.7	47.2	36.6	0.42	0.15	53.3	Leach Pad 2	Leachpad to 38.1, backfill to 50.3m; reduced cyanide solubility	15.4	14%
including	21.3	45.7	24.4	0.56	0.20					14%
also including	35.1	36.6	1.5	1.02	1.00					3%
PGS968 (0, -90)	30.5	35.1	4.6	0.29	0.15	44.2	Leach Pad 2	Leachpad; reduced cyanide solubility	1.3	19%
including	32.0	35.1	3.0	0.34	0.20					22%
PGS969 (180, -70)	No Significant Results					106.7	Covington	Resource upgrade, expansion		
PGS970 (0, -90)	1.5	16.8	15.2	0.32	0.20	32.0	Covington	Resource upgrade, expansion	9.6	68%
including	15.2	16.8	1.5	1.06	1.00					87%
and	22.9	30.5	7.6	0.61	0.20					43%
PGS971 (180, -80)	No significant Results					231.6	Moosehead	Resource upgrade, expansion		
PGS972 (0, -90)	0.0	18.3	18.3	0.30	0.15	231.7	Moosehead	Surficial Waste Rock Storage	7.4	73%
including	0.0	18.3	18.3	0.30	0.20					73%
and	24.4	27.4	3.0	0.65	0.15					93%
including	24.4	27.4	3.0	0.65	0.20					93%

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS973 (0, -90)</b>	0.0	30.5	30.5	0.36	0.15	30.5	<b>Moosehead</b>	<b>Surficial Waste Rock Storage</b>	<b>11.0</b>	81%
including	0.0	9.1	9.1	0.44	0.20					88%
including	16.8	21.3	4.6	0.27	0.20					72%
including	25.9	30.5	4.6	0.86	0.20					88%
<b>PGS974 (0, -90)</b>	0.0	16.8	16.8	0.19	0.15	25.9	Moosehead	Surficial Waste Rock Storage	3.2	65%
including	10.7	15.2	4.6	0.23	0.20					82%
<b>PGS975 (0, -90)</b>	0.0	9.1	9.1	0.24	0.15	22.9	Moosehead	Surficial Waste Rock Storage	2.2	76%
including	0.0	4.6	4.6	0.33	0.20					80%
<b>PGS976 (0, -90)</b>	7.6	12.2	4.6	0.41	0.15	22.9	Moosehead	Surficial Waste Rock Storage	1.9	81%
including	9.1	12.2	3.0	0.53	0.20					85%
<b>PGS977 (0, -90)</b>	0.0	6.1	6.1	0.41	0.15	22.9	Moosehead	Surficial Waste Rock Storage	2.5	82%
including	1.5	6.1	4.6	0.49	0.20					83%
<b>PGS978 (0, -90)</b>	0.0	19.8	19.8	0.30	0.15	25.9	Moosehead	Surficial Waste Rock Storage	5.9	78%
including	0.0	10.7	10.7	0.37	0.20					84%
<b>PGS979 (0, -90)</b>	4.6	15.2	10.7	0.17	0.15	25.9	Moosehead	Surficial Waste Rock Storage	1.8	68%
<b>PGS980 (0, -90)</b>	0.0	10.7	10.7	0.28	0.15	16.8	Moosehead	Surficial Waste Rock Storage	3.0	76%
including	0.0	10.7	10.7	0.28	0.20					76%
<b>PGS981 (120, -70)</b>	No Significant Results					117.3	Moosehead	Resource upgrade, expansion		