

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	LBP043	208.8	262.1	53.3	4.39	234.0
2	LBP064	112.8	175.3	62.5	3.38	211.3
3	LBP067C	188.7	244.5	55.9	2.92	163.3
4	LBP214C	124.2	171.6	47.4	3.32	157.4
5	LBP062	129.5	173.7	44.2	3.14	138.9
6	LBP152	219.5	315.5	96.0	1.44	138.6
7	LBP088	257.6	318.5	61.0	2.10	128.3
8	LBP002	111.3	189.0	77.7	1.49	116.1
9	LBP029	166.1	207.3	41.1	2.56	105.1
10	LBP051	131.1	172.2	41.1	2.51	103.5
11	LBP207C	114.9	146.9	32.0	3.16	101.2
12	89-417	67.1	117.4	50.3	1.98	99.7
13	LBP054	248.4	349.0	100.6	0.95	95.1
14	87-169	79.3	121.9	42.7	2.10	89.6
15	LBP069	160.0	217.9	57.9	1.52	88.1
16	LBP023	204.2	253.0	48.8	1.78	86.9
17	LBP206	271.3	327.7	56.4	1.51	85.4
18	88-357	61.0	121.9	61.0	1.40	85.3
19	LBP021	189.0	236.2	47.2	1.78	84.3
20	92BP-078	21.3	76.2	54.9	1.50	82.1
21	88-366	74.7	86.9	12.2	6.66	81.2
22	LBP066	173.7	243.8	70.1	1.15	80.6
23	LBP138	217.9	285.0	67.1	1.20	80.5
24	92BX-18	1.5	68.6	67.1	1.18	79.2
25	LBP169	233.2	313.9	80.8	0.98	79.0
26	LBP055	190.5	266.7	76.2	0.99	75.6
27	LBP027	143.3	169.2	25.9	2.89	74.9
28	LBP056	231.6	271.3	39.6	1.89	74.7
29	92BX-37	94.5	150.9	56.4	1.30	73.5
30	89-433	19.8	44.2	24.4	2.96	72.1
31	LBP222C	259.1	313.3	54.2	1.27	68.7
32	93BP-132	53.4	105.2	51.8	1.31	67.7
33	LBP016	89.9	135.6	45.7	1.46	66.6
34	LBP127	224.0	257.6	33.5	1.98	66.5
35	88-342	41.2	76.2	35.1	1.89	66.2
36	91BP-055	68.6	105.2	36.6	1.81	66.1
37	LBP095	217.9	240.8	22.9	2.83	64.8
38	LBP189	266.7	329.2	62.5	1.01	63.1
39	92BX-14	13.7	48.8	35.1	1.79	62.9
40	LBP250	176.8	190.5	13.7	4.57	62.7
41	LBP131	169.2	245.4	76.2	0.82	62.3
42	LBP015	86.9	115.8	29.0	2.15	62.2
43	LBP150	208.8	228.6	19.8	3.04	60.2
44	94BX-40	36.6	62.5	25.9	2.30	59.6
45	93BX-33	82.3	106.7	24.4	2.38	58.0
46	89-418	94.5	140.2	45.7	1.25	57.0
47	88-342	83.8	109.7	25.9	2.19	56.8
48	94BP-11	85.3	117.4	32.0	1.70	54.3
49	LBP096	227.1	256.0	29.0	1.87	54.1
50	LBP085	143.3	184.4	41.1	1.31	54.1

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	88-391A	0.0	53.3	53.3	1.00	53.6
52	LBP208	227.1	269.7	42.7	1.25	53.4
53	94BP-42	47.2	135.6	88.4	0.60	53.1
54	LBP217	126.5	152.4	25.9	2.00	51.9
55	LBP068	228.6	249.9	21.3	2.43	51.9
56	86-12	97.5	121.9	24.4	2.12	51.6
57	LBP057	173.7	239.3	65.5	0.77	50.7
58	LBP149	41.1	64.0	22.9	2.21	50.5
59	LBP095	157.0	201.2	44.2	1.14	50.3
60	LBP224	18.3	68.6	50.3	0.97	48.6
61	LBP044	253.0	269.7	16.8	2.90	48.5
62	LBP091	141.7	163.1	21.3	2.22	47.3
63	LBP058	251.5	291.1	39.6	1.18	46.8
64	LBP129	240.8	269.7	29.0	1.60	46.4
65	MGR11-017	9.1	53.3	44.2	1.05	46.3
66	96BX-16	64.0	109.7	45.7	1.01	46.1
67	LBP048	208.8	248.4	39.6	1.16	46.0
68	87-58	71.6	83.8	12.2	3.76	45.8
69	LBP043	158.5	167.6	9.1	4.92	45.0
70	LBP014	51.8	89.9	38.1	1.18	44.8
71	96BX-26	45.7	121.9	76.2	0.57	43.8
72	96BP-9	94.5	106.7	12.2	3.59	43.7
73	LBP025	140.2	172.2	32.0	1.36	43.6
74	89-506	76.2	97.5	21.3	2.02	43.2
75	LBP073C	183.5	206.7	23.2	1.84	42.6
76	88-398	0.0	48.8	48.8	0.87	42.5
77	89-454	30.5	70.1	39.6	1.07	42.4
78	89-516	76.2	97.5	21.3	1.95	41.7
79	LBP063	213.4	222.5	9.1	4.56	41.7
80	LBP203	77.7	105.2	27.4	1.50	41.1
81	LBP235	234.7	280.4	45.7	0.90	41.1
82	92BP-122	83.8	137.2	53.3	0.76	40.5
83	87-127	135.6	152.4	16.8	2.42	40.5
84	93BP-7	13.7	57.9	44.2	0.91	40.2
85	LBP229	39.6	102.1	62.5	0.64	39.7
86	94BP-146	62.5	106.7	44.2	0.89	39.5
87	89-439	62.5	96.0	33.5	1.15	38.7
88	LBP140	190.5	196.6	6.1	6.33	38.6
89	94BP-63	103.6	109.7	6.1	6.32	38.6
90	94BX-73	62.5	105.2	42.7	0.90	38.5
91	88-339	30.5	91.4	61.0	0.62	38.0
92	LBP078C	178.6	194.2	15.5	2.43	37.8
93	LBP090	222.5	259.1	36.6	1.03	37.8
94	94BP-113	64.0	103.6	39.6	0.95	37.7
95	93BP-1	39.6	64.0	24.4	1.54	37.5
96	LBP059	208.8	233.2	24.4	1.53	37.4
97	88-340	44.2	91.4	47.2	0.79	37.2
98	86-22	79.3	103.6	24.4	1.51	36.8
99	LBP087C	142.2	171.3	29.1	1.26	36.7
100	83-43	1.5	18.3	16.8	2.17	36.3

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	LBP139	80.8	123.4	42.7	0.85	36.2
102	89-426	36.6	83.8	47.2	0.77	36.2
103	92BX-28	71.6	99.1	27.4	1.30	35.7
104	93BX-34	65.5	83.8	18.3	1.95	35.7
105	87-241	38.1	102.1	64.0	0.56	35.6
106	92BX-77	32.0	79.3	47.3	0.75	35.3
107	93BP-2	33.5	83.8	50.3	0.70	35.1
108	LBP042	240.8	263.7	22.9	1.53	34.9
109	87-229	33.5	79.3	45.7	0.76	34.8
110	87-82	16.8	74.7	57.9	0.60	34.8
111	LBP168	141.7	173.7	32.0	1.06	34.0
112	92BX-52	51.8	64.0	12.2	2.79	34.0
113	86-11	85.3	121.9	36.6	0.92	33.8
114	93BX-60	71.6	106.7	35.1	0.96	33.7
115	LBP089	41.1	79.2	38.1	0.86	32.9
116	87-126	79.3	100.6	21.3	1.52	32.5
117	92BX-28	6.1	47.2	41.1	0.78	32.3
118	LBP206	236.2	259.1	22.9	1.41	32.2
119	LBP094	189.0	224.0	35.1	0.92	32.2
120	91BP-039	96.0	123.4	27.4	1.17	32.1
121	LBP097	137.2	167.6	30.5	1.05	32.0
122	LBP227	12.2	86.9	74.7	0.43	31.9
123	87-61	71.6	106.7	35.1	0.91	31.8
124	93BP-99	48.8	79.3	30.5	1.02	31.1
125	87-66	74.7	96.0	21.3	1.46	31.1
126	LBP193	178.3	214.9	36.6	0.85	31.0
127	94BP-140	65.5	97.5	32.0	0.97	31.0
128	93BP-67	38.1	99.1	61.0	0.51	30.9
129	LBP086	178.3	192.0	13.7	2.25	30.9
130	LBP165	109.7	153.9	44.2	0.70	30.9
131	93BP-27	16.8	24.4	7.6	4.05	30.9
132	86-44	64.0	68.6	4.6	6.75	30.8
133	92BP-121	41.2	102.1	61.0	0.50	30.6
134	LBP052	269.7	309.4	39.6	0.77	30.4
135	94BP-147	9.1	56.4	47.3	0.64	30.1
136	LBP092	61.0	106.7	45.7	0.66	30.1
137	87-245	36.6	102.1	65.5	0.46	29.9
138	96BX-29	3.1	70.1	67.1	0.44	29.8
139	LBP222C	243.9	252.1	8.1	3.62	29.4
140	87-235	39.6	91.4	51.8	0.56	29.2
141	LBP028	243.8	269.7	25.9	1.11	28.8
142	93BP-129	48.8	77.7	29.0	0.99	28.7
143	92BX-68	33.5	77.7	44.2	0.65	28.6
144	93BP-4	47.2	65.5	18.3	1.56	28.6
145	87-237	38.1	94.5	56.4	0.51	28.5
146	LBP050	230.1	242.3	12.2	2.34	28.5
147	LBP044	192.0	211.8	19.8	1.43	28.4
148	SH90-7R	25.9	59.4	33.5	0.84	28.2
149	94BX-58	13.7	35.1	21.3	1.32	28.2
150	89-437	21.3	67.1	45.7	0.62	28.2

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	93BP-91	150.9	167.6	16.8	1.67	28.0
152	87-145	30.5	57.9	27.4	1.02	27.9
153	MGR11-024	80.8	91.4	10.7	2.59	27.7
154	LBP162	199.6	233.2	33.5	0.82	27.6
155	LBP127	263.7	291.1	27.4	1.00	27.5
156	LBP096	178.3	216.4	38.1	0.72	27.5
157	SH90-13R	0.0	6.1	6.1	4.49	27.4
158	92BP-021	4.6	67.1	62.5	0.44	27.3
159	LBP069	271.3	285.0	13.7	1.96	26.9
160	92BP-125	47.2	67.1	19.8	1.36	26.9
161	LBP115	204.2	249.9	45.7	0.58	26.5
162	93BP-122	89.9	97.5	7.6	3.47	26.4
163	91BP-043	16.8	57.9	41.2	0.64	26.3
164	93BP-101	125.0	179.8	54.9	0.48	26.3
165	94BP-22	27.4	64.0	36.6	0.72	26.3
166	94BP-18	56.4	118.9	62.5	0.42	26.2
167	LBP020	164.6	199.6	35.1	0.75	26.2
168	LBP069	219.5	228.6	9.1	2.85	26.1
169	93BP-92	74.7	115.8	41.1	0.63	26.0
170	93BX-82	102.1	117.4	15.2	1.70	25.9
171	88-318	61.0	74.7	13.7	1.86	25.5
172	MGR11-026	24.4	70.1	45.7	0.56	25.5
173	LBP011	0.0	10.7	10.7	2.37	25.3
174	80-02	79.3	103.6	24.4	1.03	25.1
175	LBP179	103.6	128.0	24.4	1.02	24.8
176	92BX-24	22.9	61.0	38.1	0.65	24.7
177	92BP-022	29.0	85.3	56.4	0.43	24.5
178	93BP-96	70.1	128.0	57.9	0.42	24.3
179	94BP-94	129.5	150.9	21.3	1.14	24.3
180	89-423	19.8	76.2	56.4	0.43	24.1
181	BP90-31	70.1	108.2	38.1	0.63	23.8
182	LBP048	173.7	204.2	30.5	0.78	23.7
183	PG10-84	57.9	89.9	32.0	0.74	23.7
184	LBP197C	58.8	75.3	16.5	1.44	23.7
185	LBP034	245.4	266.7	21.3	1.11	23.6
186	87-162	85.3	103.6	18.3	1.28	23.4
187	LBP027	117.3	128.0	10.7	2.18	23.3
188	93BP-134	12.2	53.3	41.2	0.56	23.2
189	LBP090	175.3	216.4	41.1	0.56	23.2
190	LBP002	6.1	45.7	39.6	0.58	23.1
191	LBP004	10.7	35.1	24.4	0.95	23.1
192	83-38	42.7	54.9	12.2	1.88	23.0
193	93BP-108	112.8	144.8	32.0	0.72	22.9
194	96BP-25	99.1	114.3	15.2	1.50	22.9
195	94BP-95	77.7	134.1	56.4	0.40	22.8
196	LBP190C	208.9	223.1	14.2	1.61	22.8
197	93BX-42	41.2	71.6	30.5	0.75	22.7
198	LBP072	57.9	94.5	36.6	0.62	22.7
199	88-338A	7.6	54.9	47.2	0.48	22.7
200	96BX-20	9.1	64.0	54.9	0.41	22.5

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	92BP-112	10.7	29.0	18.3	1.21	22.2
202	91BP-028	120.4	128.0	7.6	2.90	22.1
203	LBP068	266.7	301.8	35.1	0.63	22.0
204	R1-1974	6.1	22.9	16.8	1.31	22.0
205	89-419	111.3	118.9	7.6	2.87	21.9
206	PG11-84	53.3	70.1	16.8	1.30	21.9
207	LBP208	300.2	330.7	30.5	0.71	21.8
208	89-459	0.0	42.7	42.7	0.51	21.7
209	LBP038	210.3	248.4	38.1	0.57	21.7
210	SH90-6R	9.1	35.1	25.9	0.84	21.6
211	94BP-15	103.6	135.6	32.0	0.67	21.6
212	92BP-125	79.3	100.6	21.3	1.01	21.6
213	LBP171	164.6	205.7	41.1	0.52	21.5
214	LBP072	277.4	288.0	10.7	1.96	20.9
215	95BP-21	53.3	89.9	36.6	0.57	20.7
216	LBP197C	136.6	151.8	15.2	1.36	20.7
217	LBP133	15.2	45.7	30.5	0.68	20.7
218	LBP194	265.2	330.7	65.5	0.31	20.4
219	87-149	57.9	91.4	33.5	0.61	20.4
220	83-69	70.1	106.7	36.6	0.56	20.4
221	94BX-38	0.0	21.3	21.3	0.95	20.4
222	PG13-84	44.2	80.8	36.6	0.55	20.3
223	87-227	41.2	76.2	35.1	0.58	20.2
224	MGR11-006	0.0	47.2	47.2	0.43	20.2
225	P14-64	30.5	47.2	16.8	1.20	20.1
226	87-155	105.2	117.4	12.2	1.64	20.0
227	93BX-39	86.9	108.2	21.3	0.93	19.9
228	94BP-135	24.4	39.6	15.2	1.30	19.8
229	LBP173	33.5	50.3	16.8	1.18	19.8
230	P8-64	77.7	91.4	13.7	1.44	19.8
231	MGR11-003	12.2	44.2	32.0	0.62	19.7
232	94BP-54	70.1	99.1	29.0	0.68	19.6
233	91BP-050	83.8	88.4	4.6	4.28	19.6
234	92BP-050	36.6	51.8	15.2	1.27	19.4
235	87-191	103.6	115.8	12.2	1.59	19.4
236	93BP-19	0.0	45.7	45.7	0.42	19.4
237	87-233	39.6	88.4	48.8	0.40	19.4
238	LBP017	74.7	117.3	42.7	0.45	19.3
239	LBP068	96.0	143.3	47.2	0.41	19.3
240	LBP240	149.4	160.0	10.7	1.80	19.2
241	LBP107	262.1	281.9	19.8	0.97	19.2
242	SH90-5R	16.8	56.4	39.6	0.48	19.2
243	89-472	6.1	50.3	44.2	0.43	19.1
244	95BX-19	71.6	97.5	25.9	0.74	19.1
245	94BP-84	71.6	79.3	7.6	2.49	19.0
246	LBP026	166.1	198.1	32.0	0.59	19.0
247	LBP020	217.9	234.7	16.8	1.12	18.8
248	92BP-131	48.8	76.2	27.4	0.68	18.6
249	92BP-020	59.4	117.4	57.9	0.32	18.6
250	95BP-18	103.6	121.9	18.3	1.01	18.5

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	87-184	57.9	76.2	18.3	1.01	18.4
252	LBP110	152.4	175.3	22.9	0.80	18.4
253	93BP-131	100.6	141.7	41.2	0.45	18.3
254	LBP213	166.1	202.7	36.6	0.50	18.3
255	93BP-28	24.4	65.5	41.2	0.44	18.3
256	93BX-96	22.9	47.2	24.4	0.75	18.3
257	93BP-30	53.3	102.1	48.8	0.37	18.3
258	LBP177	240.8	269.7	29.0	0.63	18.3
259	89-479	0.0	19.8	19.8	0.92	18.2
260	93BP-11	30.5	77.7	47.2	0.38	18.1
261	92BP-041	19.8	65.5	45.7	0.40	18.1
262	95BP-4	62.5	91.4	29.0	0.62	18.0
263	87-231	50.3	82.3	32.0	0.56	18.0
264	LBP055	166.1	184.4	18.3	0.98	18.0
265	LBP155	45.7	71.6	25.9	0.69	18.0
266	86-22	121.9	134.1	12.2	1.47	18.0
267	LBP240	184.4	198.1	13.7	1.30	17.8
268	94BP-33	54.9	91.4	36.6	0.49	17.8
269	95BP-38	115.8	144.8	29.0	0.61	17.7
270	LBP134	169.2	195.1	25.9	0.68	17.7
271	93BX-6	32.0	67.1	35.1	0.51	17.7
272	92BX-36	102.1	128.0	25.9	0.68	17.6
273	89-469	1.5	36.6	35.1	0.50	17.6
274	LBP009	15.2	48.8	33.5	0.52	17.5
275	LBP130	51.8	73.2	21.3	0.82	17.5
276	BP90-4C	65.5	94.5	29.0	0.60	17.5
277	92BX-84	79.3	108.2	29.0	0.60	17.5
278	89-402	4.6	30.5	25.9	0.68	17.5
279	87-166	18.3	67.1	48.8	0.36	17.5
280	94BX-08	0.0	41.2	41.2	0.42	17.5
281	LBP132	76.2	89.9	13.7	1.27	17.4
282	87-188	50.3	76.2	25.9	0.67	17.4
283	LBP019	129.5	172.2	42.7	0.41	17.3
284	87-163	74.7	94.5	19.8	0.87	17.3
285	92BP-101	56.4	77.7	21.3	0.81	17.3
286	LBP038	294.1	313.9	19.8	0.87	17.3
287	LBP060	216.4	248.4	32.0	0.54	17.2
288	95BX-38	0.0	29.0	29.0	0.59	17.1
289	87-252	30.5	67.1	36.6	0.47	17.1
290	86-06	48.8	79.3	30.5	0.56	17.1
291	LBP252	219.5	239.3	19.8	0.86	17.1
292	LBP140	205.7	221.0	15.2	1.12	17.1
293	94BP-27	0.0	39.6	39.6	0.43	17.1
294	BP90-4C	96.0	106.7	10.7	1.60	17.1
295	PG2-84	33.5	67.1	33.5	0.51	17.0
296	94BP-152	16.8	48.8	32.0	0.53	17.0
297	87-135	19.8	33.5	13.7	1.23	16.9
298	89-403	38.1	65.5	27.4	0.62	16.9
299	94BP-131	47.2	76.2	29.0	0.58	16.9
300	SH90-16R	15.2	33.5	18.3	0.92	16.9

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	LBP009	96.0	120.4	24.4	0.69	16.8
302	89-420	61.0	105.2	44.2	0.38	16.8
303	LBP165	62.5	77.7	15.2	1.10	16.7
304	92BP-051	0.0	18.3	18.3	0.91	16.7
305	LBP169	373.4	381.0	7.6	2.19	16.7
306	93BP-14	36.6	67.1	30.5	0.55	16.7
307	BP90-23	44.2	54.9	10.7	1.56	16.6
308	LBP213	67.1	106.7	39.6	0.42	16.6
309	94BP-12	123.4	161.5	38.1	0.43	16.6
310	LBP063	82.3	125.0	42.7	0.39	16.5
311	88-332	57.9	88.4	30.5	0.54	16.5
312	LBP024	181.4	210.3	29.0	0.57	16.5
313	LBP249	152.4	190.5	38.1	0.43	16.5
314	LBP002	88.4	103.6	15.2	1.08	16.4
315	94BP-137	30.5	65.5	35.1	0.47	16.4
316	89-421	91.4	126.5	35.1	0.46	16.3
317	LBP043	140.2	150.9	10.7	1.52	16.2
318	94BP-53	83.8	108.2	24.4	0.66	16.2
319	87-165	108.2	115.8	7.6	2.12	16.2
320	LBP035	213.4	227.1	13.7	1.18	16.2
321	93BP-6	61.0	86.9	25.9	0.62	16.1
322	95BP-41	39.6	59.4	19.8	0.81	16.1
323	LBP140	231.6	259.1	27.4	0.59	16.1
324	94BP-46	105.2	140.2	35.1	0.46	16.1
325	94BP-110	112.8	138.7	25.9	0.62	16.1
326	LBP137	117.3	138.7	21.3	0.75	16.1
327	93BP-124	102.1	125.0	22.9	0.70	16.0
328	SH91-23R	7.6	24.4	16.8	0.95	16.0
329	94BP-18	135.6	157.0	21.3	0.75	15.9
330	LBP214C	95.1	115.4	20.3	0.79	15.9
331	95BP-37	106.7	128.0	21.3	0.74	15.9
332	92BX-37	3.1	19.8	16.8	0.95	15.9
333	LBP157	277.4	294.1	16.8	0.94	15.8
334	94BP-71	96.0	123.4	27.4	0.58	15.8
335	89-439	30.5	35.1	4.6	3.43	15.7
336	92BX-55	38.1	47.2	9.1	1.71	15.6
337	LBP126	131.1	160.0	29.0	0.54	15.6
338	LBP082C	240.2	264.6	24.4	0.63	15.4
339	MGR11-029	150.9	164.6	13.7	1.12	15.4
340	LBP057	0.0	38.1	38.1	0.40	15.4
341	93BP-100	125.0	143.3	18.3	0.84	15.4
342	92BP-121	103.6	129.5	25.9	0.59	15.3
343	88-320	41.2	65.5	24.4	0.63	15.3
344	89-422	47.2	76.2	29.0	0.53	15.3
345	87-116	77.7	96.0	18.3	0.83	15.2
346	92BX-40	24.4	50.3	25.9	0.59	15.2
347	MGR11-019	0.0	32.0	32.0	0.48	15.2
348	MGR11-002	0.0	30.5	30.5	0.50	15.2
349	LBP157	260.6	268.2	7.6	1.99	15.2
350	96BP-26	83.8	93.0	9.1	1.66	15.2

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	95BP-39	54.9	73.2	18.3	0.83	15.2
352	92BX-92	48.8	74.7	25.9	0.58	15.2
353	LBP207C	68.7	82.1	13.4	1.12	15.0
354	LBP055	4.6	36.6	32.0	0.47	15.0
355	93BP-46	91.4	105.2	13.7	1.09	15.0
356	LBP239	82.3	105.2	22.9	0.65	14.9
357	LBP081	195.1	208.8	13.7	1.09	14.9
358	88-298	77.7	94.5	16.8	0.89	14.9
359	87-89	44.2	77.7	33.5	0.44	14.9
360	94BX-34	44.2	56.4	12.2	1.22	14.8
361	86-07	48.8	85.3	36.6	0.41	14.8
362	LBP045	179.8	192.0	12.2	1.22	14.8
363	94BP-13	106.7	137.2	30.5	0.49	14.8
364	95BP-54	94.5	120.4	25.9	0.57	14.8
365	92BP-017	51.8	86.9	35.1	0.42	14.8
366	92BP-046	32.0	61.0	29.0	0.51	14.7
367	86-15	51.8	79.3	27.4	0.54	14.7
368	94BP-148	85.3	118.9	33.5	0.44	14.7
369	94BP-14	121.9	146.3	24.4	0.60	14.6
370	93BP-146	44.2	65.5	21.3	0.68	14.6
371	88-273	30.5	85.3	54.9	0.26	14.5
372	LBP055	71.6	99.1	27.4	0.53	14.5
373	LBP041	67.1	106.7	39.6	0.36	14.4
374	83-70	68.6	91.4	22.9	0.63	14.4
375	94BP-138	15.2	42.7	27.4	0.52	14.4
376	LBP032	221.0	243.8	22.9	0.63	14.4
377	92BX-46	16.8	35.1	18.3	0.78	14.3
378	88-359	100.6	121.9	21.3	0.67	14.2
379	93BX-3	9.1	33.5	24.4	0.58	14.2
380	LBP109	196.6	221.0	24.4	0.58	14.2
381	93BX-36	44.2	54.9	10.7	1.33	14.1
382	93BX-105	0.0	18.3	18.3	0.77	14.1
383	94BP-73	32.0	77.7	45.7	0.31	14.1
384	93BP-43	126.5	144.8	18.3	0.77	14.1
385	92BP-011	35.1	68.6	33.5	0.42	14.1
386	LBP003	57.9	85.3	27.4	0.51	14.1
387	LBP210	167.6	182.9	15.2	0.92	14.0
388	LBP093C	46.2	80.2	33.9	0.41	14.0
389	95BP-23	41.2	54.9	13.7	1.02	14.0
390	LBP085	4.6	38.1	33.5	0.42	14.0
391	93BP-28	68.6	96.0	27.4	0.51	13.9
392	92BP-118	3.1	24.4	21.3	0.65	13.8
393	LBP082C	196.8	216.6	19.7	0.70	13.8
394	LBP194	187.5	198.1	10.7	1.29	13.8
395	94BP-76	59.4	80.8	21.3	0.65	13.8
396	LBP006	24.4	32.0	7.6	1.80	13.7
397	95BP-14	83.8	102.1	18.3	0.75	13.7
398	LBP034	294.1	301.8	7.6	1.80	13.7
399	LBP217	94.5	102.1	7.6	1.79	13.7
400	83-32	57.9	97.5	39.6	0.34	13.6

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	SH91-21R	16.8	27.4	10.7	1.27	13.6
402	94BP-142	12.2	27.4	15.2	0.89	13.6
403	94BP-16	76.2	112.8	36.6	0.37	13.5
404	LBP176	54.9	65.5	10.7	1.26	13.5
405	94BP-31	100.6	143.3	42.7	0.31	13.4
406	LBP081	214.9	230.1	15.2	0.88	13.4
407	93BP-38	18.3	44.2	25.9	0.52	13.4
408	94BP-143	33.5	41.2	7.6	1.75	13.3
409	94BP-22	79.3	103.6	24.4	0.55	13.3
410	92BP-05C	34.4	57.1	22.7	0.59	13.3
411	92BP-073	59.4	86.9	27.4	0.48	13.3
412	92BX-39	61.0	76.2	15.2	0.87	13.3
413	LBP107	239.3	253.0	13.7	0.96	13.2
414	LBP045	32.0	54.9	22.9	0.58	13.2
415	89-475	36.6	54.9	18.3	0.72	13.2
416	87-144	36.6	61.0	24.4	0.54	13.2
417	88-321	64.0	91.4	27.4	0.48	13.1
418	LBP138	117.3	126.5	9.1	1.43	13.1
419	87-112	114.3	140.2	25.9	0.50	13.1
420	LBP071	120.4	132.6	12.2	1.07	13.0
421	LBP052	74.7	96.0	21.3	0.61	13.0
422	94BP-22A	109.7	137.2	27.4	0.47	13.0
423	96BX-22	76.2	114.3	38.1	0.34	13.0
424	94BP-82	83.8	115.8	32.0	0.41	13.0
425	83-04	79.3	89.9	10.7	1.22	13.0
426	88-364	91.4	106.7	15.2	0.85	13.0
427	93BP-147	51.8	79.3	27.4	0.47	12.9
428	93BP-98	33.5	45.7	12.2	1.06	12.9
429	94BP-29	141.7	182.9	41.2	0.31	12.9
430	T40-1975	12.2	41.2	29.0	0.44	12.9
431	LBP211	27.4	44.2	16.8	0.76	12.8
432	89-450	48.8	67.1	18.3	0.70	12.8
433	LBP093C	81.7	101.5	19.8	0.64	12.7
434	92BP-133	25.9	47.2	21.3	0.60	12.7
435	96BX-42	97.5	129.5	32.0	0.40	12.7
436	94BP-1	53.3	67.1	13.7	0.93	12.7
437	96BX-27	65.5	103.6	38.1	0.33	12.7
438	93BP-128	33.5	54.9	21.3	0.59	12.7
439	LBP216	132.6	143.3	10.7	1.19	12.7
440	MGR11-009	4.6	18.3	13.7	0.92	12.7
441	LBP081	237.7	246.9	9.1	1.39	12.7
442	LBP223	71.6	83.8	12.2	1.04	12.7
443	94BX-46	64.0	79.3	15.2	0.83	12.6
444	88-392	6.1	35.1	29.0	0.44	12.6
445	92BP-120	125.0	131.1	6.1	2.08	12.6
446	MGR11-005	7.6	15.2	7.6	1.65	12.6
447	91BP-050	39.6	67.1	27.4	0.46	12.6
448	92BP-023	54.9	79.3	24.4	0.52	12.6
449	87-246	24.4	36.6	12.2	1.03	12.6
450	MGR11-007	230.1	246.9	16.8	0.75	12.5

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	R2-1974	48.8	54.9	6.1	2.06	12.5
452	LBP190C	143.7	161.8	18.1	0.69	12.5
453	LBP056	199.6	225.6	25.9	0.48	12.5
454	94BP-128	39.6	53.3	13.7	0.91	12.5
455	87-147	38.1	67.1	29.0	0.43	12.4
456	92BP-080	35.1	48.8	13.7	0.91	12.4
457	LBP103	187.5	192.0	4.6	2.72	12.4
458	93BP-22	61.0	91.4	30.5	0.41	12.4
459	LBP187	112.8	143.3	30.5	0.41	12.4
460	87-67	47.2	80.8	33.5	0.37	12.3
461	94BP-32	108.2	135.6	27.4	0.45	12.3
462	94BP-149	80.8	108.2	27.4	0.45	12.3
463	97BP-5	105.2	121.9	16.8	0.74	12.3
464	LBP077	167.6	181.4	13.7	0.90	12.3
465	93BP-8	29.0	70.1	41.1	0.30	12.3
466	89-466	0.0	19.8	19.8	0.62	12.3
467	LBP059	170.7	202.7	32.0	0.38	12.2
468	SH90-15R	24.4	32.0	7.6	1.61	12.2
469	94BP-28	76.2	102.1	25.9	0.47	12.2
470	92BP-024	57.9	93.0	35.1	0.35	12.2
471	94BP-118	0.0	15.2	15.2	0.80	12.2
472	88-363	47.2	74.7	27.4	0.44	12.2
473	LBP115	251.5	263.7	12.2	1.00	12.2
474	LBP084	155.4	173.7	18.3	0.66	12.1
475	89-479	48.8	79.3	30.5	0.40	12.1
476	92BX-91	1.5	24.4	22.9	0.53	12.1
477	93BX-93	29.0	61.0	32.0	0.38	12.1
478	LBP225	6.1	33.5	27.4	0.44	12.1
479	89-409	91.4	99.1	7.6	1.59	12.1
480	LBP249	115.8	138.7	22.9	0.53	12.0
481	96BP-6	30.5	61.0	30.5	0.39	12.0
482	91BP-072	44.2	74.7	30.5	0.39	12.0
483	89-522	71.6	97.5	25.9	0.46	12.0
484	LBP091	4.6	25.9	21.3	0.56	11.9
485	93BX-66	73.2	83.8	10.7	1.12	11.9
486	92BP-114	32.0	51.8	19.8	0.60	11.9
487	94BX-80	118.9	134.1	15.2	0.78	11.9
488	LBP124	96.0	123.4	27.4	0.43	11.9
489	MGR11-024	36.6	45.7	9.1	1.29	11.8
490	93BX-111	114.3	137.2	22.9	0.51	11.8
491	LBP085	51.8	68.6	16.8	0.70	11.7
492	94BP-138	54.9	61.0	6.1	1.92	11.7
493	92BX-24	99.1	106.7	7.6	1.53	11.7
494	92BX-66	29.0	39.6	10.7	1.09	11.6
495	92BP-119	6.1	39.6	33.5	0.35	11.6
496	88-350	61.0	68.6	7.6	1.53	11.6
497	LBP166	29.0	54.9	25.9	0.45	11.6
498	LBP249	217.9	263.7	45.7	0.25	11.5
499	MGR11-022	86.9	100.6	13.7	0.84	11.5
500	88-381	30.5	48.8	18.3	0.63	11.5