

Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

Liberty Gold - Black Pine 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP001 (200, -70)	No Significant Values					182.9	North B Ex Pit	Deep test to E of B Ex pit		
LBP002 (45, -50)	6.1	45.7	39.6	0.58	0.2	211.8	A Basin	Twinned historic hole and extended mineralization in lower 77.7 metre intercept	155.2	
including	19.8	24.4	4.6	1.54	1					
and	88.4	103.6	15.2	1.08	0.2					
including	89.9	97.5	7.6	1.55	1					
and	111.3	189.0	77.7	1.49	0.2					
including	118.9	134.1	15.2	3.23	1					
including	146.3	149.4	3.0	1.61						
including	181.4	187.5	6.1	5.64						
LBP003 (217, -70)	51.8	56.4	4.6	0.29	0.2	199.6	A Basin	Drilling within upper zone of A Basin mineralization	24.7	
and	57.9	85.3	27.4	0.51	0.2					
including	74.7	76.2	1.5	1.21	1					
and	96.0	111.3	15.2	0.61	0.2					
including	103.6	106.7	3.0	1.53	1					
LBP004 (130, -45)	0.0	7.6	7.6	0.38	0.2	190.5	J Anomaly	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	43.6	
and	10.7	35.1	24.4	0.95						
including	29.0	30.5	1.5	6.18						1
and	51.8	61.0	9.1	1.03						0.2
including	51.8	57.9	6.1	1.28						1
and	111.3	126.5	15.2	0.54						0.2
LBP005 (255, -45)	4.6	13.7	9.1	0.72	0.2	184.4	J Anomaly	Step out drillhole along mineralized structure	13.6	
including	6.1	7.6	1.5	2.65	1					
and	15.2	18.3	3.0	0.47	0.2					
and	44.2	53.3	9.1	0.42						
and	79.2	83.8	4.6	0.38						
LP006 (260, -45)	24.4	32.0	7.6	1.80	0.2	163.1	J Anomaly	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	26.2	
including	24.4	29.0	4.6	2.77	1					
and	44.2	62.5	18.3	0.60	0.2					
including	47.2	48.8	1.5	1.14	1					
and	71.6	77.7	6.1	0.25	0.2					
LBP007 (0, -80)	76.2	79.2	3.0	0.79	0.2	172.2	North B Ex Pit	Deep test to NE of B Ex pit	2.4	
LBP008	73.2	79.2	6.1	0.21	0.2	160.0	North B Ex Pit	Deep test to NE of B Ex pit	4.0	
and	114.3	121.9	7.6	0.36	0.2					
LBP009	15.2	48.8	33.5	0.52	0.2	178.3	North B Ex Pit	Validating and stepping out on gold intercepts E of B Pit	40.6	
including	25.9	29.0	3.0	1.41	1					
including	45.7	47.2	1.5	1.12	1					
and	67.1	76.2	9.1	0.45	0.2					
and	96.0	120.4	24.4	0.69	0.2					
including	96.0	97.5	1.5	2.95	1					
including	100.6	103.6	3.0	1.10	1					
and	135.6	143.3	7.6	0.35	0.2					
LBP010	88.4	93.0	4.6	0.31	0.2	150.8	North B Ex Pit	Deep extension of gold mineralization E of Tallman NE pit	1.4	
LBP011	0.0	10.7	10.7	2.37	0.2	152.4	South B Ex Pit	Open to south and southwest with no drilling or soil geochemistry for >200m	35.1	
including	0.0	9.1	9.1	2.72	1					
and	106.7	121.9	15.2	0.65	0.2					
including	117.3	121.9	4.6	1.38	1					
LBP012	No Significant Values					13.2	Hazel Pine	Hole lost in early 20th century historic mine workings (Ag-Au-Pb-Zn Vein deposits)		
LBP013	62.5	65.5	3.0	0.81	0.2	117.3	Hazel Pine	Elevated Ag and Zn values	2.5	
including	62.5	64.0	1.5	1.40	1					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
-----------------------------	----------	--------	---------------	----------	------------	-----------------	--------	----------	---------

Liberty Gold - Black Pine 2019 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP014	7.6	15.2	7.6	0.49	0.2	196.6	B Pit	LBP014 was drilled to bisect and deepen historic holes 88-357 (61m of 1.4 g/t Au) and 87-169 (43m of 2.1 g/t Au) (4th and 3rd best remaining intercepts, respectively, drilled w/ hard TDs of 400ft ending in grade). After drilling it was determined that the down-dip 88-357 was down-dropped by a normal fault, and incredibly had a hard stop of 500 ft, right at the extent of mineralization	64.5
and	39.6	50.3	10.7	0.27	0.2				
and	51.8	89.9	38.1	1.18	0.2				
including	62.5	88.4	25.9	1.61	1				
and	128.0	150.9	22.9	0.39	0.2				
including	128.0	129.5	1.5	1.02	1				
and	152.4	158.5	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.82	0.2				
including	185.9	187.5	1.5	1.36	1				
LBP015	10.7	15.2	4.6	0.36	0.2	196.6	B Pit	LBP015 was drilled to validate through the main body of mineralization and extend a drillhole that ended in 2.1 g/t Au in a modelled lower sequence of gold mineralization. The hole returned a good test through the main body but did not appreciably extend gold mineralization around the historic hole, which was drilled with a hard stop of 400 feet, and again stopped in the only high grade gold at the Lower Plate contact	81.9
and	67.1	115.8	48.8	1.50	0.2				
including	77.7	80.8	3.0	1.31	1				
including	91.4	94.5	3.0	6.19	1				
and including	91.4	93.0	1.5	10.4	5				
including	100.6	106.7	6.1	5.35	1				
and including	102.1	105.2	3.0	8.03	5				
and	123.4	132.6	9.1	0.32	0.2				
and	138.7	144.8	6.1	0.68	0.2				
including	140.2	141.7	1.5	1.86	1				
LBP016	12.2	16.8	4.6	0.26	0.2	175.3	B Pit	LBP016 was drilled to step out laterally from B Pit mineralization, towards A Basin mineralization and accomplished this task very well, extending high grade oxide by 30 metres towards A Basin	69.3
and	51.8	56.4	4.6	0.29	0.2				
and	89.9	135.6	45.7	1.46	0.2				
including	93.0	121.9	29.0	2.00	1				
and including	102.1	103.6	1.5	7.09	5				
LBP017	9.1	18.3	9.1	0.34	0.2	166.1	B Pit	LBP017 was drilled down-dip of the B pit ore body where mineralization appeared open in hole 88-357 (61 m of 1.4 g/t Au). The downdip test returned a similar width of lower grade material	25.1
and	25.9	33.5	7.6	0.35	0.2				
and	74.7	117.3	42.7	0.45	0.2				
including	89.9	91.4	1.5	1.11	1				
including	109.7	111.3	1.5	1.82	1				
LBP018 (125, -83)	Not Assayed					16.8		Hole Lost	
LBP019 (319, -74)	18.3	29.0	10.7	0.30	0.2	211.4	B Pit- A Basin (Discovery 1 Zone)	Step out along B Pit to A-Basin Section	23.6
and	88.4	91.4	3.0	0.38	0.2				
and	129.5	172.2	42.7	0.41	0.2				
including	149.4	152.4	3.0	1.24	1				
and	189.0	192.0	3.0	0.55	0.2				
LBP020 (036, -79)	38.1	50.3	12.2	0.40	0.2	257.6	Discovery 1 Zone	150 metre step-out from intercept in hole LBP002, along B Pit to A Basin Section (Discovery 1)	57.3
including	39.6	41.1	1.5	1.31	1				
and	74.7	80.8	6.1	0.21	0.2				
and	88.4	103.6	15.2	0.41	0.2				
including	102.1	103.6	1.5	1.18	1				
and	164.6	199.6	35.1	0.75	0.2				
including	170.7	176.8	6.1	1.27	1				
including	182.9	184.4	1.5	1.09	1				
including	190.5	193.5	3.0	1.21	1				
including	196.6	198.1	1.5	1.19	1				
and	217.9	234.7	16.8	1.12	0.2				
including	227.1	233.2	6.1	2.62	1				
LBP021 (144, -75)	38.1	53.3	15.2	0.36	0.2	266.7	Discovery 1 Zone	250 metre step-out from intercept in hole LBP002, and 300 metre step-out from intercept in hole LBP016, along B Pit to A Basin Section	91.1
and	83.8	89.9	6.1	0.22	0.2				
and	189.0	236.2	47.2	1.78	0.2				
including	199.6	222.5	22.9	3.24	1				
and including	202.7	205.7	3.0	9.99	5				
and including	216.4	217.9	1.5	5.73	5				
including	231.6	233.2	1.5	1.39	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP022 (017, -73)	29.0	41.1	12.2	0.41	0.2	294.1	Discovery 1 Zone	60 metre offset from LBP021	36.5
and	71.6	82.3	10.7	0.68	0.2				
including	76.2	77.7	1.5	3.05	1				
and	96.0	100.6	4.6	0.24	0.2				
and	121.9	126.5	4.6	0.31	0.2				
and	195.1	199.6	4.6	0.24	0.2				
and	211.8	221.0	9.1	0.76	0.2				
including	211.8	214.9	3.0	1.05	1				
including	219.5	221.0	1.5	1.09	1				
and	242.3	248.4	6.1	0.28	0.2				
and	260.6	265.2	4.6	1.04	0.2				
including	260.6	262.1	1.5	1.82	1				
and	278.9	289.6	10.7	0.68	0.2				
including	285.0	288.0	3.0	1.58	1				
LBP023 (062, -51)	25.9	32.0	6.1	0.32	0.2	278.9	B-A Basin-A pit (Discovery 2)	240 metre offset from LBP021 beneath A Pit Top of intercept is 65 metres below the floor of the historic A Pit.	103.1
and	42.7	50.3	7.6	0.43	0.2				
and	56.4	59.4	3.0	0.69	0.2				
and	102.1	109.7	7.6	0.52	0.2				
and	114.3	120.4	6.1	0.23	0.2				
and	123.4	128.0	4.6	0.27	0.2				
and	204.2	253.0	48.8	1.78	0.2				
including	214.9	216.4	1.5	1.29	1				
including	224.0	239.3	15.2	4.72	1				
and including	225.6	231.6	6.1	7.95	5				
and	272.8	278.9	6.1	0.39	0.2				
LBP024 (248, -64)	56.4	62.5	6.1	0.33	0.2	233.2	Discovery 1 Zone		24.9
and	71.6	76.2	4.6	0.26	0.2				
and	80.8	86.9	6.1	0.24	0.2				
and	134.1	141.7	7.6	0.34	0.2				
and	164.6	169.2	4.6	0.26	0.2				
and	181.4	210.3	29.0	0.57	0.2				
including	198.1	199.6	1.5	1.20	1				
including	201.2	202.7	1.5	2.25	1				
LBP025 (118, -83)	86.9	89.9	3.0	0.33	0.2	224.0	Discovery 1 Zone		49.3
and	100.6	105.2	4.6	0.56	0.2				
and	140.2	172.2	32.0	1.36	0.2				
including	146.3	147.8	1.5	2.08	1				
and	153.9	170.7	16.8	1.95	1				
and	193.5	201.2	7.6	0.28	0.2				
LBP026 (343, -51)	128.0	134.1	6.1	0.20	0.2	242.3	Discovery 1 Zone		25.0
and	135.6	140.2	3.0	1.10	0.2				
including	137.2	138.7	1.5	1.93	1				
and	166.1	198.1	32.0	0.59	0.2				
including	190.5	195.1	4.6	2.47	1				
and	211.8	216.4	4.6	0.32	0.2				
LBP027 (038, -66)	32.0	38.1	6.1	0.50	0.2	269.7	A Basin		101.2
and	117.3	128.0	10.7	2.18	0.2				
including	118.9	126.5	7.6	2.90	1				
and	143.3	169.2	25.9	2.89	0.2				
including	143.3	158.5	15.2	4.52	1				
and including	144.8	150.9	6.1	6.63	5				
and including	152.4	155.4	3.0	5.01	5				
LBP028 (138, -65)	44.2	65.5	21.3	0.44	0.2	300.2	Discovery 1 Zone		63.1
and	91.4	102.1	10.7	0.24	0.2				
and	137.2	149.4	12.2	0.93	0.2				
including	137.2	144.8	7.6	1.25	1				
and	192.0	198.1	6.1	0.23	0.2				
and	211.8	217.9	6.1	0.29	0.2				
and	224.0	234.7	10.7	0.67	0.2				
including	228.6	231.6	3.0	1.35	1				
and	243.8	269.7	25.9	1.14	0.2				
including	253.0	257.6	4.6	4.17	1				
and including	254.5	256.0	1.5	5.60	5				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP029 (105, -51)	132.6	158.5	25.9	0.33	0.2	251.5	Discovery 1 Zone	2nd best unmined intercept on property, 150 metres away from best unmined intercept (LBP002).	113.7
and	166.1	207.3	41.1	2.56	0.2				
including	170.7	190.5	19.8	4.47	1				
and including	172.2	176.8	4.6	8.76	5				
including	195.1	196.6	1.5	1.28	1				
including	199.6	202.7	3.0	2.53	1				
LBP030 (067, -65)	39.6	44.2	4.6	0.71	0.2	248.4	Discovery 1 Zone		14.4
including	42.7	44.2	1.5	1.04	1				
and	109.7	114.3	4.6	0.27	0.2				
and	121.9	125.0	3.0	0.33	0.2				
and	153.9	166.1	12.2	0.27	0.2				
and	172.2	178.3	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.39	0.2				
and	213.4	217.9	4.6	0.22	0.2				
and	240.8	243.8	3.0	0.58	0.2				
LBP031 (062, -48)	76.2	83.8	7.6	0.28	0.2	294.1	Discovery 1 Zone		31.7
and	96.0	108.2	12.2	0.26	0.2				
and	109.7	115.8	6.1	0.21	0.2				
and	120.4	131.1	10.7	0.65	0.2				
and including	128.0	129.5	1.5	1.85	1				
and	141.7	167.6	25.9	0.33	0.2				
and	178.3	181.4	3.0	0.33	0.2				
and	211.8	216.4	4.6	0.56	0.2				
and	233.2	245.4	12.2	0.38	0.2				
and	251.5	256.0	4.6	0.33	0.2				
LBP032 (065, -80)	24.4	42.7	18.3	0.33	0.2	288.0	Discovery 1 Zone		31.7
and	62.5	76.2	13.7	0.75	0.2				
including	70.1	71.6	1.5	1.05	1				
and	221.0	243.8	22.9	0.63	0.2				
including	224.0	227.1	3.0	1.86	1				
and	265.2	269.7	4.6	0.22	0.2				
LBP033 (067, -52)	41.1	53.3	12.2	0.34	0.2	291.1	Discovery 1 Zone		26.1
and	100.6	109.7	9.1	0.27	0.2				
and	164.6	170.7	6.1	0.35	0.2				
and	189.0	196.6	7.6	0.23	0.2				
and	204.2	221.0	16.8	0.66	0.2				
including	208.8	210.3	1.5	1.02	1				
including	217.9	221.0	3.0	1.26	1				
and	246.9	263.7	16.8	0.28	0.2				
LBP034 (68, -46)	45.7	71.6	25.9	0.35	0.2	374.9	Discovery 1 Zone		67.9
and	102.1	106.7	4.6	0.37	0.2				
and	129.5	137.2	7.6	0.38	0.2				
and	144.8	169.2	24.4	0.39	0.2				
and	245.4	266.7	21.3	1.11	0.2				
including	245.4	251.5	6.1	3.19	1				
and	294.1	301.8	7.6	1.80	0.2				
including	295.7	300.2	4.6	2.56	1				
and	307.8	313.9	6.1	0.62	0.2				
and	327.7	335.3	7.6	0.46	0.2				
LBP035 (100, -60)	45.7	65.5	19.8	0.30	0.2	288.0	Discovery 1 Zone		44.8
and	96.0	100.6	4.6	0.40	0.2				
and	128.0	131.1	3.0	0.46	0.2				
and	150.9	158.5	7.6	0.37	0.2				
and	164.6	179.8	15.2	0.69	0.2				
including	175.3	178.3	3.0	1.94	1				
and	213.4	227.1	13.7	1.18	0.2				
including	221.0	225.6	4.6	2.68	1				
and	239.3	246.9	7.6	0.31	0.2				
and	266.7	269.7	3.0	0.37	0.2				
and	278.9	281.9	3.0	0.89	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP036 (64, -57)	7.6	12.2	4.6	0.24	0.2	259.1	Discovery 1 Zone		19.5	
and	33.5	47.2	13.7	0.57						
and	56.4	61.0	4.6	0.29						
and	111.3	115.8	4.6	0.25						
and	126.5	131.1	4.6	0.23						
and	143.3	147.8	4.6	0.42						
and	160.0	164.6	4.6	0.25						
and	190.5	193.5	3.0	0.35						
and	204.2	207.3	3.0	0.25						
and	242.3	251.5	9.1	0.24						
LBP037 (203, -65)	41.1	53.3	12.2	0.26	0.2	257.6	Discovery 1 Zone		9.6	
and	73.2	85.3	12.2	0.28						
and	182.9	184.4	1.5	0.54						
and	198.1	204.2	6.1	0.35						
LBP038 (0, -90)	22.9	32.0	9.1	0.31	0.2	324.6	Discovery 1 Zone		49.5	
and	83.8	88.4	4.6	0.39						
and	210.3	248.4	38.1	0.57						
and	259.1	281.9	22.9	0.26						
and	294.1	313.9	19.8	0.87						
LBP039 (255, -71)	42.7	50.3	7.6	0.34	0.2	227.1	Discovery 1 Zone		13.1	
and	59.4	64.0	4.6	0.28						
and	111.3	114.3	3.0	1.13						
and	141.7	144.8	3.0	0.56						
and	146.3	150.9	4.6	0.20						
and	155.4	158.5	3.0	0.43						
and	187.5	192.0	4.6	0.40						
LBP040 (142, -72)	22.9	29.0	6.1	0.32	0.2	274.3	Discovery 1 Zone		12.9	
and	50.3	53.3	3.0	0.40						
and	54.9	61.0	6.1	0.22						
and	105.2	106.7	1.5	0.39						
and	147.8	149.4	1.5	0.34						
and	222.5	233.2	10.7	0.55						
and	239.3	242.3	3.0	0.24						
and	257.6	260.6	3.0	0.23						
LBP041 (043, -80)	0.0	1.5	1.5	0.35	0.2	211.8	Discovery 1 Zone		18.1	
and	56.4	57.9	1.5	0.55						
and	59.4	64.0	4.6	0.20						
and	67.1	106.7	39.6	0.36						
and	140.2	143.3	3.0	0.23						
and	147.8	150.9	3.0	0.22						
LBP042 (094, -58)	32.0	51.8	19.8	0.39	0.2	300.2	Discovery 1 Zone		53.3	
and	56.4	59.4	3.0	0.24						
and	71.6	74.7	3.0	0.42						
and	102.1	109.7	7.6	0.62						
and	121.9	125.0	3.0	0.21						
and	126.5	129.5	3.0	0.37						
and	227.1	233.2	6.1	0.36						
and	240.8	263.7	22.9	1.53						
including	242.3	259.1	16.8	1.88						1
LBP043 (102, -66)	10.7	21.3	10.7	0.45	0.2	266.7	Discovery 2 Zone	*Interval grades revised due to laboratory error on one sample and reissue of certificate	317.7	
and	27.4	36.6	9.1	0.39						
and	83.8	89.9	6.1	0.54						
and	140.2	150.9	10.7	1.52						
including	143.3	149.4	6.1	2.25						1
and	158.5	167.6	9.1	4.92*						0.2
including	160.0	166.1	6.1	7.22*						1
and including	161.5	166.1	4.6	9.03*						5
and	208.8	262.1	53.3	4.39						0.2
including	214.9	253.0	38.1	5.76						1
and including	221.0	233.2	12.2	12.05						5
and including	240.8	245.4	4.6	7.21	1					
including	254.5	257.6	3.0	2.69	1					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP044 (107, -72)	32.0	38.1	6.1	0.29	0.2	269.7	Discovery 2 Zone	Hole Lost in Mineralization	87.2	
and	45.7	54.9	9.1	0.32						
and	56.4	62.5	6.1	0.20						
and	76.2	80.8	4.6	0.31						
and	112.8	117.3	4.6	0.45						
and	192.0	211.8	19.8	1.43						
including	201.2	208.8	7.6	3.33						1
and including	204.2	205.7	1.5	5.14						5
and	234.7	237.7	3.0	0.31						0.2
and	253.0	269.7	16.8	2.90						
including	254.5	265.2	10.7	3.94						1
and including	259.1	262.1	3.0	6.88	5					
LBP045 (022, -66)	0.0	25.9	25.9	0.43	0.2	230.1	Discovery 2 Zone	55.8		
and	32.0	54.9	22.9	0.58						
including	36.6	42.7	6.1	1.36					1	
and	56.4	64.0	7.6	0.74					0.2	
including	59.4	61.0	1.5	1.27					1	
and	89.9	102.1	12.2	0.33					0.2	
and	137.2	147.8	10.7	0.30						
and	167.6	173.7	6.1	0.62						
and	179.8	192.0	12.2	1.22						
including	184.4	187.5	3.0	3.97						1
and including	185.9	187.5	1.5	6.87					5	
LBP046 (049, -70)	79.2	100.6	21.3	0.27	0.2	243.8	off-trend	7.6		
and	196.6	202.7	6.1	0.29						
LBP047 (072, -62)	79.2	82.3	3.0	0.22	0.2	227.1	Discovery 2 Zone	20.9		
and	88.4	100.6	12.2	0.31						
and	102.1	105.2	3.0	0.21						
and	106.7	108.2	1.5	0.35						
and	132.6	138.7	6.1	0.44						
including	132.6	134.1	1.5	1.10					1	
and	166.1	170.7	4.6	1.13					0.2	
including	167.6	170.7	3.0	1.39					1	
and	178.3	181.4	3.0	0.66					0.2	
and	201.2	208.8	7.6	0.70						
LBP048 (061, -63)	0.0	21.3	21.3	0.34					0.2	251.5
and	25.9	45.7	19.8	0.33						
and	56.4	64.0	7.6	0.26						
and	79.2	89.9	10.7	0.38						
and	111.3	114.3	3.0	0.21						
and	173.7	204.2	30.5	0.78						
including	195.1	196.6	1.5	1.13	1					
including	198.1	202.7	4.6	2.91						
and	208.8	248.4	39.6	1.16	0.2					
including	210.3	213.4	3.0	1.95	1					
including	225.6	243.8	18.3	1.82						
LBP049 (088, -55)	100.6	120.4	19.8	0.34	0.2	269.7	Discovery 2 Zone	16.4		
and	126.5	129.5	3.0	0.24						
and	160.0	166.1	6.1	0.68						
and	173.7	176.8	3.0	0.60						
and	184.4	190.5	6.1	0.48						
LBP050 (064, -67)	35.1	54.9	19.8	0.32	0.2	272.8	Discovery 2 Zone	Hole stopped short of potential lower target interval	44.7	
and	61.0	68.6	7.6	0.35						
and	74.7	80.8	6.1	0.21						
and	83.8	91.4	7.6	0.39						
and	138.7	141.7	3.0	0.23						
and	205.7	213.4	7.6	0.28						
and	230.1	242.3	12.2	2.34						
including	233.2	240.8	7.6	3.42						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP051 (187, -66)	1.5	9.1	7.6	0.21	0.2	205.7	Discovery 2 Zone		107.1	
and	77.7	80.8	3.0	0.24						
and	131.1	172.2	41.1	2.51	1					
including	137.2	144.8	7.6	6.69						
and including	137.2	141.7	4.6	9.11	5					
including	146.3	147.8	1.5	1.07						
including	149.4	157.0	7.6	4.85	1					
and including	152.4	155.4	3.0	8.52						
including	164.6	166.1	1.5	1.06	1					
including	169.2	172.2	3.0	1.14						
and	202.7	205.7	3.0	0.42	0.2					
LBP052 (35, -62)	22.9	29.0	6.1	0.64	0.2	342.9	Discovery 2 Zone		64.9	
and	50.3	53.3	3.0	0.39						
and	74.7	96.0	21.3	0.61						
and	102.1	126.5	24.4	0.34						
and	202.7	231.6	29.0	0.28						
and	269.7	309.4	39.6	0.77						
and										
LBP053 (45, -67)	4.6	7.6	3.0	0.25	0.2	257.6	Discovery 2 Zone		7.0	
and	100.6	105.2	4.6	0.59						
and	132.6	135.6	3.0	0.27						
and	233.2	239.3	6.1	0.28						
and	243.8	248.4	4.6	0.22						
and										
LBP054 (52, -66)	39.6	68.6	29.0	0.31	0.2	379.5	Discovery 2 Zone		114.9	
and	70.1	74.7	4.6	0.20						
and	79.2	91.4	12.2	0.23						
and	93.0	96.0	3.0	0.25						
and	150.9	153.9	3.0	0.33						
and	166.1	170.7	4.6	0.21						
and	172.2	176.8	4.6	0.31						
and	207.3	214.9	7.6	0.27						
and	222.5	225.6	3.0	0.33						
and	248.4	349.0	100.6	0.94						
including	253.0	268.2	15.2	1.65						1
and including	335.3	345.9	10.7	2.33						
LBP055 (88, -68)	4.6	36.6	32.0	0.47						0.2
and	57.9	62.5	4.6	0.46						
and	71.6	99.1	27.4	0.53						
and	166.1	179.8	13.7	1.21						
and	192	265.2	73.2	1.02						
including	192	208.8	16.8	2.39	1					
LBP056 (245, -80)	27.4	33.5	6.1	0.24	0.2	285.0	Discovery 2 Zone	hole ended in grade	93.8	
and	79.2	82.3	3.0	0.35						
and	89.9	99.1	9.1	0.28						
and	120.4	123.4	3.0	0.47						
and	199.6	225.6	25.9	0.48						
and	231.6	271.3	39.6	1.89						
including	231.6	245.4	13.7	4.58						1
and	281.9	285.0	3.0	0.29						0.2
LPB057 (105, -74)	0.0	38.1	38.1	0.40	0.2	266.7	Discovery 2 Zone		71.8	
and	56.4	59.4	3.0	0.43						
and	68.6	74.7	6.1	0.47						
and	173.7	239.3	65.5	0.77						
including	179.8	195.1	15.2	1.68						1
and	248.4	253.0	4.6	0.35						0.2
LBP058 (10, -75)	89.9	111.3	21.3	0.46	0.2	324.6	Discovery 2 Zone		71.2	
and	120.4	131.1	10.7	0.48						
and	224.0	239.3	15.2	0.62						
and	251.5	291.1	39.6	1.18						
including	283.5	288.0	4.6	3.00						1
LBP059 (110, -58)	0.0	16.8	16.8	0.34	0.2	236.2	Discovery 2 Zone		64.3	
and	25.9	35.1	9.1	0.44						
and	147.8	160.0	12.2	0.41						
and	170.7	202.7	32.0	0.38						
and	208.8	233.2	24.4	1.53						
including	210.3	219.5	9.1	3.28						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP060 (180, -70)	68.6	80.8	12.2	0.26	0.2	318.6	Discovery 2 Zone		30.5	
and	86.9	97.5	10.7	0.33						
and	103.6	115.8	12.2	0.37						
and	121.9	128.0	6.1	0.35						
and	216.4	248.4	32.0	0.54						
LBP061 (173, -66)	0.0	13.7	13.7	0.38	0.2	221.0	Discovery 2 Zone		10.2	
and	51.8	59.4	7.6	0.21						
and	73.2	77.7	4.6	0.55						
and	102.1	105.2	3.0	0.28						
LBP062 (150, -72)	76.2	85.3	9.1	0.40	0.2	221.0	Discovery 2 Zone	poor recovery between reportable intervals	152.7	
and	109.7	118.9	9.1	1.12						
and	129.5	173.7	44.2	3.14						
including	135.6	152.4	16.8	6.53						1
and including	140.2	147.8	7.6	11.3						5
LBP063 (350, -73)	4.6	6.1	1.5	0.40	0.2	233.2	Discovery 2 Zone		63.1	
and	82.3	125.0	42.7	0.39						
and	138.7	143.3	4.6	0.28						
and	155.4	160.0	4.6	0.38						
and	161.5	167.6	6.1	0.20						
and	213.4	222.5	9.1	4.56						
including	214.9	219.5	4.6	7.32						5
LBP064 (110, -70)	77.7	80.8	3.0	0.46	0.2	227.1	Discovery Zone 2	Poor recovery at base of intercept	217.8	
and	93.0	105.2	12.2	0.35						
and	112.8	175.3	62.5	3.40						
including	141.7	175.3	33.5	5.01						1
and including	146.3	167.6	21.3	6.21						5
LBP065 (45, -65)	71.6	74.7	3.0	0.42	0.2	304.8	Discovery Zone 2		36.8	
and	80.8	86.9	6.1	0.33						
and	94.5	112.8	18.3	0.29						
and	121.9	149.4	27.4	0.37						
and	163.1	169.2	6.1	0.27						
and	210.3	213.4	3.0	1.85						
and	242.3	253.0	10.7	0.79						
Including	245.4	249.9	4.6	1.20						
and	259.1	268.2	9.1	0.26						
LBP066 (86, -60)	4.6	7.6	3.0	0.29						0.2
and	12.2	15.2	3.0	0.45						
and	96.0	111.3	15.2	0.29						
and	131.1	146.3	15.2	0.46						
and	164.6	167.6	3.0	1.94						
and	173.7	243.8	70.1	1.15						
Including	175.3	190.5	15.2	2.92	1					
and including	181.4	182.9	1.5	14.7	5					
LBP067C	Pending						Discovery Zone 1			
LBP068 (360, -75)	74.7	89.9	15.2	0.26	0.2	318.5	Discovery Zone 2		105.5	
and	96.0	143.3	47.2	0.41						
and	172.2	184.4	12.2	0.78						
and	228.6	249.9	21.3	2.38						
including	237.7	246.9	9.1	4.89						1
and including	239.3	245.4	6.1	5.93						5
and	266.7	301.8	35.1	0.63	0.2					
LBP069 (74, -78)	12.2	16.8	4.6	0.33	0.2	303.3	Discovery Zone 2		149.6	
and	22.9	25.9	3.0	0.34						
and	70.1	86.9	16.8	0.32						
and	160.0	217.9	57.9	1.52						
including	173.7	182.9	9.1	7.42						1
and including	176.8	181.4	4.6	12.2						5
and	219.5	228.6	9.1	2.91						0.2
including	219.5	224.0	4.6	5.38						1
and	271.3	285.0	13.7	1.96						0.2
including	271.3	281.9	10.7	2.30	1					