Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

## Liberty Gold - Black Pine 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP001 (200, -70)		No	Significant Va	alues		182.9	North B Ex Pit	Deep test to E of B Ex pit	
LBP002 (45, -50)	6.1	45.7	39.6	0.58	0.2				
including	19.8	24.4	4.6	1.54	1				
and	88.4	103.6	15.2	1.08	0.2				
including	89.9	97.5	7.6	1.55	1	211.8	A Basin	Twinned historic hole and extended	155.2
and	111.3	189.0	77.7	1.49	0.2	222.0	71200	mineralization in lower 77.7 metre intercept	
including	118.9	134.1	15.2	3.23					
including	146.3	149.4	3.0	1.61	1				
including	181.4	187.5	6.1	5.64					
LBP003 (217, -70)	51.8	56.4	4.6	0.29	0.2				
and	57.9	85.3	27.4	0.51	0.2			Drilling within upper zone of A Basin	
including	74.7	76.2	1.5	1.21	1	199.6	A Basin	mineralization	24.7
and	96.0	111.3	15.2	0.61	0.2				
including	103.6	106.7	3.0	1.53	1				
LBP004 (130, -45)	0.0	7.6	7.6	0.38	0.2				
and	10.7	35.1	24.4	0.95				Poorly positioned historic site; drillhole only	
including	29.0	30.5	1.5	6.18	1	190.5	J Anomaly	tested lower portion of mineralized zone	43.6
and	51.8	61.0	9.1	1.03	0.2		•	defined by previous drilling	
including	51.8	57.9	6.1	1.28	1			,,	
and	111.3	126.5	15.2	0.54	0.2				
LBP005 (255, -45)	4.6	13.7	9.1	0.72	0.2				
including	6.1	7.6	1.5	2.65	1				
and	15.2	18.3	3.0	0.47		184.4	J Anomaly	Step out drillhole along mineralized structure	13.6
and	44.2	53.3	9.1	0.42	0.2				
and	79.2	83.8	4.6	0.38					
LP006 (260, -45)	24.4	32.0	7.6	1.80	0.2				
including	24.4	29.0	4.6	2.77	1			Poorly positioned historic site; drillhole only	
and	44.2	62.5	18.3	0.60	0.2	163.1	J Anomaly	tested lower portion of mineralized zone	26.2
including	47.2	48.8	1.5	1.14	1			defined by previous drilling	
and	71.6	77.7	6.1	0.25	0.2				
LBP007 (0, -80)	76.2	79.2	3.0	0.79	0.2	172.2	North B Ex Pit	Deep test to NE of B Ex pit	2.4
LBP008	73.2	79.2	6.1	0.21	0.2	160.0	North B Ex Pit	Deep test to NE of B Ex pit	4.0
and	114.3	121.9	7.6	0.36	0.2	100.0	NOTHER EXTE	beep test to NE of B Ex pit	4.0
LBP009	15.2	48.8	33.5	0.52	0.2				
including	25.9	29.0	3.0	1.41	1				
including	45.7	47.2	1.5	1.12	1				
and	67.1	76.2	9.1	0.45	0.2	178.3	North B Ex Pit	Validating and stepping out on gold intercepts E	40.6
and	96.0	120.4	24.4	0.69	0.2	170.5	NOIGH D EX I IC	of B Pit	40.0
including	96.0	97.5	1.5	2.95	1				
including	100.6	103.6	3.0	1.10	1				
and	135.6	143.3	7.6	0.35	0.2				
LBP010	88.4	93.0	4.6	0.31	0.2	150.8	North B Ex Pit	Deep extension of gold mineralization E of Tallman NE pit	1.4
LBP011	0.0	10.7	10.7	2.37	0.2				
including	0.0	9.1	9.1	2.72	1	152.4	South B Ex Pit	Open to south and southwest with no drilling or	35.1
and	106.7	121.9	15.2	0.65	0.2	132.4	JULII D EX PIL	soil geochemistry for >200m	33.1
including	117.3	121.9	4.6	1.38	1				
LBP012		No	Significant Va	alues		13.2	Hazel Pine	Hole lost in early 20th century historic mine workings (Ag-Au-Pb-Zn Vein deposits)	
LBP013	62.5	65.5	3.0	0.81	0.2				
including	62.5	64.0	1.5	1.40	1	117.3	Hazel Pine	Elevated Ag and Zn values	2.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	-------------	--------	------------------	----------	---------------	--------------------	--------	----------	---------

## Liberty Gold - Black Pine 2019 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target		g/t x m
LBP014	7.6	15.2	7.6	0.49	0.2			LBP014 was drilled to bisect and deepen	
and	39.6	50.3	10.7	0.27	0.2			historic holes 88-357 (61m of 1.4 g/t Au) and 87-	
and	51.8	89.9	38.1	1.18	0.2			169 (43m of 2.1 g/t Au) (4th and 3rd best	
including	62.5	88.4	25.9	1.61	1			remaining intercepts, respectively, drilled w/	
and	128.0	150.9	22.9	0.39	0.2	196.6	B Pit	hard TDs of 400ft ending in grade). After drilling	64.5
including	128.0	129.5	1.5	1.02	1			it was determined that the down-dip 88-357	
and	152.4	158.5	6.1	0.28	0.2			was down-dropped by a normal fault, and	
and	184.4	187.5	3.0	0.82	0.2			incredibly had a hard stop of 500 ft, right at the	
including	185.9	187.5	1.5	1.36	1			extent of mineralization	
LBP015	10.7	15.2	4.6	0.36	0.2			LBP015 was drilled to validate through the main	
and	67.1	115.8	48.8	1.50	0.2			body of mineralization and extend a drillhole	
including	77.7	80.8	3.0	1.31	1			that ended in 2.1 g/t Au in a modelled lower	
including	91.4	94.5	3.0	6.19	1			sequence of gold mineralization. The hole	
and including	91.4	93.0	1.5	10.4	5	406.6	D D':	returned a good test through the main body	04.0
including	100.6	106.7	6.1	5.35	1	196.6	B Pit	but did not appreciably extend gold	81.9
and including	102.1	105.2	3.0	8.03	5			mineralization around the historic hole, which	
and	123.4	132.6	9.1	0.32	0.2			was drilled with a hard stop of 400 feet, and	
and	138.7	144.8	6.1	0.68	0.2			again stopped in the only high grade gold at the	
including	140.2	141.7	1.5	1.86	1			Lower Plate contact	
LBP016	12.2	16.8	4.6	0.26	0.2			LBP016 was drilled to step out laterally from B	
and	51.8	56.4	4.6	0.29	0.2			Pit mineralization, towards A Basin	
and	89.9	135.6	45.7	1.46	0.2	175.3	B Pit	mineralization and accomplished this task very	69.3
including	93.0	121.9	29.0	2.00	1		-	well, extending high grade oxide by 30 metres	
and including	102.1	103.6	1.5	7.09	5			towards A Basin	
LBP017	9.1	18.3	9.1	0.34	0.2			LBP017 was drilled down-dip of the B pit ore	
and	25.9	33.5	7.6	0.35	0.2			body where mineralization appeared open in	
and	74.7	117.3	42.7	0.45	0.2	166.1	B Pit	hole 88-357 (61 m of 1.4 g/t Au). The downdip	25.1
including	89.9	91.4	1.5	1.11	1	100.1	5110	test returned a similar width of lower grade	23.1
including	109.7	111.3	1.5	1.82	1			material	
LBP018 (125, -83)			Not Assayed			16.8		Hole Lost	
LBP019 (319, -74)	18.3	29.0	10.7	0.30	0.2				
and	88.4	91.4	3.0	0.38	0.2				
and	129.5	172.2	42.7	0.38	0.2	211.4	B Pit- A Basin	Step out along B Pit to A-Basin Section	23.6
including	149.4	152.4	3.0	1.24	1	211.4	(Discovery 1 Zone)	Step out doing by it to A basin section	23.0
and	189.0	192.0	3.0	0.55	0.2				
LBP020 (036, -79)	38.1	50.3	12.2	0.40	0.2	l Î			
including	39.6	41.1	1.5	1.31	1				
and	74.7	80.8	6.1	0.21	0.2				
and	88.4	103.6	15.2	0.41	0.2				
including	102.1	103.6	1.5	1.18	1				
and	164.6	199.6	35.1	0.75	0.2			150 metre step-out from intercept in hole	
including	170.7	176.8	6.1	1.27	1	257.6	Discovery 1 Zone	LBP002, along B Pit to A Basin Section	57.3
including	182.9	184.4	1.5	1.09	1			(Discovery 1)	
including	190.5	193.5	3.0	1.21	1				
including	196.6	198.1	1.5	1.19	1				
and	217.9	234.7	16.8	1.12	0.2				
including	227.1	233.2	6.1	2.62	1				
								<u> </u>	
LBP021 (144, -75)	38.1	53.3	15.2	0.36	0.2				
and	83.8	89.9	6.1	0.22	0.2			250	
and	189.0	236.2	47.2	1.78	0.2	200 -	B* 4 =	250 metre step-out from intercept in hole	04.5
including	199.6	222.5	22.9	3.24	1	266.7	Discovery 1 Zone	LBP002, and 300 metre step-out from intercept	91.1
and including	202.7	205.7	3.0	9.99	5			in hole LBP016, along B Pit to A Basin Section	
and including	216.4	217.9	1.5	5.73	5				
including	231.6	233.2	1.5	1.39	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP022 (017, -73)	29.0	41.1	12.2	0.41	0.2				
and	71.6	82.3	10.7	0.68	0.2				
including	76.2	77.7	1.5	3.05	1				
and	96.0	100.6	4.6	0.24	0.2				
and	121.9	126.5	4.6	0.31	0.2				
and and	195.1 <b>211.8</b>	199.6 <b>221.0</b>	4.6 <b>9.1</b>	0.24 <b>0.76</b>	0.2 <b>0.2</b>				
including	211.8	214.9	3.0	1.05	1	294.1	Discovery 1 Zone	60 metre offset from LBP021	36.5
including	219.5	221.0	1.5	1.09	1				
and	242.3	248.4	6.1	0.28	0.2				
and	260.6	265.2	4.6	1.04	0.2				
including	260.6	262.1	1.5	1.82	1				
and	278.9	289.6	10.7	0.68	0.2				
including	285.0	288.0	3.0	1.58	1				
LBP023 (062, -51)	25.9	32.0	6.1	0.32	0.2				
and	42.7	50.3	7.6	0.43	0.2				
and	56.4	59.4	3.0	0.69	0.2				
and and	102.1 114.3	109.7 120.4	7.6 6.1	0.52 0.23	0.2			240 matra offset from LBB031 honouth A Bit	
and and	123.4	120.4	4.6	0.23	0.2	278.9	B-A Basin-A pit	240 metre offset from LBP021 beneath A Pit Top of intercept is 65 metres below the floor of	103.1
and	204.2	253.0	48.8	1.78	0.2	210.3	(Discovery 2)	the historic A Pit.	103.1
including	214.9	216.4	1.5	1.29	1			the historie // ht.	
including	224.0	239.3	15.2	4.72	1				
and including	225.6	231.6	6.1	7.95	5				
and	272.8	278.9	6.1	0.39	0.2				
LBP024 (248, -64)	56.4	62.5	6.1	0.33	0.2				
and	71.6	76.2	4.6	0.26	0.2				
and	80.8	86.9	6.1	0.24	0.2				
and	134.1	141.7	7.6	0.34	0.2	233.2	Discovery 1 Zone		24.9
and	164.6	169.2	4.6	0.26	0.2	255.2	Discovery 1 Lone		24.5
and 	181.4	210.3	29.0	0.57	0.2				
including	198.1 201.2	199.6 202.7	1.5 1.5	1.20 2.25	1				
including									
LBP025 (118, -83)	86.9	89.9	3.0	0.33	0.2				
and	100.6	105.2	4.6	0.56	0.2				
and including	<b>140.2</b> 146.3	<b>172.2</b> 147.8	<b>32.0</b> 1.5	<b>1.36</b> 2.08	<b>0.2</b>	224.0	Discovery 1 Zone		49.3
including	153.9	170.7	16.8	1.95	1				
and	193.5	201.2	7.6	0.28	0.2				
LBP026 (343, -51)	128.0	134.1	6.1	0.20	0.2				
and	135.6	140.2	3.0	1.10	0.2				
including	137.2	138.7	1.5	1.93	1				
and	166.1	198.1	32.0	0.59	0.2	242.3	Discovery 1 Zone		25.0
including	190.5	195.1	4.6	2.47	1				
and	211.8	216.4	4.6	0.32	0.2				
LBP027 (038, -66)	32.0	38.1	6.1	0.50	0.2				
and	117.3	128.0	10.7	2.18	0.2				
including	118.9	126.5	7.6	2.90	1				
and	143.3	169.2	25.9	2.89	0.2	269.7	A Basin		101.2
including	143.3	158.5	15.2	4.52	1				
and including	144.8	150.9	6.1	6.63	5				
and including	152.4	155.4	3.0	5.01	5				
LBP028 (138, -65)	44.2	65.5	21.3	0.44	0.2				
and	91.4	102.1	10.7	0.24	0.2				
and	137.2	149.4	12.2	0.93	0.2				
including	137.2	144.8	7.6	1.25	1				
and	192.0 211.8	198.1 217.9	6.1 6.1	0.23	0.2	300.2	Discovery 1 7em		63.1
and and	211.8 224.0	217.9 234.7	10.7	0.29	0.2	300.2	Discovery 1 Zone		03.1
including	228.6	231.6	3.0	1.35	1				
and	243.8	269.7	25.9	1.14	0.2				
								1	
including	253.0	257.6	4.6	4.17	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP029 (105, -51)	132.6	158.5	25.9	0.33	0.2				
and	166.1	207.3	41.1	2.56	0.2			2nd best unmined intercept on property, 150	
including	170.7	190.5	19.8	4.47	1	251.5	Discovery 1 Zone	metres away from best unmined intercept	113.7
and including	172.2	176.8	4.6	8.76	5		•	(LBP002).	
including	195.1	196.6	1.5	1.28	1				
including	199.6	202.7	3.0	2.53	1				
LBP030 (067, -65)	39.6	44.2	4.6	0.71	0.2				
including	42.7	44.2	1.5	1.04	1				
and	109.7	114.3	4.6	0.27	0.2				
and and	121.9 153.9	125.0 166.1	3.0 12.2	0.33	0.2	248.4	Discovery 1 Zone		14.4
and	172.2	178.3	6.1	0.27	0.2	240.4	Discovery 1 Zone		14.4
and	184.4	187.5	3.0	0.39	0.2				
and	213.4	217.9	4.6	0.22	0.2				
and	240.8	243.8	3.0	0.58	0.2				
LBP031 (062, -48)	76.2	83.8	7.6	0.28	0.2				
and	96.0	108.2	12.2	0.26	0.2				
and	109.7	115.8	6.1	0.21	0.2				
and	120.4	131.1	10.7	0.65	0.2				
and including	128.0	129.5	1.5	1.85	1	204.4	Discourse # 7 :		34 -
and	141.7	167.6	25.9	0.33	0.2	294.1	Discovery 1 Zone		31.7
and	178.3	181.4	3.0	0.33	0.2				
and	211.8	216.4	4.6	0.56	0.2				
and	233.2	245.4	12.2	0.38	0.2				
and	251.5	256.0	4.6	0.33	0.2				
LBP032 (065, -80)	24.4	42.7	18.3	0.33	0.2				
and	62.5	76.2	13.7	0.75	0.2				
including	70.1	71.6	1.5	1.05	1	288.0	Discovery 1 Zone		31.7
and	221.0	243.8	22.9	0.63	0.2	200.0	Discovery 1 Lone		31.7
including	224.0	227.1	3.0	1.86	1				
and	265.2	269.7	4.6	0.22	0.2				
LBP033 (067, -52)	41.1	53.3	12.2	0.34	0.2				
and	100.6	109.7	9.1	0.27	0.2				
and	164.6	170.7	6.1	0.35	0.2				
and	189.0 <b>204.2</b>	196.6 <b>221.0</b>	7.6 <b>16.8</b>	0.23 <b>0.66</b>	0.2 <b>0.2</b>	291.1	Discovery 1 Zone		26.1
and including	204.2	210.3	1.5	1.02	1				
including	217.9	221.0	3.0	1.26	1				
and	246.9	263.7	16.8	0.28	0.2				
LBP034 (68, -46) and	<b>45.7</b> 102.1	<b>71.6</b> 106.7	<b>25.9</b> 4.6	<b>0.35</b> 0.37	0.2				
and	102.1	137.2	7.6	0.37	0.2				
and	144.8	169.2	24.4	0.39	0.2				
and	245.4	266.7	21.3	1.11	0.2				
including	245.4	251.5	6.1	3.19	1	374.9	Discovery 1 Zone		67.9
and	294.1	301.8	7.6	1.80	0.2				
including	295.7	300.2	4.6	2.56	1				
and	307.8	313.9	6.1	0.62	0.2				
and	327.7	335.3	7.6	0.46	0.2				
LBP035 (100, -60)	45.7	65.5	19.8	0.30	0.2				
and	96.0	100.6	4.6	0.40	0.2				
and	128.0	131.1	3.0	0.46	0.2				
and	150.9	158.5	7.6	0.37	0.2				
and	164.6	179.8	15.2	0.69	0.2				
including	175.3	178.3	3.0	1.94	1	288.0	Discovery 1 Zone		44.8
and	213.4	227.1	13.7	1.18	0.2				
including	221.0	<b>225.6</b> 246.9	<b>4.6</b>	2.68	0.2				
and and	239.3 266.7	269.7	7.6 3.0	0.31	0.2				
and	278.9	281.9	3.0	0.37	0.2				
und	210.3	201.3	5.0	0.03	0.2	l			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP036 (64, -57)	7.6	12.2	4.6	0.24					
and	33.5	47.2	13.7	0.57					
and and	56.4 111.3	61.0 115.8	4.6 4.6	0.29					
and	126.5	131.1	4.6	0.23					
and	143.3	147.8	4.6	0.42	0.2	259.1	Discovery 1 Zone		19.5
and	160.0	164.6	4.6	0.25					
and	190.5	193.5	3.0	0.35					
and	204.2	207.3	3.0	0.25					
and	242.3	251.5	9.1	0.24					
LBP037 (203, -65)	41.1	53.3	12.2	0.26					
and	73.2	85.3	12.2	0.28	0.2	257.6	Discovery 1 Zone		9.6
and	182.9	184.4	1.5	0.54	0.2	237.0	Discovery 1 Zone		5.0
and	198.1	204.2	6.1	0.35					
LBP038 (0, -90)	22.9	32.0	9.1	0.31					
and	83.8	88.4	4.6	0.39		2246			
and	210.3	248.4	38.1	0.57	0.2	324.6	Discovery 1 Zone		49.5
and and	259.1 <b>294.1</b>	281.9 <b>313.9</b>	22.9 <b>19.8</b>	0.26 <b>0.87</b>					
					l			<u> </u>	<u> </u>
LBP039 (255, -71) and	42.7 59.4	50.3 64.0	7.6 4.6	0.34					
and	111.3	114.3	3.0	1.13					
and	141.7	144.8	3.0	0.56	0.2	227.1	Discovery 1 Zone		13.1
and	146.3	150.9	4.6	0.20	0.2	227.1	Discovery 1 Lone		13.1
and	155.4	158.5	3.0	0.43					
and	187.5	192.0	4.6	0.40					
LBP040 (142, -72)	22.9	29.0	6.1	0.32					
and	50.3	53.3	3.0	0.40					
and	54.9	61.0	6.1	0.22					
and	105.2	106.7	1.5	0.39	0.2	274.3	Discovery 1 Zone		12.9
and	147.8	149.4	1.5	0.34	0.2	274.5	Discovery 1 Zone		12.5
and	222.5	233.2	10.7	0.55					
and	239.3	242.3	3.0	0.24					
and	257.6	260.6	3.0	0.23					
LBP041 (043, -80)	0.0	1.5	1.5	0.35					
and	56.4	57.9	1.5	0.55					
and and	59.4 67.1	64.0 106.7	4.6 39.6	0.20	0.2	211.8	Discovery 1 Zone		18.1
and	140.2	143.3	3.0	0.23					
and	147.8	150.9	3.0	0.22					
LBP042 (094, -58)	32.0	51.8	19.8	0.39					
and	56.4	59.4	3.0	0.24					
and	71.6	74.7	3.0	0.42					
and	102.1	109.7	7.6	0.62	0.2				
and	121.9	125.0	3.0	0.21	0.2	300.2	Discovery 1 Zone		53.3
and	126.5	129.5	3.0	0.37					
and	227.1	233.2	6.1	0.36					
and	240.8	263.7	22.9	1.53					
including	242.3	259.1	16.8	1.88	1				
LBP043 (102, -66)	10.7	21.3	10.7	0.45					
and and	27.4 83.8	36.6 89.9	9.1 6.1	0.39 0.54	0.2				
and	140.2	150.9	10.7	1.52					
including	143.3	149.4	6.1	2.25	1				
and	158.5	167.6	9.1	4.92*	0.2			What are also and are also as the state of t	
including	160.0	166.1	6.1	7.22*	1	266.7	Discovery 2 Zone	*Interval grades revised due to laboratory error	317.7
and including	161.5	166.1	4.6	9.03*	5		-	on one sample and reissue of certificate	
and	208.8	262.1	53.3	4.39	0.2				
including	214.9	253.0	38.1	5.76	1				
and including	221.0	233.2	12.2	12.05	5				
and including	240.8	245.4	4.6	7.21					
including	254.5	257.6	3.0	2.69	1	l			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP044 (107, -72)	32.0	38.1	6.1	0.29					
and	45.7	54.9	9.1	0.32	1				
and	56.4	62.5	6.1	0.20	0.2				
and	76.2	80.8	4.6	0.31	0.2				
and	112.8	117.3	4.6	0.45					
and	192.0	211.8	19.8	1.43		269.7	Discovery 2 Zone	Hole Lost in Mineralization	87.2
including	201.2	208.8	7.6	3.33	1	203.7	Discovery 2 Zone	Hole Lost III Willieranzation	07.2
and including	204.2	205.7	1.5	5.14	5				
and	234.7	237.7	3.0	0.31	0.2				
and	253.0	269.7	16.8	2.90					
including	254.5	265.2	10.7	3.94	1				
and including	259.1	262.1	3.0	6.88	5				
LBP045 (022, -66)	0.0	25.9	25.9	0.43	0.2				
and	32.0	54.9	22.9	0.58	0.2				
including	36.6	42.7	6.1	1.36	1				
and	56.4	64.0	7.6	0.74	0.2				
including	59.4	61.0	1.5	1.27	1				
and	89.9	102.1	12.2	0.33	-	230.1	Discovery 2 Zone		55.8
and	137.2	147.8	10.7	0.30	0.2				
and	167.6	173.7	6.1	0.62					
and	179.8	192.0	12.2	1.22	1				
including	184.4 185.9	187.5 187.5	3.0 1.5	3.97 6.87	1 5				
and including					3				
LBP046 (049, -70)	79.2	100.6	21.3	0.27	0.2	243.8		off-trend	7.6
and	196.6	202.7	6.1	0.29					
LBP047 (072, -62)	79.2	82.3	3.0	0.22					
and	88.4	100.6	12.2	0.31					
and	102.1	105.2	3.0	0.21	0.2				
and	106.7	108.2	1.5	0.35					
and	132.6	138.7	6.1	0.44		227.1	Discovery 2 Zone		20.9
including	132.6	134.1	1.5	1.10	1		-		
and	166.1	170.7	4.6	1.13	0.2				
including and	167.6 178.3	170.7 181.4	3.0	1.39 0.66	1				
and	201.2	208.8	7.6	0.70	0.2				
LBP048 (061, -63)	0.0	21.3	21.3	0.34					
and	25.9 56.4	45.7 64.0	19.8 7.6	0.33					
and and	79.2	89.9	10.7	0.28	0.2				
and	111.3	114.3	3.0	0.38	-				
and	173.7	204.2	30.5	0.78		251.5	Discovery 2 Zone		90.3
including	195.1	196.6	1.5	1.13		231.3	3.3607CI y 2 2011C		50.5
including	198.1	202.7	4.6	2.91	1				
and	208.8	248.4	39.6	1.16	0.2				
including	210.3	213.4	3.0	1.95					
				1.82	1	1			
including	225.6	243.8	18.3	1.02					
LBP049 (088, -55)	100.6	120.4	19.8	0.34					
LBP049 (088, -55) and	100.6 126.5	120.4 129.5	19.8 3.0	0.34 0.24	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55)	100.6 126.5 160.0	120.4 129.5 166.1	19.8 3.0 6.1	0.34 0.24 0.68	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55) and and	100.6 126.5	120.4 129.5	19.8 3.0	0.34 0.24	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55) and and and and	100.6 126.5 160.0 173.7 184.4	120.4 129.5 166.1 176.8 190.5	19.8 3.0 6.1 3.0 6.1	0.34 0.24 0.68 0.60 0.48	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55) and and and and LBP050 (064, -67)	100.6 126.5 160.0 173.7 184.4 35.1	120.4 129.5 166.1 176.8 190.5	19.8 3.0 6.1 3.0 6.1 19.8	0.34 0.24 0.68 0.60 0.48	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55) and and and and LBP050 (064, -67) and	100.6 126.5 160.0 173.7 184.4 35.1 61.0	120.4 129.5 166.1 176.8 190.5 54.9 68.6	19.8 3.0 6.1 3.0 6.1 19.8 7.6	0.34 0.24 0.68 0.60 0.48 0.32	0.2	269.7	Discovery 2 Zone		16.4
LBP049 (088, -55) and and and and LBP050 (064, -67) and and	100.6 126.5 160.0 173.7 184.4 35.1 61.0 74.7	120.4 129.5 166.1 176.8 190.5 54.9 68.6 80.8	19.8 3.0 6.1 3.0 6.1 19.8 7.6 6.1	0.34 0.24 0.68 0.60 0.48 0.32 0.35 0.21				Hole stopped short of potential lower target	
LBP049 (088, -55) and and and and LBP050 (064, -67) and and and	100.6 126.5 160.0 173.7 184.4 35.1 61.0 74.7 83.8	120.4 129.5 166.1 176.8 190.5 54.9 68.6 80.8 91.4	19.8 3.0 6.1 3.0 6.1 19.8 7.6 6.1 7.6	0.34 0.24 0.68 0.60 0.48 0.32 0.35 0.21	0.2	269.7 272.8	Discovery 2 Zone  Discovery 2 Zone	Hole stopped short of potential lower target interval	16.4
LBP049 (088, -55) and and and and LBP050 (064, -67) and and and and	100.6 126.5 160.0 173.7 184.4 35.1 61.0 74.7 83.8 138.7	120.4 129.5 166.1 176.8 190.5 54.9 68.6 80.8 91.4 141.7	19.8 3.0 6.1 3.0 6.1 19.8 7.6 6.1 7.6 3.0	0.34 0.24 0.68 0.60 0.48 0.32 0.35 0.21 0.39				Hole stopped short of potential lower target interval	
LBP049 (088, -55) and and and and LBP050 (064, -67) and and and	100.6 126.5 160.0 173.7 184.4 35.1 61.0 74.7 83.8	120.4 129.5 166.1 176.8 190.5 54.9 68.6 80.8 91.4	19.8 3.0 6.1 3.0 6.1 19.8 7.6 6.1 7.6	0.34 0.24 0.68 0.60 0.48 0.32 0.35 0.21					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP051 (187, -66)	1.5	9.1	7.6	0.21					
and	77.7	80.8	3.0	0.24	0.2				
and including	131.1 137.2	172.2 144.8	41.1 7.6	2.51 6.69	1				
and including	137.2	141.7	4.6	9.11	5				
including	146.3	147.8	1.5	1.07		205.7	Discovery 2 Zone		107.1
including	149.4	157.0	7.6	4.85	1		•		
and including	152.4	155.4	3.0	8.52	5				
including	164.6	166.1	1.5	1.06	1				
including	169.2	172.2	3.0	1.14					
and	202.7	205.7	3.0	0.42	0.2				
LBP052 (35, -62)	22.9	29.0	6.1	0.64					
and and	50.3 <b>74.7</b>	53.3 <b>96.0</b>	3.0 <b>21.3</b>	0.39 <b>0.61</b>					
and	102.1	126.5	24.4	0.81	0.2	342.9	Discovery 2 Zone		64.9
and	202.7	231.6	29.0	0.28					
and	269.7	309.4	39.6	0.77					
LBP053 (45, -67)	4.6	7.6	3.0	0.25					
and	100.6	105.2	4.6	0.59					
and	132.6	135.6	3.0	0.27	0.2	257.6	Discovery 2 Zone		7.0
and	233.2	239.3	6.1	0.28					
and	243.8	248.4	4.6	0.22					
LBP054 (52, -66)	39.6	68.6	29.0	0.31					
and	70.1	74.7	4.6	0.20					
and	79.2	91.4	12.2	0.23					
and	93.0	96.0	3.0	0.25					
and	150.9	153.9	3.0	0.33	0.2				
and and	166.1 172.2	170.7 176.8	4.6 4.6	0.21		379.5	Discovery 2 Zone		114.9
and	207.3	214.9	7.6	0.31					
and	222.5	225.6	3.0	0.33					
and	248.4	349.0	100.6	0.94					
including	253.0	268.2	15.2	1.65	1				
and including	335.3	345.9	10.7	2.33	1				
LBP055 (88, -68)	4.6	36.6	32.0	0.47					
and	57.9	62.5	4.6	0.46					
and	71.6	99.1	27.4	0.53	0.2	300.2	Discovery 2 Zone		123.1
and	166.1	179.8	13.7	1.21			, ,		
and including	192 192	265.2 208.8	73.2 16.8	1.02 2.39	1				
					1				
LBP056 (245, -80) and	27.4 79.2	33.5 82.3	6.1 3.0	0.24					
and	89.9	99.1	9.1	0.33					
and	120.4	123.4	3.0	0.47	0.2				
and	199.6	225.6	25.9	0.48		285.0	Discovery 2 Zone	hole ended in grade	93.8
and	231.6	271.3	39.6	1.89					
including	231.6	245.4	13.7	4.58	1				
and	281.9	285.0	3.0	0.29	0.2				
LPB057 (105, -74)	0.0	38.1	38.1	0.40					
and	56.4	59.4	3.0	0.43	0.2				
and	68.6	74.7	6.1	0.47		266.7	Discovery 2 Zone		71.8
and	173.7	239.3	65.5	0.77	4		. ,		
including and	<b>179.8</b> 248.4	<b>195.1</b> 253.0	<b>15.2</b> 4.6	<b>1.68</b> 0.35	0.2	-			
					0.2				
LBP058 (10, -75) and	89.9 120.4	111.3 131.1	21.3 10.7	0.46 0.48					
and	224.0	239.3	15.2	0.48	0.2	324.6	Discovery 2 Zone		71.2
and	251.5	291.1	39.6	1.18					
including	283.5	288.0	4.6	3.00	1	<u></u>			
LBP059 (110, -58)	0.0	16.8	16.8	0.34					
and	25.9	35.1	9.1	0.44					
and	147.8	160.0	12.2	0.41	0.2	236.2	Discovery 2 7ors		64.3
and	170.7	202.7	32.0	0.38		230.2	Discovery 2 Zone		04.5
l a a al	208.8	233.2	24.4	1.53	1	1			
and including	210.3	219.5	9.1	3.28	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP060 (180, -70)	68.6	80.8	12.2	0.26					
and	86.9	97.5	10.7	0.33					
and	103.6	115.8	12.2	0.37	0.2	318.6	Discovery 2 Zone		30.5
and	121.9	128.0	6.1	0.35					
and	216.4	248.4	32.0	0.54					
LBP061 (173, -66)	0.0	13.7	13.7	0.38					
and	51.8	59.4	7.6	0.21	0.2	221.0	Discovery 2 Zone		10.2
and	73.2	77.7	4.6	0.55	0.2	221.0	Discovery 2 Zone		10.2
and	102.1	105.2	3.0	0.28					
LBP062 (150, -72)	76.2	85.3	9.1	0.40					
and	109.7	118.9	9.1	1.12	0.2				
and	129.5	173.7	44.2	3.14		221.0	Discovery 2 Zone	poor recovery between reportable intervals	152.7
including	135.6	152.4	16.8	6.53	1				
and including	140.2	147.8	7.6	11.3	5				
LBP063 (350, -73)	4.6	6.1	1.5	0.40					
			_						
and	82.3	125.0	42.7	0.39					
. , ,	<b>82.3</b> 138.7	<b>125.0</b> 143.3	<b>42.7</b> 4.6	<b>0.39</b> 0.28	0.2				
and					0.2	233.2	Discovery 2 Zone		63.1
and and	138.7	143.3	4.6	0.28	0.2	233.2	Discovery 2 Zone		63.1
and and and	138.7 155.4	143.3 160.0	4.6 4.6	0.28 0.38	0.2	233.2	Discovery 2 Zone		63.1