

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	LBP043	208.8	262.1	53.3	4.39	234.0
2	LBP062	129.5	173.7	44.2	3.14	138.9
3	LBP002	111.3	189.0	77.7	1.49	116.1
4	LBP029	166.1	207.3	41.1	2.56	105.1
5	LBP051	131.1	172.2	41.1	2.51	103.5
6	89-417	67.1	117.4	50.3	1.98	99.7
7	LBP054	248.4	349.0	100.6	0.95	95.1
8	87-169	79.3	121.9	42.7	2.10	89.6
9	LBP023	204.2	253.0	48.8	1.79	87.1
10	88-357	61.0	121.9	61.0	1.40	85.3
11	LBP021	189.0	236.2	47.2	1.79	84.5
12	92BP-078	21.3	76.2	54.9	1.50	82.1
13	88-366	74.7	86.9	12.2	6.66	81.2
14	92BX-18	1.5	68.6	67.1	1.18	79.2
15	LBP055	190.5	266.7	76.2	0.99	75.6
16	LBP027	143.3	169.2	25.9	2.89	74.9
17	LBP056	231.6	271.3	39.6	1.89	74.7
18	92BX-37	94.5	150.9	56.4	1.30	73.5
19	89-433	19.8	44.2	24.4	2.96	72.1
20	93BP-132	53.4	105.2	51.8	1.31	67.7
21	LBP016	89.9	135.6	45.7	1.45	66.4
22	88-342	41.2	76.2	35.1	1.89	66.2
23	91BP-055	68.6	105.2	36.6	1.81	66.1
24	92BX-14	13.7	48.8	35.1	1.79	62.9
25	LBP015	86.9	115.8	29.0	2.16	62.7
26	94BX-40	36.6	62.5	25.9	2.30	59.6
27	93BX-33	82.3	106.7	24.4	2.38	58.0
28	89-418	94.5	140.2	45.7	1.25	57.0
29	88-342	83.8	109.7	25.9	2.19	56.8
30	LBP043	158.5	167.6	9.1	6.11	55.9
31	94BP-11	85.3	117.4	32.0	1.70	54.3
32	88-391A	0.0	53.3	53.3	1.00	53.6
33	94BP-42	47.2	135.6	88.4	0.60	53.1
34	86-12	97.5	121.9	24.4	2.12	51.6
35	LBP057	173.7	239.3	65.5	0.77	50.7
36	LBP044	253.0	269.7	16.8	2.90	48.5
37	LBP058	251.5	291.1	39.6	1.18	46.8
38	MGR11-017	9.1	53.3	44.2	1.05	46.3
39	96BX-16	64.0	109.7	45.7	1.01	46.1
40	LBP048	208.8	248.4	39.6	1.16	46.0
41	87-58	71.6	83.8	12.2	3.76	45.8
42	LBP014	51.8	89.9	38.1	1.19	45.4
43	96BX-26	45.7	121.9	76.2	0.57	43.8
44	96BP-9	94.5	106.7	12.2	3.59	43.7
45	LBP025	140.2	172.2	32.0	1.37	43.7
46	89-506	76.2	97.5	21.3	2.02	43.2
47	88-398	0.0	48.8	48.8	0.87	42.5
48	89-454	30.5	70.1	39.6	1.07	42.4
49	89-516	76.2	97.5	21.3	1.95	41.7
50	LBP063	213.4	222.5	9.1	4.56	41.7

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	92BP-122	83.8	137.2	53.3	0.76	40.5
52	87-127	135.6	152.4	16.8	2.42	40.5
53	93BP-7	13.7	57.9	44.2	0.91	40.2
54	94BP-146	62.5	106.7	44.2	0.89	39.5
55	89-439	62.5	96.0	33.5	1.15	38.7
56	94BP-63	103.6	109.7	6.1	6.32	38.6
57	94BX-73	62.5	105.2	42.7	0.90	38.5
58	88-339	30.5	91.4	61.0	0.62	38.0
59	94BP-113	64.0	103.6	39.6	0.95	37.7
60	93BP-1	39.6	64.0	24.4	1.54	37.5
61	LBP059	208.8	233.2	24.4	1.53	37.4
62	88-340	44.2	91.4	47.2	0.79	37.2
63	86-22	79.3	103.6	24.4	1.51	36.8
64	83-43	1.5	18.3	16.8	2.17	36.3
65	89-426	36.6	83.8	47.2	0.77	36.2
66	92BX-28	71.6	99.1	27.4	1.30	35.7
67	93BX-34	65.5	83.8	18.3	1.95	35.7
68	87-241	38.1	102.1	64.0	0.56	35.6
69	92BX-77	32.0	79.3	47.3	0.75	35.3
70	93BP-2	33.5	83.8	50.3	0.70	35.1
71	LBP042	240.8	263.7	22.9	1.53	34.9
72	87-229	33.5	79.3	45.7	0.76	34.8
73	87-82	16.8	74.7	57.9	0.60	34.8
74	92BX-52	51.8	64.0	12.2	2.79	34.0
75	86-11	85.3	121.9	36.6	0.92	33.8
76	93BX-60	71.6	106.7	35.1	0.96	33.7
77	87-126	79.3	100.6	21.3	1.52	32.5
78	92BX-28	6.1	47.2	41.1	0.78	32.3
79	91BP-039	96.0	123.4	27.4	1.17	32.1
80	87-61	71.6	106.7	35.1	0.91	31.8
81	93BP-99	48.8	79.3	30.5	1.02	31.1
82	87-66	74.7	96.0	21.3	1.46	31.1
83	94BP-140	65.5	97.5	32.0	0.97	31.0
84	93BP-67	38.1	99.1	61.0	0.51	30.9
85	93BP-27	16.8	24.4	7.6	4.05	30.9
86	86-44	64.0	68.6	4.6	6.75	30.8
87	92BP-121	41.2	102.1	61.0	0.50	30.6
88	LBP052	269.7	309.4	39.6	0.77	30.4
89	94BP-147	9.1	56.4	47.3	0.64	30.1
90	87-245	36.6	102.1	65.5	0.46	29.9
91	96BX-29	3.1	70.1	67.1	0.44	29.8
92	87-235	39.6	91.4	51.8	0.56	29.2
93	LBP028	243.8	269.7	25.9	1.11	28.8
94	93BP-129	48.8	77.7	29.0	0.99	28.7
95	92BX-68	33.5	77.7	44.2	0.65	28.6
96	93BP-4	47.2	65.5	18.3	1.56	28.6
97	87-237	38.1	94.5	56.4	0.51	28.5
98	LBP050	230.1	242.3	12.2	2.34	28.5
99	LBP044	192.0	211.8	19.8	1.43	28.4
100	SH90-7R	25.9	59.4	33.5	0.84	28.2

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	94BX-58	13.7	35.1	21.3	1.32	28.2
102	89-437	21.3	67.1	45.7	0.62	28.2
103	93BP-91	150.9	167.6	16.8	1.67	28.0
104	87-145	30.5	57.9	27.4	1.02	27.9
105	MGR11-024	80.8	91.4	10.7	2.59	27.7
106	SH90-13R	0.0	6.1	6.1	4.49	27.4
107	92BP-021	4.6	67.1	62.5	0.44	27.3
108	92BP-125	47.2	67.1	19.8	1.36	26.9
109	93BP-122	89.9	97.5	7.6	3.47	26.4
110	91BP-043	16.8	57.9	41.2	0.64	26.3
111	93BP-101	125.0	179.8	54.9	0.48	26.3
112	94BP-22	27.4	64.0	36.6	0.72	26.3
113	94BP-18	56.4	118.9	62.5	0.42	26.2
114	LBP020	164.6	199.6	35.1	0.75	26.2
115	93BP-92	74.7	115.8	41.1	0.63	26.0
116	93BX-82	102.1	117.4	15.2	1.70	25.9
117	88-318	61.0	74.7	13.7	1.86	25.5
118	MGR11-026	24.4	70.1	45.7	0.56	25.5
119	LBP011	0.0	10.7	10.7	2.37	25.3
120	80-02	79.3	103.6	24.4	1.03	25.1
121	92BX-24	22.9	61.0	38.1	0.65	24.7
122	92BP-022	29.0	85.3	56.4	0.43	24.5
123	93BP-96	70.1	128.0	57.9	0.42	24.3
124	94BP-94	129.5	150.9	21.3	1.14	24.3
125	89-423	19.8	76.2	56.4	0.43	24.1
126	BP90-31	70.1	108.2	38.1	0.63	23.8
127	LBP048	173.7	204.2	30.5	0.78	23.7
128	PG10-84	57.9	89.9	32.0	0.74	23.7
129	LBP034	245.4	266.7	21.3	1.11	23.6
130	LBP004	10.7	35.1	24.4	0.96	23.5
131	87-162	85.3	103.6	18.3	1.28	23.4
132	LBP027	117.3	128.0	10.7	2.18	23.3
133	93BP-134	12.2	53.3	41.2	0.56	23.2
134	LBP002	6.1	45.7	39.6	0.58	23.1
135	83-38	42.7	54.9	12.2	1.88	23.0
136	93BP-108	112.8	144.8	32.0	0.72	22.9
137	96BP-25	99.1	114.3	15.2	1.50	22.9
138	94BP-95	77.7	134.1	56.4	0.40	22.8
139	93BX-42	41.2	71.6	30.5	0.75	22.7
140	88-338A	7.6	54.9	47.2	0.48	22.7
141	96BX-20	9.1	64.0	54.9	0.41	22.5
142	92BP-112	10.7	29.0	18.3	1.21	22.2
143	91BP-028	120.4	128.0	7.6	2.90	22.1
144	R1-1974	6.1	22.9	16.8	1.31	22.0
145	89-419	111.3	118.9	7.6	2.87	21.9
146	PG11-84	53.3	70.1	16.8	1.30	21.9
147	89-459	0.0	42.7	42.7	0.51	21.7
148	LBP038	210.3	248.4	38.1	0.57	21.7
149	SH90-6R	9.1	35.1	25.9	0.84	21.6
150	94BP-15	103.6	135.6	32.0	0.67	21.6

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	92BP-125	79.3	100.6	21.3	1.01	21.6
152	95BP-21	53.3	89.9	36.6	0.57	20.7
153	87-149	57.9	91.4	33.5	0.61	20.4
154	83-69	70.1	106.7	36.6	0.56	20.4
155	94BX-38	0.0	21.3	21.3	0.95	20.4
156	PG13-84	44.2	80.8	36.6	0.55	20.3
157	87-227	41.2	76.2	35.1	0.58	20.2
158	MGR11-006	0.0	47.2	47.2	0.43	20.2
159	P14-64	30.5	47.2	16.8	1.20	20.1
160	87-155	105.2	117.4	12.2	1.64	20.0
161	93BX-39	86.9	108.2	21.3	0.93	19.9
162	94BP-135	24.4	39.6	15.2	1.30	19.8
163	P8-64	77.7	91.4	13.7	1.44	19.8
164	MGR11-003	12.2	44.2	32.0	0.62	19.7
165	94BP-54	70.1	99.1	29.0	0.68	19.6
166	91BP-050	83.8	88.4	4.6	4.28	19.6
167	92BP-050	36.6	51.8	15.2	1.27	19.4
168	87-191	103.6	115.8	12.2	1.59	19.4
169	93BP-19	0.0	45.7	45.7	0.42	19.4
170	87-233	39.6	88.4	48.8	0.40	19.4
171	LBP017	74.7	117.3	42.7	0.45	19.4
172	SH90-5R	16.8	56.4	39.6	0.48	19.2
173	89-472	6.1	50.3	44.2	0.43	19.1
174	95BX-19	71.6	97.5	25.9	0.74	19.1
175	94BP-84	71.6	79.3	7.6	2.49	19.0
176	LBP026	166.1	198.1	32.0	0.59	19.0
177	LBP020	217.9	234.7	16.8	1.12	18.8
178	92BP-131	48.8	76.2	27.4	0.68	18.6
179	92BP-020	59.4	117.4	57.9	0.32	18.6
180	95BP-18	103.6	121.9	18.3	1.01	18.5
181	87-184	57.9	76.2	18.3	1.01	18.4
182	93BP-131	100.6	141.7	41.2	0.45	18.3
183	93BP-28	24.4	65.5	41.2	0.44	18.3
184	93BX-96	22.9	47.2	24.4	0.75	18.3
185	93BP-30	53.3	102.1	48.8	0.37	18.3
186	89-479	0.0	19.8	19.8	0.92	18.2
187	93BP-11	30.5	77.7	47.2	0.38	18.1
188	92BP-041	19.8	65.5	45.7	0.40	18.1
189	95BP-4	62.5	91.4	29.0	0.62	18.0
190	87-231	50.3	82.3	32.0	0.56	18.0
191	LBP055	166.1	184.4	18.3	0.98	18.0
192	86-22	121.9	134.1	12.2	1.47	18.0
193	94BP-33	54.9	91.4	36.6	0.49	17.8
194	95BP-38	115.8	144.8	29.0	0.61	17.7
195	93BX-6	32.0	67.1	35.1	0.51	17.7
196	92BX-36	102.1	128.0	25.9	0.68	17.6
197	89-469	1.5	36.6	35.1	0.50	17.6
198	LBP009	15.2	48.8	33.5	0.52	17.5
199	BP90-4C	65.5	94.5	29.0	0.60	17.5
200	92BX-84	79.3	108.2	29.0	0.60	17.5

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	89-402	4.6	30.5	25.9	0.68	17.5
202	87-166	18.3	67.1	48.8	0.36	17.5
203	94BX-08	0.0	41.2	41.2	0.42	17.5
204	87-188	50.3	76.2	25.9	0.67	17.4
205	87-163	74.7	94.5	19.8	0.87	17.3
206	92BP-101	56.4	77.7	21.3	0.81	17.3
207	LBP038	294.1	313.9	19.8	0.87	17.3
208	LBP060	216.4	248.4	32.0	0.54	17.2
209	LBP019	129.5	172.2	42.7	0.40	17.2
210	95BX-38	0.0	29.0	29.0	0.59	17.1
211	87-252	30.5	67.1	36.6	0.47	17.1
212	86-06	48.8	79.3	30.5	0.56	17.1
213	94BP-27	0.0	39.6	39.6	0.43	17.1
214	BP90-4C	96.0	106.7	10.7	1.60	17.1
215	PG2-84	33.5	67.1	33.5	0.51	17.0
216	94BP-152	16.8	48.8	32.0	0.53	17.0
217	87-135	19.8	33.5	13.7	1.23	16.9
218	89-403	38.1	65.5	27.4	0.62	16.9
219	94BP-131	47.2	76.2	29.0	0.58	16.9
220	SH90-16R	15.2	33.5	18.3	0.92	16.9
221	LBP009	96.0	120.4	24.4	0.69	16.8
222	LBP002	88.4	103.6	15.2	1.10	16.8
223	89-420	61.0	105.2	44.2	0.38	16.8
224	92BP-051	0.0	18.3	18.3	0.91	16.7
225	LBP024	181.4	210.3	29.0	0.58	16.7
226	93BP-14	36.6	67.1	30.5	0.55	16.7
227	BP90-23	44.2	54.9	10.7	1.56	16.6
228	94BP-12	123.4	161.5	38.1	0.43	16.6
229	LBP063	82.3	125.0	42.7	0.39	16.5
230	88-332	57.9	88.4	30.5	0.54	16.5
231	94BP-137	30.5	65.5	35.1	0.47	16.4
232	89-421	91.4	126.5	35.1	0.46	16.3
233	LBP043	140.2	150.9	10.7	1.52	16.2
234	94BP-53	83.8	108.2	24.4	0.66	16.2
235	87-165	108.2	115.8	7.6	2.12	16.2
236	LBP035	213.4	227.1	13.7	1.18	16.2
237	93BP-6	61.0	86.9	25.9	0.62	16.1
238	95BP-41	39.6	59.4	19.8	0.81	16.1
239	94BP-46	105.2	140.2	35.1	0.46	16.1
240	94BP-110	112.8	138.7	25.9	0.62	16.1
241	93BP-124	102.1	125.0	22.9	0.70	16.0
242	SH91-23R	7.6	24.4	16.8	0.95	16.0
243	94BP-18	135.6	157.0	21.3	0.75	15.9
244	95BP-37	106.7	128.0	21.3	0.74	15.9
245	92BX-37	3.1	19.8	16.8	0.95	15.9
246	94BP-71	96.0	123.4	27.4	0.58	15.8
247	89-439	30.5	35.1	4.6	3.43	15.7
248	92BX-55	38.1	47.2	9.1	1.71	15.6
249	MGR11-029	150.9	164.6	13.7	1.12	15.4
250	LPB057	0.0	38.1	38.1	0.40	15.4

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	93BP-100	125.0	143.3	18.3	0.84	15.4
252	92BP-121	103.6	129.5	25.9	0.59	15.3
253	88-320	41.2	65.5	24.4	0.63	15.3
254	89-422	47.2	76.2	29.0	0.53	15.3
255	87-116	77.7	96.0	18.3	0.83	15.2
256	92BX-40	24.4	50.3	25.9	0.59	15.2
257	MGR11-019	0.0	32.0	32.0	0.48	15.2
258	MGR11-002	0.0	30.5	30.5	0.50	15.2
259	96BP-26	83.8	93.0	9.1	1.66	15.2
260	95BP-39	54.9	73.2	18.3	0.83	15.2
261	92BX-92	48.8	74.7	25.9	0.58	15.2
262	LBP055	4.6	36.6	32.0	0.47	15.0
263	93BP-46	91.4	105.2	13.7	1.09	15.0
264	88-298	77.7	94.5	16.8	0.89	14.9
265	87-89	44.2	77.7	33.5	0.44	14.9
266	94BX-34	44.2	56.4	12.2	1.22	14.8
267	86-07	48.8	85.3	36.6	0.41	14.8
268	LBP045	179.8	192.0	12.2	1.22	14.8
269	94BP-13	106.7	137.2	30.5	0.49	14.8
270	95BP-54	94.5	120.4	25.9	0.57	14.8
271	92BP-017	51.8	86.9	35.1	0.42	14.8
272	92BP-046	32.0	61.0	29.0	0.51	14.7
273	86-15	51.8	79.3	27.4	0.54	14.7
274	94BP-148	85.3	118.9	33.5	0.44	14.7
275	94BP-14	121.9	146.3	24.4	0.60	14.6
276	93BP-146	44.2	65.5	21.3	0.68	14.6
277	88-273	30.5	85.3	54.9	0.26	14.5
278	LBP055	71.6	99.1	27.4	0.53	14.5
279	LBP003	57.9	85.3	27.4	0.53	14.5
280	LBP041	67.1	106.7	39.6	0.36	14.4
281	83-70	68.6	91.4	22.9	0.63	14.4
282	94BP-138	15.2	42.7	27.4	0.52	14.4
283	LBP032	221.0	243.8	22.9	0.63	14.4
284	92BX-46	16.8	35.1	18.3	0.78	14.3
285	88-359	100.6	121.9	21.3	0.67	14.2
286	93BX-3	9.1	33.5	24.4	0.58	14.2
287	93BX-36	44.2	54.9	10.7	1.33	14.1
288	93BX-105	0.0	18.3	18.3	0.77	14.1
289	94BP-73	32.0	77.7	45.7	0.31	14.1
290	93BP-43	126.5	144.8	18.3	0.77	14.1
291	92BP-011	35.1	68.6	33.5	0.42	14.1
292	95BP-23	41.2	54.9	13.7	1.02	14.0
293	93BP-28	68.6	96.0	27.4	0.51	13.9
294	92BP-118	3.1	24.4	21.3	0.65	13.8
295	94BP-76	59.4	80.8	21.3	0.65	13.8
296	LBP006	24.4	32.0	7.6	1.80	13.7
297	95BP-14	83.8	102.1	18.3	0.75	13.7
298	LBP034	294.1	301.8	7.6	1.80	13.7
299	83-32	57.9	97.5	39.6	0.34	13.6
300	SH91-21R	16.8	27.4	10.7	1.27	13.6

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	94BP-142	12.2	27.4	15.2	0.89	13.6
302	94BP-16	76.2	112.8	36.6	0.37	13.5
303	94BP-31	100.6	143.3	42.7	0.31	13.4
304	93BP-38	18.3	44.2	25.9	0.52	13.4
305	94BP-143	33.5	41.2	7.6	1.75	13.3
306	94BP-22	79.3	103.6	24.4	0.55	13.3
307	92BP-05C	34.4	57.1	22.7	0.59	13.3
308	92BP-073	59.4	86.9	27.4	0.48	13.3
309	92BX-39	61.0	76.2	15.2	0.87	13.3
310	LBP045	32.0	54.9	22.9	0.58	13.2
311	89-475	36.6	54.9	18.3	0.72	13.2
312	87-144	36.6	61.0	24.4	0.54	13.2
313	88-321	64.0	91.4	27.4	0.48	13.1
314	87-112	114.3	140.2	25.9	0.50	13.1
315	LBP052	74.7	96.0	21.3	0.61	13.0
316	94BP-22A	109.7	137.2	27.4	0.47	13.0
317	96BX-22	76.2	114.3	38.1	0.34	13.0
318	94BP-82	83.8	115.8	32.0	0.41	13.0
319	83-04	79.3	89.9	10.7	1.22	13.0
320	88-364	91.4	106.7	15.2	0.85	13.0
321	93BP-147	51.8	79.3	27.4	0.47	12.9
322	93BP-98	33.5	45.7	12.2	1.06	12.9
323	94BP-29	141.7	182.9	41.2	0.31	12.9
324	T40-1975	12.2	41.2	29.0	0.44	12.9
325	89-450	48.8	67.1	18.3	0.70	12.8
326	92BP-133	25.9	47.2	21.3	0.60	12.7
327	96BX-42	97.5	129.5	32.0	0.40	12.7
328	94BP-1	53.3	67.1	13.7	0.93	12.7
329	96BX-27	65.5	103.6	38.1	0.33	12.7
330	93BP-128	33.5	54.9	21.3	0.59	12.7
331	MGR11-009	4.6	18.3	13.7	0.92	12.7
332	94BX-46	64.0	79.3	15.2	0.83	12.6
333	88-392	6.1	35.1	29.0	0.44	12.6
334	92BP-120	125.0	131.1	6.1	2.08	12.6
335	MGR11-005	7.6	15.2	7.6	1.65	12.6
336	91BP-050	39.6	67.1	27.4	0.46	12.6
337	92BP-023	54.9	79.3	24.4	0.52	12.6
338	87-246	24.4	36.6	12.2	1.03	12.6
339	MGR11-007	230.1	246.9	16.8	0.75	12.5
340	R2-1974	48.8	54.9	6.1	2.06	12.5
341	LBP056	199.6	225.6	25.9	0.48	12.5
342	94BP-128	39.6	53.3	13.7	0.91	12.5
343	87-147	38.1	67.1	29.0	0.43	12.4
344	92BP-080	35.1	48.8	13.7	0.91	12.4
345	93BP-22	61.0	91.4	30.5	0.41	12.4
346	87-67	47.2	80.8	33.5	0.37	12.3
347	94BP-32	108.2	135.6	27.4	0.45	12.3
348	94BP-149	80.8	108.2	27.4	0.45	12.3
349	97BP-5	105.2	121.9	16.8	0.74	12.3
350	93BP-8	29.0	70.1	41.1	0.30	12.3

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	89-466	0.0	19.8	19.8	0.62	12.3
352	LBP059	170.7	202.7	32.0	0.38	12.2
353	SH90-15R	24.4	32.0	7.6	1.61	12.2
354	94BP-28	76.2	102.1	25.9	0.47	12.2
355	92BP-024	57.9	93.0	35.1	0.35	12.2
356	94BP-118	0.0	15.2	15.2	0.80	12.2
357	88-363	47.2	74.7	27.4	0.44	12.2
358	89-479	48.8	79.3	30.5	0.40	12.1
359	92BX-91	1.5	24.4	22.9	0.53	12.1
360	93BX-93	29.0	61.0	32.0	0.38	12.1
361	89-409	91.4	99.1	7.6	1.59	12.1
362	96BP-6	30.5	61.0	30.5	0.39	12.0
363	91BP-072	44.2	74.7	30.5	0.39	12.0
364	89-522	71.6	97.5	25.9	0.46	12.0
365	93BX-66	73.2	83.8	10.7	1.12	11.9
366	92BP-114	32.0	51.8	19.8	0.60	11.9
367	94BX-80	118.9	134.1	15.2	0.78	11.9
368	MGR11-024	36.6	45.7	9.1	1.29	11.8
369	93BX-111	114.3	137.2	22.9	0.51	11.8
370	94BP-138	54.9	61.0	6.1	1.92	11.7
371	92BX-24	99.1	106.7	7.6	1.53	11.7
372	92BX-66	29.0	39.6	10.7	1.09	11.6
373	92BP-119	6.1	39.6	33.5	0.35	11.6
374	88-350	61.0	68.6	7.6	1.53	11.6
375	MGR11-022	86.9	100.6	13.7	0.84	11.5
376	88-381	30.5	48.8	18.3	0.63	11.5
377	89-470	6.1	24.4	18.3	0.63	11.5
378	92BP-038	18.3	47.2	29.0	0.40	11.4
379	91BP-075	44.2	61.0	16.8	0.68	11.4
380	92BP-037	18.3	50.3	32.0	0.36	11.4
381	87-209	64.0	91.4	27.4	0.42	11.4
382	94BP-5	68.6	86.9	18.3	0.62	11.4
383	87-197	19.8	42.7	22.9	0.50	11.3
384	LBP028	137.2	149.4	12.2	0.93	11.3
385	94BP-115	32.0	45.7	13.7	0.82	11.3
386	92BX-36	45.7	70.1	24.4	0.46	11.3
387	R2-1974	96.0	108.2	12.2	0.92	11.2
388	87-70	64.0	80.8	16.8	0.67	11.2
389	95BP-50	73.2	91.4	18.3	0.61	11.2
390	LBP045	0.0	25.9	25.9	0.43	11.2
391	PG18-84	61.0	64.0	3.1	3.66	11.2
392	88-399	0.0	24.4	24.4	0.46	11.1
393	89-434	0.0	25.9	25.9	0.43	11.1
394	87-121	64.0	85.3	21.3	0.52	11.1
395	LBP015	67.1	85.3	18.3	0.61	11.1
396	93BP-140	77.7	86.9	9.2	1.21	11.0
397	LBP033	204.2	221.0	16.8	0.66	11.0
398	89-478	12.2	30.5	18.3	0.60	10.9
399	93BX-115	9.1	25.9	16.8	0.65	10.9
400	LBP006	44.2	62.5	18.3	0.60	10.9

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	SH90-8R	27.4	32.0	4.6	2.38	10.9
402	87-110	18.3	67.1	48.8	0.22	10.9
403	92BP-003	6.1	32.0	25.9	0.42	10.8
404	87-159	47.2	68.6	21.3	0.51	10.8
405	93BP-33	82.3	100.6	18.3	0.59	10.7
406	86-25	42.7	61.0	18.3	0.59	10.7
407	88-316	41.2	73.2	32.0	0.33	10.7
408	91BP-027	65.5	88.4	22.9	0.47	10.7
409	92BP-054	68.6	79.3	10.7	0.99	10.6
410	79-23	18.3	54.9	36.6	0.29	10.6
411	P35-74	61.0	70.1	9.1	1.15	10.6
412	86-42	57.9	79.3	21.3	0.49	10.5
413	93BX-36	82.3	93.0	10.7	0.98	10.5
414	LBP035	164.6	179.8	15.2	0.69	10.5
415	87-69	73.2	85.3	12.2	0.86	10.5
416	87-126A	85.3	105.2	19.8	0.53	10.5
417	92BX-72	0.0	15.2	15.2	0.69	10.5
418	93BP-94	56.4	86.9	30.5	0.34	10.5
419	80-01	76.2	86.9	10.7	0.98	10.4
420	89-410	86.9	89.9	3.1	3.40	10.4
421	LBP032	62.5	76.2	13.7	0.75	10.3
422	93BP-104	91.4	123.4	32.0	0.32	10.3
423	87-161	56.4	76.2	19.8	0.52	10.3
424	89-477	0.0	18.3	18.3	0.56	10.3
425	91BP-073	41.2	51.8	10.7	0.96	10.3
426	92BP-091	18.3	41.2	22.9	0.45	10.2
427	87-114	54.9	85.3	30.5	0.34	10.2
428	87-124	48.8	71.6	22.9	0.45	10.2
429	LBP062	109.7	118.9	9.1	1.12	10.2
430	95BP-28	30.5	36.6	6.1	1.67	10.2
431	89-496	0.0	16.8	16.8	0.61	10.2
432	P27-74	74.7	97.5	22.9	0.45	10.2
433	87-134	97.5	105.2	7.6	1.33	10.1
434	89-449	68.6	70.1	1.5	6.65	10.1
435	93BX-46	62.5	71.6	9.2	1.10	10.1
436	92BP-122	33.5	50.3	16.8	0.60	10.1
437	94BP-108	91.4	112.8	21.3	0.47	10.0
438	91BP-015	54.9	59.4	4.6	2.17	9.9
439	93BP-2	0.0	13.7	13.7	0.72	9.9
440	94BP-115	4.6	22.9	18.3	0.54	9.9
441	92BP-009	67.1	88.4	21.3	0.47	9.9
442	95BP-23	65.5	85.3	19.8	0.50	9.9
443	94BX-51	53.3	79.3	25.9	0.38	9.9
444	92BX-30	100.6	121.9	21.3	0.46	9.9
445	94BP-46	74.7	86.9	12.2	0.81	9.9
446	SH90-11R	44.2	53.3	9.1	1.08	9.9
447	LBP011	106.7	121.9	15.2	0.65	9.8
448	P6-64	38.1	44.2	6.1	1.61	9.8
449	87-188	1.5	21.3	19.8	0.50	9.8
450	93BP-135	82.3	91.4	9.1	1.07	9.8

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	88-318	27.4	45.7	18.3	0.54	9.8
452	93BX-104	51.8	65.5	13.7	0.71	9.8
453	87-77	62.5	65.5	3.1	3.21	9.8
454	94BP-93	62.5	73.2	10.7	0.92	9.8
455	91BP-007	9.1	35.1	25.9	0.38	9.8
456	95BP-42	56.4	67.1	10.7	0.92	9.8
457	88-363	109.7	121.9	12.2	0.80	9.8
458	LBP058	89.9	111.3	21.3	0.46	9.7
459	96BX-4	109.7	114.3	4.6	2.13	9.7
460	87-113	67.1	103.6	36.6	0.27	9.7
461	89-464	0.0	18.3	18.3	0.53	9.7
462	91BP-042	42.7	68.6	25.9	0.37	9.7
463	96BP-23	103.6	109.7	6.1	1.59	9.7
464	94BX-62	24.4	30.5	6.1	1.59	9.7
465	87-177	67.1	89.9	22.9	0.42	9.7
466	87-79	57.9	68.6	10.7	0.91	9.7
467	94BP-24	50.3	71.6	21.3	0.45	9.7
468	89-523	77.7	102.1	24.4	0.40	9.7
469	93BP-112	54.9	62.5	7.6	1.27	9.7
470	93BX-98	38.1	53.3	15.2	0.63	9.6
471	92BP-015	38.1	64.0	25.9	0.37	9.6
472	93BP-115	74.7	105.2	30.5	0.32	9.6
473	93BP-90	134.1	150.9	16.8	0.57	9.6
474	94BP-52	128.0	157.0	29.0	0.33	9.6
475	86-13	70.1	85.3	15.2	0.63	9.6
476	LBP034	144.8	169.2	24.4	0.39	9.6
477	91BP-030	36.6	50.3	13.7	0.69	9.5
478	93BX-110	9.1	21.3	12.2	0.78	9.5
479	91BP-058	61.0	80.8	19.8	0.48	9.5
480	93BX-74	89.9	106.7	16.8	0.57	9.5
481	LBP058	224.0	239.3	15.2	0.62	9.5
482	93BP-72	7.6	33.5	25.9	0.37	9.5
483	87-123	67.1	85.3	18.3	0.52	9.5
484	87-112	48.8	79.3	30.5	0.31	9.4
485	92BX-46	64.0	89.9	25.9	0.36	9.4
486	PG3-84	32.0	56.4	24.4	0.39	9.4
487	LBP004	51.8	61.0	9.1	1.03	9.4
488	LBP028	44.2	65.5	21.3	0.44	9.3
489	LBP003	96.0	111.3	15.2	0.61	9.3
490	79-6	24.4	27.4	3.1	3.05	9.3
491	93BX-63	62.5	80.8	18.3	0.51	9.3
492	92BP-05C	68.6	85.3	16.6	0.56	9.3
493	86-30	12.2	42.7	30.5	0.31	9.3
494	96BX-21	77.7	105.2	27.4	0.34	9.3
495	93BP-101	35.1	57.9	22.9	0.40	9.2
496	93BX-81	50.3	64.0	13.7	0.67	9.2
497	94BP-29	41.2	65.5	24.4	0.38	9.2
498	94BX-30	80.8	109.7	29.0	0.32	9.2
499	88-383	88.4	109.7	21.3	0.43	9.2
500	92BX-32	21.3	36.6	15.2	0.60	9.2