

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)			Not Assayed			29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS016 (170, -65)	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	170.7	198.1	27.4	0.66					
PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
incl.	70.1	83.8	13.7	4.42	1				
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
incl.	166.1	169.2	3.0	2.96	1				
PGS021 (330, -55)			NSR			169.2	Basal Claron		
PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
incl.	129.5	134.1	4.6	1.93	1				
PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
incl.	131.1	150.9	19.8	1.98	1				
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
incl.	108.2	138.7	30.5	1.65	1				
PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
PGS029 (185, -65)			NSR			132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		25.6				
and	132.6	137.2	4.6	0.22									
and	160.0	185.9	25.9	0.80									
incl	181.4	185.9	4.6	1.54									
PGS033 (180, -75)	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4				
and	93.0	97.5	4.6	0.33									
and	99.1	125.0	25.9	0.41									
and	126.5	129.5	3.0	0.25									
and	132.6	140.2	7.6	0.24									
PGS034 (180, -50)	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5				
and	102.1	105.2	3.0	0.20									
and	106.7	141.7	35.1	0.41									
PGS035 (230, -65)	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		37.0				
and	115.8	140.2	24.4	1.05									
incl	117.3	128.0	10.7	1.68									
PGS036 (225, -60)	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9				
and	134.1	141.7	7.6	0.23									
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0				
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3				
and	12.2	16.8	4.6	0.29									
and	22.9	24.4	1.5	0.36									
and	138.7	149.4	10.7	0.34									
and	164.6	166.1	1.5	0.36									
and	178.3	184.4	6.1	0.34									
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38				
including	118.9	121.9	3.0	1.65									
and	152.4	153.9	1.5	0.37									
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6				
including	137.2	143.3	6.1	1.95	1								
and	166.1	198.1	32.0	0.86	0.2								
including	172.2	182.9	10.7	1.72	1								
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5				
and	71.0	101.5	30.5	1.85									
incl	71.0	89.3	18.3	2.63									
PGS042 (0, -90)			NSR		0.2	135.6			0				
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5				
and	102.1	117.3	15.2	0.32									
and	158.5	164.6	6.1	0.25									
and	176.8	178.3	1.5	0.43									
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1				
and	116.3	118.0	1.7	0.22	0.2								
and	119.3	135.0	15.7	0.47									
PGS045 (180, -48)			NSR		182.9	Basal Claron			0				
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6				
incl	132.9	136.6	3.7	1.65	1								
and	173.1	177.7	4.6	0.25	0.2								
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0				
incl	54.9	77.7	22.9	4.92	1								
incl	65.5	76.2	10.7	8.27	5								
PGS049 (315, -68 )	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9				
and	91.4	152.4	61.0	0.87									
incl	93.0	100.6	7.6	2.83	1								
and incl	144.8	147.8	3.0	1.72	1								
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9				
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7				
and	84.4	86.0	1.5	0.22									
and	92.0	93.6	1.5	0.37									
and	110.3	151.5	41.1	2.64	0.2								
incl	119.5	151.5	32.0	3.22	1								
incl	133.5	139.3	5.8	6.56	5								
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4				
and	102.1	105.2	3.0	0.21									
and	106.7	111.3	4.6	0.22									
and	114.3	149.4	35.1	0.44									
and	161.5	164.6	3.0	0.26									
and	178.3	179.8	1.5	0.43									
and	182.9	184.4	1.5	0.22									
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1				
incl	143.3	149.4	6.1	1.91	1								
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6				
incl	82.6	94.9	12.3	2.00	1								
and incl	101.9	138.1	36.2	2.77									
incl	124.7	127.7	3.0	6.04	5								
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7				
	157.0	161.5	4.6	0.32									
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4				
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8				
and	93.0	117.3	24.4	0.76									
incl	108.2	115.8	7.6	1.34									
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4				
incl	27.4	47.2	19.8	1.98	1								
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6				
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3				
and	50.3	53.3	3.0	0.50									
and	64.0	73.2	9.1	0.33									
PGS061 (0, -90)			NSR		106.7	Basal Claron	target interval faulted out?	0					
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2				
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS064 (180, -70) and	77.7 131.1	103.6 157.0	25.9 25.9	0.52 0.42	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60) and	112.3 159.7	133.7 187.8	21.3 28.0	0.49 0.52	0.2	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
PGS068 (215, -55) and	109.7 144.8	120.4 152.4	10.7 7.6	0.34 1.97	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)			NSR		86.9		Basal Claron		
PGS072 (110, -70) and	64.0 123.4	74.7 134.1	10.7 10.7	0.52 0.58	0.2	176.8	Basal Claron		11.8
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65) and	12.2 48.8	13.7 59.4	1.5 10.7	0.84 0.40	0.2	89.9	Basal Claron		5.6
PGS075 (15, -55) and	42.7 53.3	51.8 56.4	9.1 3.0	0.73 0.20	0.2	91.4	Basal Claron		7.3
PGS076 (0, -90) and incl.	0.0 99.1 100.6	7.6 105.2 105.2	7.6 6.1 4.6	0.41 29.1 38.8	0.2 0.2 5	121.9	Basal Claron	likely old leach pad material 102 ppm met screen sample	180.7
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)			NSR		105.2		Basal Claron		
PGS079 (90, -65) and	25.9 42.7	35.1 47.2	9.1 4.6	0.72 0.38	0.2	117.3	Basal Claron		8.4
PGS080 (200, -70) and and and	18.3 32.0 38.1 54.9	27.4 33.5 42.7 88.4	9.1 1.5 4.6 33.5	0.80 0.95 0.30 0.42	0.2	121.9	Basal Claron		23.9
PGS081 (200, -45)			NSR		121.9		Basal Claron		
PGS082 (0, -90)			NSR		121.9		Basal Claron		
PGS083 (0, -90)			NSR		141.7		Basal Claron		
PGS084 (330, -63) and	126.5 141.7	132.6 152.4	6.1 10.7	0.31 0.32	0.2	182.9	Basal Claron		5.3
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60) and	89.9 102.1	94.5 115.8	4.6 13.7	1.06 0.38	0.2	182.9	Basal Claron		10.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m		
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4		
PGS089 (320, -68)	<b>86.9</b>	<b>106.7</b>	<b>19.8</b>	<b>0.69</b>	<b>0.2</b>	181.4	Basal Claron		<b>13.7</b>		
incl	<b>97.5</b>	<b>102.1</b>	<b>4.6</b>	<b>1.52</b>	<b>1</b>						
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2		
and	<b>99.1</b>	<b>103.6</b>	<b>4.6</b>	<b>0.90</b>	<b>0.2</b>		Paleozoic Rocks				
incl	99.1	100.6	1.5	2.30	1.0						
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8		
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		<b>10.1</b>		
and	<b>80.8</b>	<b>91.4</b>	<b>10.7</b>	<b>0.43</b>	<b>0.2</b>		<b>Basal Claron</b>				
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks				
PGS093 (313, -75)			NSR			135.6	Basal Claron				
PGS094 (57, -65)			NSR			182.9	Basal Claron				
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		<b>12.1</b>		
and	<b>132.6</b>	<b>146.3</b>	<b>13.7</b>	<b>0.44</b>	<b>0.2</b>						
PGS096 (223, -45)	<b>144.8</b>	<b>163.1</b>	<b>18.3</b>	<b>0.90</b>	<b>0.2</b>	213.4	Basal Claron		<b>16.4</b>		
incl	146.3	153.9	7.6	1.32	1						
PGS097 (25, -53)	<b>88.4</b>	<b>134.1</b>	<b>45.7</b>	<b>1.08</b>	<b>0.2</b>	201.2	Basal Claron		<b>49.2</b>		
incl	99.1	105.2	6.1	3.06	1						
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		<b>23.6</b>		
and	<b>82.3</b>	<b>111.3</b>	<b>29.0</b>	<b>0.68</b>	<b>0.2</b>						
incl	<b>105.2</b>	<b>109.7</b>	<b>4.6</b>	<b>1.61</b>	<b>1</b>						
and	118.9	121.9	3.0	0.40	0.2						
PGS099 (210, -50)	<b>76.2</b>	<b>88.4</b>	<b>12.2</b>	<b>0.90</b>	<b>0.2</b>	152.4	Basal Claron		<b>12.4</b>		
and	120.4	123.4	3.0	0.45							
PGS100 (235, -45)	<b>80.8</b>	<b>91.4</b>	<b>10.7</b>	<b>1.06</b>	<b>0.2</b>	167.6	Basal Claron		<b>17.5</b>		
and	106.7	108.2	1.5	1.16							
and	111.3	112.8	1.5	0.50							
and	131.1	137.2	6.1	0.60			Paleozoic Rocks				
PGS101 (210, -55)	<b>80.8</b>	<b>108.2</b>	<b>27.4</b>	<b>0.51</b>	<b>0.2</b>	141.7	Basal Claron		14.0		
PGS102 (245, -50)	77.7	83.8	6.1	0.44	<b>0.2</b>	157.0	Basal Claron		<b>11.6</b>		
and	<b>91.4</b>	<b>109.7</b>	<b>18.3</b>	<b>0.49</b>							
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2		
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		<b>68.8</b>		
and	<b>39.6</b>	<b>106.7</b>	<b>67.1</b>	<b>0.86</b>	<b>0.2</b>						
incl	<b>57.9</b>	<b>73.2</b>	<b>15.2</b>	<b>2.35</b>	<b>1</b>						
and	<b>118.9</b>	<b>129.5</b>	<b>10.7</b>	<b>0.74</b>	<b>0.2</b>		Paleozoic Rocks				
and	135.6	144.8	9.1	0.29	0.2						
PGS105 (90, -65)	32.0	35.1	3.0	0.49	<b>0.2</b>	121.9	Basal Claron		<b>24.7</b>		
and	<b>41.1</b>	<b>73.2</b>	<b>32.0</b>	<b>0.44</b>							
and	<b>76.2</b>	<b>97.5</b>	<b>21.3</b>	<b>0.43</b>							

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m		
PGS106 (125, -75) and	99.1	117.3	18.3	0.36	<b>0.2</b>	182.9	Basal Claron		<b>11.2</b>		
	131.1	140.2	9.1	0.50							
PGS107 (180, -84)	<b>100.6</b>	<b>108.2</b>	<b>7.6</b>	<b>2.00</b>	<b>0.2</b>	121.9	Chainman Shale		<b>15.2</b>		
PGS108 (240, -45)	<b>126.5</b>	<b>135.6</b>	<b>9.1</b>	<b>0.88</b>	0.2	152.4	Basal Claron		8.1		
PGS109 (270, -60) and	54.9	64.0	9.1	0.51	<b>0.2</b>	172.2	Basal Claron		<b>16.8</b>		
	74.7	<b>100.6</b>	<b>25.9</b>	<b>0.47</b>							
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6		
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8		
PGS112 (130, -65)	76.2	100.6	24.4	<b>0.37</b>	0.2	182.9	Basal Claron		9.1		
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0		
PGS114 (265, -55) and	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		<b>20.7</b>		
	<b>126.5</b>	<b>152.4</b>	<b>25.9</b>	<b>0.70</b>	<b>0.2</b>						
PGS115 (165, -63) and	<b>73.2</b>	<b>83.8</b>	<b>10.7</b>	<b>0.42</b>	<b>0.2</b>	138.7	Basal Claron		<b>13.7</b>		
	<b>91.4</b>	<b>102.1</b>	<b>10.7</b>	<b>0.87</b>	<b>0.2</b>						
PGS116 (225, -57) and	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		<b>10.9</b>		
	<b>96.0</b>	<b>120.4</b>	<b>24.4</b>	<b>0.38</b>	<b>0.2</b>						
PGS117 (190, -70) incl	<b>76.2</b>	<b>99.1</b>	<b>22.9</b>	<b>1.20</b>	<b>0.2</b>	172.2	Basal Claron		<b>27.4</b>		
	<b>93.0</b>	<b>99.1</b>	<b>6.1</b>	<b>2.48</b>	<b>1</b>						
PGS118 (200, -50) and	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0		
	103.6	112.8	9.1	0.34	0.2						
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5		
PGS120 (210, -70) and	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1		
	74.7	83.8	9.1	0.22	0.2						
PGS121 (160, -55)			NSR			144.8					
PGS122 (65, -67)			NSR			117.3					
PGS123 (290, -55)			NSR			213.4					
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2		
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7		
PGS126 (57, -55) and incl and and	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	<b>21.5</b>		
	<b>153.9</b>	<b>164.6</b>	<b>10.7</b>	<b>0.84</b>	0.2						
	<b>153.9</b>	<b>160.0</b>	<b>6.1</b>	<b>1.20</b>	<b>1</b>		Paleozoic rocks				
	166.1	169.2	3.0	0.23	0.2						
	<b>170.7</b>	<b>181.4</b>	<b>10.7</b>	<b>0.83</b>	0.2						
PGS127 (125, -45) and	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9		
53.3	54.9	1.5	0.48								
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)			NSR		105.2			Peg Leg Graben	
PGS133 (310, -45)			NSR		109.7			Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)			NSR		86.9	Basal Claron		Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)			NSR		138.7	Basal Claron		Peg Leg Graben	
PGS141 (270, -70)			NSR		111.3	Basal Claron		Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
incl	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump Chainman Shale	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.2				
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
Incl	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
PGS150 (0, -90)			NSR		117.3	Basal Claron		Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)			NSR			189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70) and	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
PGS166 (310, -70) and	118.9	144.8	25.9	0.59	0.2				
PGS167 (0, -90) and	150.9	158.5	7.6	0.26	0.2	196.6	Basal Claron	Warrior	17.3
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2				
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55) incl	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
PGS171 (0, -90)	128.0	132.6	4.6	2.07	1				
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64) and	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
incl	96.0	108.2	12.2	3.54	1				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)			NSR			172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	13.9
and	100.6	111.3	10.7	1.15					
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
PGS184 (280, -60)			NSR			117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7
incl.	137.2	141.7	4.6	1.45	1				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)			NSR			170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

### Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)			NSR			172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)			NSR		129.5	Warrior to Aggie			
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)			NSR		172.2	Warrior	Anomalous		
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)			NSR		129.5	Dip Slope			
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)			NSR		160.0	Dip Slope			
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)			NSR		202.7	Western Grabens	Anomalous		
PGS209 (0, -45)			NSR		93.0	Western Grabens	Hole Lost Above Target		
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				
PGS211 (320, -45)			NSR		166.1	Western Grabens			
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)			NSR		187.5	Dip Slope	Target not Intercepted		
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS217 (233, -70)			NSR				Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)			NSR		117.3		Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	27.8
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)			NSR		205.7		Dip Slope	Anomalous	
PGS226 (285, -45)			NSR		166.1		Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				42.0
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				
PGS232 (205, -77)			NSR		86.9		Dip Slope		
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				49.2
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7
Incl	76.2	83.8	7.6	2.33	0.5				
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS240 (10, -65) and and	152.4 164.6 182.9	155.4 181.4 193.5	3.0 16.8 10.7	0.27 0.33 0.42	0.2 0.2 0.2	237.7	Warrior		10.9
PGS241 (95, -62)			NSR		147.8		Warrior		
PGS242 (75, -65) incl and	108.2 109.7 143.3	134.1 118.9 153.9	25.9 9.1 10.7	1.53 3.48 0.34	0.2 1 0.2				
PGS243 (45, -64) incl	111.3 128.0	161.5 135.6	50.3 7.6	0.62 1.61	0.2 1	182.8	Warrior		31.1
PGS244 (180, -65) incl	99.1 111.3	121.9 120.4	22.9 9.1	0.51 0.84	0.2 0.5	135.6	Peg Leg		11.6
PGS245 (75, -65) and incl	38.1 94.5 105.2	41.1 117.3 117.3	3.0 22.9 12.2	0.36 1.80 2.98	0.2 0.2 1	141.7	Peg Leg	Basal Claron	42.2
PGS246 (5, -45) and	42.7 77.7	48.8 89.9	6.1 12.2	0.31 0.32	0.2			Paleozoic Strata	
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
PGS248 (70, -70) incl.	80.8 82.3	105.2 89.9	24.4 7.6	0.61 1.20	0.2 1	141.7	East Aggie		14.8
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
PGS250 (295, -55) incl.	44.2 47.2	54.9 53.3	10.7 6.1	3.40 5.59	0.2 1	129.5	Dip Slope	Bull Valley Wash area	36.3
PGS251 (210, -55)			NSR		109.7		Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
PGS253 (90, -65) and and and	45.7 108.2 157.0 169.2	59.4 118.9 161.5 172.2	13.7 10.7 4.6 3.0	1.02 0.74 0.37 0.23	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
PGS254 (90, -45)	89.9	100.6	10.7	0.58				Claron Formation?	
PGS255 (50, -65) incl and	0.0 0.0 54.9	25.9 4.6 56.4	25.9 4.6 1.5	1.16 3.48 0.63	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
PGS256 (340, -53) and	115.8 134.1	117.3 140.2	1.5 6.1	0.52 1.85				Basal Claron Formation	
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65) and	1.5 19.8	13.7 27.4	12.2 7.6	0.27 0.37	0.2 0.2	202.7	Moosehead	Mine Backfill	6.2
PGS260 (30, -70) and	32.0 47.2	33.5 50.3	1.5 3.0	0.23 0.22	0.2 0.2	111.3	Peg Leg	Paleozoic strata	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS261 (320, -70) and	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
<b>PGS262 (105, -60)</b>									
PGS263 (75, -45) incl.	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48) and and and	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
	18.3	24.4	6.1	0.58					
	33.5	38.1	4.6	0.26					
	45.7	53.3	7.6	0.51					
PGS265 (120, -45) incl.	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
	65.5	70.1	4.6	1.97	1.0				
<b>PGS266 (255, -65)</b>									
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50) and	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
	42.7	48.8	6.1	0.53	0.2				
<b>PGS269 (180, -75)</b>									
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90) and and and and	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
	214.9	216.4	1.5	1.11					
	222.5	227.1	4.6	0.53					
	234.7	237.7	3.0	0.58					
	240.8	243.8	3.0	0.28					
<b>PGS272 (5, -67)</b>									
PGS273 (100, -65) and	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
	54.9	67.1	12.2	0.21					
<b>PGS274 (330, -55)</b>									
PGS275 (75, -45) and and and	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
	38.1	51.8	13.7	0.74					
	59.4	62.5	3.0	0.56					
	103.6	106.7	3.0	0.82					
<b>PGS276 (0, -63)</b>									
PGS277 (270, -70) incl	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
	0.0	32.0	32.0	3.14	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0,-90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220,-65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)			NSR		19.8	Caribou	Hole TD-ed early due to bad collar location		
PGS285 (180,-65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)			NSR		32.0	Caribou	Hole TD-ed early due to bad collar location		
PGS288 (165,-57)			NSR		208.8	Caribou	Hole did not intersect target		
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)			NSR		129.5		Covington	Hole did not intersect target	
PGS300 (235,-55)			NSR		152.4		Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
PGS310 (90,-60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0,-90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
PGS312 (0,-65)			NSR		152.4		Western	Picaroon - long anomalous interval	
PGS313 (170,-78)	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0,-90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140,-50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70,-70)			NSR		129.5		Western	Picaroon - long anomalous interval	
PGS317 (150,-45)	19.8	59.4	39.6	0.48	0.2	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.2				
and	80.8	86.9	6.1	0.97	0.2				
PGS318 (0,-90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0,-75)			NSR		144.8		Western	Picaroon	
PGS320 (110,-55)	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				
PGS321 (180,-60)			NSR		91.4		Main	Aggie	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS322 (90, -45) and	18.3 30.5	22.9 94.5	4.6 64.0	0.77 0.51	0.2 0.2	160.0	Western	Caribou	36.2
PGS323 (0, -90)			NSR		166.1	Western		Picaroon	
PGS324 (62, -55) incl	39.6 48.8	82.3 56.4	42.7 7.6	0.70 1.72	0.2 1	141.7	Western	Caribou	30.0
PGS325 (20, -78) and	73.2 94.5	76.2 108.2	3.0 13.7	0.81 0.52	0.2 0.2	141.7	Main	Aggie	9.5
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)			NSR		193.5	Western		Picaroon	
PGS332 (225, -65) and	152.4 178.3	167.6 192.0	15.2 13.7	0.41 0.52	0.2 0.2	221.0	Dip Slope	Padre Haul Road	13.3
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65) incl	121.9 125.0	175.3 135.6	53.3 10.7	0.67 1.93	0.2 1	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
PGS336 (170, -45) and	140.2 157.0	153.9 163.1	13.7 6.1	0.50 0.23	0.2 0.2	198.1	Western	Moosehead	8.2
PGS337 (56, -55)			NSR		134.1	Peg Leg			
PGS338 (295, -55) and and	57.9 100.6 128.0	91.4 105.2 129.5	33.5 4.6 1.5	0.64 0.77 0.96	0.2 0.2 0.2	135.6	Peg Leg		26.5
PGS339 (150, -45) and incl	115.8 129.5 146.3	120.4 172.2 157.0	4.6 42.7 10.7	0.33 0.79 1.60	0.2 0.2 1	239.3	Western	Moosehead	35.2
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65) and	137.2 178.3	176.8 189.0	39.6 10.7	0.38 0.96	0.2 0.2	208.8	Dip Slope	Padre Haul Road	25.4
PGS343 (345, -65)			NSR		105.2	Peg Leg			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS344 (130, -45)	170.7	173.7	3.0	0.82	0.2	230.1	Western	Moosehead	17.8
and	181.4	185.9	4.6	0.28					
and	190.5	202.7	12.2	1.15					
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
PGS346 (145, -68)			NSR			91.4	Peg Leg		
PGS347 (85, -65)	161.5	201.2	39.6	0.69	0.2	224.0	Dip Slope	Padre	27.5
incl	173.7	184.4	10.7	1.35	1				
PGS348 (340, -65)	4.6	6.1	1.5	0.48	0.2	103.6	Peg Leg		2.0
and	71.6	73.2	1.5	0.80	0.2				
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)			NSR			147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)			NSR			80.8	Peg Leg		
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60)	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.2				
PGS356 (115, -55)	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.2				
incl	121.9	125.0	3.0	1.71	1				
PGS357 (0, -90)	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5
and	57.9	70.1	12.2	0.36	0.2				
PGS358 (75, -60)	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2
and	94.5	99.1	4.6	0.29	0.2				
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
PGS360 (130, -60)			NSR			137.2	Peg Leg		
PGS361 (0, -60)			NSR			135.6	Western		
PGS362 (0, -90)	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8
incl	76.2	89.9	13.7	1.89	1				
PGS363 (80, -55)	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5
incl	67.1	70.1	3.0	2.32	1				
and	91.4	99.1	7.6	0.30	0.2				
PGS364 (120, -45)	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3
incl	56.4	65.5	9.1	1.66	1				
PGS365 (0, -70)	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9
incl	117.3	120.4	3.0	2.03	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS366 (185, -45)	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.2				
and	158.5	160.0	1.5	1.92	0.2				
PGS367 (0, -90)	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
PGS368 (90, -55) incl	83.8 86.9	103.6 89.9	19.8 3.0	0.54 1.22	0.2 1	146.3	Dip Slope	Padre	10.7
PGS369 (0, -85)			NSR		184.4	Western	Bull Run		
PGS370 (0, -90)			NSR		160.0	Dip Slope	Padre		
PGS371 (240, -75)	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
PGS372 (0, -90)	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
PGS373 (0, -65)	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
PGS374 (40, -60)	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
PGS375 (300, -65)	25.9	47.2	21.3	0.60	0.2	129.5	Western		12.8
PGS376 (290, -70)			NSR		214.9	Dip Slope	Padre		
PGS377 (155, -85)	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6
and	160.0	163.1	3.0	0.74	0.2				
PGS378 (180, -60)			NSR		211.8	Western	Bull Run		
PGS379 (290, -60)	83.8	105.2	21.3	0.94	0.2	182.9	Dip Slope	Padre	20.0
PGS380 (310, -65)	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
PGS381 (0, -65)	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0
and	54.9	59.4	4.6	0.32	0.2				
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
PGS383 (150, -85)			NSR		121.9	Western	Western Graben		
PGS384 (0, -65)			NSR		144.8	Western	Bull Run		
PGS385 (0, -80)			NSR		123.4	Western	Bull Run		
PGS386 (200, -65)			NSR		160.0	Dip Slope	Padre		
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)			NSR		202.7	Western	Western Graben		
PGS389 (180, -65)			NSR		135.6	Dip Slope	North Padre Pit		
PGS390 (330, -65)			NSR		99.1	Western			
PGS391 (0, -60)			NSR		189.0	Western	Western		
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS394 (0, -45)	NSR			172.2	Western	Bull Run			
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)	NSR			152.4	Dip Slope	Padre Pit			
PGS397 (0, -50)	147.8	202.7	54.9	0.64	0.2	208.8	Western	North Moosehead Pit	35.0
incl	161.5	170.7	9.1	1.40	1				
PGS398 (0, -90)	0.0	10.7	10.7	0.47	0.2	227.1	Dip Slope	Mineralized Mine Spoils	6.2
and	138.7	143.3	4.6	0.26	0.2			Padre Haul Road	
PGS399 (0, -62)	NSR			74.7	Western	Bull Run			
PGS400 (137, -80)	99.1	147.8	48.8	0.74	0.2	160.0	Western	North Moosehead Pit	36.2
incl	111.3	117.3	6.1	1.93	1				
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)	NSR			103.6	Bull Run				
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3
incl	155.4	160.0	4.6	1.16	1				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3
incl	117.3	123.4	6.1	3.24	1				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7
PGS409 (0, -90)	NSR			304.8	Warrior	Water Test Well			
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)	NSR			288.0	Covington	Water Test Well			
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7
incl.	39.6	64.0	24.4	1.70	1				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3
incl.	106.7	117.3	10.7	2.49	1				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6
incl	77.7	82.3	4.6	3.09	1				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77) incl	123.4 125.0	173.7 144.8	50.3 19.8	1.06 1.84	0.2 1	202.7	Dip Slope	North Hassayampa Pit	53.3
PGS422 (0, -87) incl	170.7 202.7	217.9 207.3	47.2 4.6	0.80 2.06	0.2 1	227.1	Western	North Moosehead Pit	36.2
PGS423 (0, -90)			NSR		86.9		Dip Slope	Lunch Spot	
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60) and	12.2 123.4	16.8 126.5	4.6 3.0	1.52 0.75	0.2 0.2	182.9	Dip Slope	Lunch Spot	9.2
PGS426 (287, -70)			NSR		121.9		Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)			NSR		138.7		Western	West Moosehead	
PGS428 (15, -77) and and	53.3 67.1 86.9	65.5 80.8 97.5	12.2 13.7 10.7	0.37 0.58 0.51	0.2 0.2 0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		
PGS431 (0, -90)			NSR		196.6		Western	Beavertail	
PGS432 (0, -90)			NSR		205.7		Dip Slope		
PGS433 (0, -90) incl and and	3.0 16.8 41.1 50.3	25.9 21.3 48.8 71.6	22.9 4.6 7.6 21.3	0.72 2.35 0.69 0.55	0.2 1 0.2 0.2	129.5	Western	Beavertail	33.4
PGS434 (70, -82)			NSR		147.8		Dip Slope	Goldtown Ridge	
PGS435 (90, -65) and	178.3 195.1	189.0 198.1	10.7 3.0	0.98 0.69	0.2 0.2	233.2	Dip Slope		10.4
PGS436 (90, -65) and	13.7 62.5	51.8 67.1	38.1 4.6	0.76 0.50	0.2 0.2	117.3	Western	Beavertail	31.1
PGS437 (105, -65)			NSR		150.9		Dip Slope	Goldtown Ridge	
PGS438 (0, -90)			NSR		196.6		Western	Beavertail	
PGS439 (320, -75)			NSR		152.4		Dip Slope	Goldtown Ridge	
PGS440 (335, -65) incl	213.4 227.1	234.7 233.2	21.3 6.1	1.05 2.23	0.2 1	248.4	Dip Slope		22.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)			NSR			114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)			NSR			243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)			NSR			147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)			Pending			0.2	175.3	Dip Slope	
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3

### Liberty Gold - Goldstrike 2018 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70)	2.1	27.0	24.8	0.73	0.2	95.1	Dip Slope	Met Core Hole	18.1
incl	0.6	6.9	6.2	1.47	0.5				
PGS478C (98, -65)	0.8	34.2	33.5	0.67	0.2	50.1	Dip Slope	Met Core Hole	22.5
incl	3.7	13.4	9.8	1.45	0.5				
PGS479C (290, -65)			NSR			18.6	Dip Slope	Hole Lost Above Target	
PGS480C (190, -80)	44.0	57.9	13.9	0.43	0.2	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2
and	68.3	73.1	4.8	0.46	0.2				
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4
PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4
and	101.2	112.5	11.3	0.60	0.2				
PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5
and	59.4	68.1	8.7	0.59	0.2				
and	76.8	146.5	69.6	0.79	0.2				
incl.	138.9	146.5	7.6	2.46	1				
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4
PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2
and	46.3	60.0	13.7	0.77	0.2				
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3
PGS488CA (150, -65) and	18.9 67.7	55.6 86.0	36.7 18.3	0.33 0.41	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2		Beavertail Pit (Western)	Met Core Hole	11.1
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0
PGS491 (200, -65)			NSR			61.0	Dip Slope		
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8
PGS495 (0, -90)			NSR			56.4	Dip Slope		
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5
PGS498 (0, -90)			NSR			105.2	Dip Slope		
PGS499 (300, -65)			NSR			108.2	Dip Slope		
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8
PGS501 (0, -90)			NSR			91.4	Dip Slope		
PGS502 (0, -90)			NSR			61.0	Dip Slope		
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.2	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.2	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.2	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.2	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.2	193.5	Dip Slope		2.8
PGS508 (0, -90)			NSR			68.6	Goldtown Back Fill		
PGS509 (0, -90)			NSR			19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.2	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.2	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.2	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90) and	0.0 15.2	7.6 30.5	7.6 15.2	0.56 0.73	0.2	111.3	Goldtown Back Fill	Back Fill Material Bedrock	15.5
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.2		Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.2	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)			NSR			91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.2	105.2	Jedi		1.1
PGS518 (272, -50)			NSR			129.5	Peg Leg		
PGS519 (180, -65)			NSR			80.8	Jedi		
PGS520 (225, -50)			NSR			182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.2	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.2	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.2	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.2	91.4	Jacks Camp		14.2
PGS525 (50, -50) and	13.7 53.3	24.4 62.5	10.7 9.1	0.64 0.28	0.2	91.4	Jacks Camp		9.4
PGS526 (0, -90) and	0.0 35.1	32.0 47.2	32.0 12.2	0.57 0.32	0.2	62.5	Leach Pad 1	Leach Pad Material Back Fill Material	22.1
PGS527 (0, -90)			NSR				80.8	Jacks Camp	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.2	132.6	Jacks Camp		1.6
PGS529 (0, -90)	0.0	13.7	13.7	0.64	0.2	121.9	Leach Pad 1	Leach Pad Material	30.6
and	15.2	19.8	4.6	0.20				Back Fill Material	
and	41.1	44.2	3.0	0.41				Bedrock	
and	53.3	59.4	6.1	0.31					
and	82.3	106.7	24.4	0.73					
PGS530 (180, -50)			NSR			86.9	Jacks Camp		
PGS531 (0, -90)	0.0	30.5	30.5	0.27	0.2	118.9	Leach Pad 1	Leach Pad Material	42.6
and	38.1	48.8	10.7	0.37				Back Fill Material	
and	48.8	89.9	41.1	0.55				Bedrock	
and	105.2	112.8	7.6	1.05					
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.2	80.8	Fence Line		21.1
PGS533 (320, -85)	0.0	10.7	10.7	0.55	0.2	178.3	Leach Pad1	Leach Pad Material	43.5
and	13.7	29.0	15.2	0.27				Bedrock	
and	131.1	170.7	39.6	0.85					
PGS534 (180, -75)			NSR				Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.2	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90)	0.0	15.2	15.2	0.62	0.2	80.8	Leach Pad 2	Leach Pad Material	15.1
and	15.2	50.3	35.1	0.16	0.15			Back Fill Material	
PGS537 (110, -65)			NSR				Fence Line		
PGS538 (0, -90)	0.0	16.8	16.8	0.23	0.2	41.1	Leach Pad 2	Leach Pad Material	13.6
and	16.8	33.5	16.7	0.58				Back Fill Material	
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.2	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90)	0.0	24.4	24.4	0.17	0.15	53.3	Leach Pad 2	Leach Pad Material	9.4
and	24.4	48.8	24.4	0.21	0.2			Back Fill Material	
PGS541 (0, -90)	0.0	33.5	33.5	0.32	0.2	93.0	Leach Pad 2	Leach Pad Material	14.1
and	47.2	62.5	15.2	0.22				Back Fill Material	
PGS542 (0, -90)	0.0	35.1	35.1	0.52	0.2	56.4	Leach Pad 2	Leach Pad Material	12.3
and	35.1	53.3	18.2	0.35				Back Fill Material	
PGS543 (0, -90)	0.0	15.2	15.2	0.32	0.2	53.3	Leach Pad 2	Leach Pad Material	8.2
and	15.2	28.6	13.4	0.25				Back Fill Material	
PGS544 (0, -90)	0.0	29.0	29.0	0.19	0.15	68.6	Leach Pad 2	Leach Pad Material	8.3
and	29.0	36.6	7.6	0.36	0.2			Back Fill Material	
PGS545 (250, -60)			NSR			117.3	Fence Line		
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.2	44.2	Leach Pad 2	Leach Pad Material	9.4
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.2	56.4	Leach Pad 2	Leach Pad Material	12.0
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.2	80.8	Leach Pad 2	Leach Pad Material	19.5
and	21.3	48.8	27.5	0.28				Back Fill Material	
and	48.8	61.0	12.2	0.42				Bedrock	
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.2	160.0	Fence Line		1.4
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.2	61.0	Leach Pad 2	Leach Pad Material	10.2
and	44.2	50.3	6.1	0.32				Back Fill Material	
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.2	61.0	Leach Pad 2	Leach Pad Material	22.1
and	47.2	53.3	6.1	0.69				Back Fill Material	
PGS552 (20, -75)			NSR			138.7	Big Red		
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.2	91.4	Leach Pad 2	Leach Pad Material	17.5
and	42.7	51.8	9.1	0.36				Back Fill Material	
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.2	61.0	Leach Pad 2	Leach Pad Material	11.4
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.2	141.7	Big Red		3.0
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9
and	76.2	89.9	13.7	1.42	0.2			Bedrock	
PGS557 (90, -65)			NSR			99.1	Peg Leg		
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.2	93.0	Big Red		7.1
and	12.2	16.8	4.6	1.12					
and	57.9	61.0	3.0	0.30					
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.2	138.7	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.2	91.4	Big Red		1.6
PGS561 (0, -50)			NSR			91.4	Big Red		
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.2	190.5	Peg Leg		13.1
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.2	82.3	Peg Leg		3.9
PGS564 (0, -75)			NSR			100.6	Big Red		
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.2	135.6	Potter's Peak		4.3
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.2	182.9	Potter's Peak		0.3
PGS567 (305, -65)	3.0	7.6	4.6	0.71		51.8	Peg Leg		16.8
and	19.8	21.3	1.5	8.85					
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.2	126.5	Peg Leg		3.4
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.2	86.9	Potter's Peak		0.7
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.2	61.0	Peg Leg		0.5
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.2	79.3	Peg Leg		1.1
PGS572 (90, -75)			NSR			105.2	Potter's Peak		
PGS573 (270, -50)			NSR			61.0	Peg Leg		
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.2		Peg Leg		36.3
incl	61.0	71.6	10.7	1.88	1	141.7			
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.2	121.9	Peg Leg		6.2
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.2	83.8	Potter's Peak		1.0
PGS577 (145, -45)	0.0	16.8	16.8	0.48		0.2	Peg Leg		34.1
and	96.0	132.6	36.6	0.71		144.8			
PGS578 (0, -50)			NSR			115.8	Potter's Peak		
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.2		Peg Leg		
and	77.7	120.4	42.7	1.14	0.2	121.9			62.7
incl	100.6	118.9	18.3	2.00	1				
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.2		Peg Leg		31.4
incl	62.5	65.5	3.0	3.43	1	129.5			
and	86.9	100.6	13.7	0.52	0.2				
PGS581 (150, -70)			NSR			80.8	Potter's Peak		
PGS582 (120, -60)	3.0	7.6	4.6	0.47		0.20	105.2	Peg Leg	
and	13.7	25.9	12.2	0.60					9.4
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.2	91.4	Potter's Peak		1.0
PGS584 (240, -73)	86.9	108.2	21.3	0.74		0.2	202.7	Main	
and	117.3	166.1	48.8	0.42					38.5
and	178.3	187.5	9.1	0.27					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.2	91.4	Fence Line		15.1
PGS586 (177, -60)	118.9	123.4	4.6	0.91		0.2	227.1	Main Zone	
and	175.3	181.4	6.1	0.39				Warrior	6.6
PGS587 (0, -70)			NSR			182.9	Picaroon		
PGS588 (0, -45)			NSR			117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65)	7.6	36.6	29.0	0.56		0.2	202.7	Western	
and	48.8	54.9	6.1	0.36				Beavertail	30.2
and	89.9	103.6	13.7	0.85					
PGS590 (0, -70)			NSR			135.6	Main Zone	Aggie Footwall	
PGS591 (145, -65)	0.0	76.2	76.2	0.72	0.2		135.6	Western	
incl	15.2	21.3	6.1	1.26	1			Beavertail	55.1
PGS592 (310, -45)			NSR			80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.2	196.6	Main Zone		Aggie
and	35.1	62.5	27.4	0.81		105.2	Western		37.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS595 (157, -49)	117.3	121.9	4.6	0.32	0.2	196.6	Main Zone	Aggie	34.0
and	132.6	166.1	33.5	0.97	0.2				
incl.	146.3	161.5	15.2	1.64	1				
PGS596 (60, -55)	0.0	21.3	21.3	0.79	0.2	196.6	Western	Beavertail	26.5
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
PGS597 (210, -70)	121.9	138.7	16.8	1.06	0.2	117.3	Main zone	Aggie	17.8
PGS598 (0, -90)	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
PGS599 (138, -80)			NSR			172.2	Main zone	Aggie	
PGS600 (0, -90)	42.7	45.7	3.0	0.56	0.2	86.9	Western	Goldstrike Graben	1.7
PGS601 (305, -72)			NSR			144.8	Main zone	Aggie	
PGS602 (49, 52)	57.9	64.0	6.1	0.41	0.2	99.1	Western	Goldstrike Graben	5.2
and	65.5	77.7	12.2	0.22					
PGS603 (70, -50)	93.0	112.8	19.8	0.33					
PGS604 (0, -90)	62.5	65.5	3.0	0.40	0.2	129.5	Western	Goldstrike Graben	1.2
PGS605 (305, -50)			NSR			166.1	Main zone		
PGS606 (30, -50)	126.5	132.6	6.1	0.35	0.2	182.9	Western	Goldstrike Graben	6.5
and	143.3	146.3	3.0	1.03					
and	150.9	153.9	3.0	0.39					
PGS607 (250, -50)	117.3	121.9	4.6	0.36	0.2	182.9	Main zone		1.7
PGS608 (165, -70)	4.6	13.7	9.1	0.52	0.2	147.8	Main zone		20.3
and	38.1	71.6	33.5	0.46					
PGS609 (0, -75)			NSR			152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.2	86.9	Dip Slope	Hassayampa Backfill	7.2
PGS611 (0, -90)			NSR			152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.2	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.2	123.4	Dip Slope		0.7
PGS614 (0, -80)			NSR			158.5	Western	Goldstrike Graben	
PGS615 (0, -55)	9.1	25.9	16.8	2.09	0.2	117.3	Dip Slope		42.7
incl	12.2	19.8	7.6	3.94	1				
and	56.4	57.9	1.5	0.38	0.2				
and	64.0	76.2	12.2	0.90	0.2				
and	93.0	96.0	3.0	0.37	0.2				
PGS616 (55, -50)			NSR			80.8	Dip Slope		
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)			NSR			105.2	Main zone	Aggie	
PGS619 (310, -65)			NSR			86.9	Main zone	Aggie	
PGS620 (145, -65)			NSR			178.3	Western	Goldstrike Graben	
PGS621 (90, -70)			NSR			121.9	Peg Leg		
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.2	152.4	Peg Leg		1.1
PGS623 (350, -70)	6.1	10.7	4.57	0.54	0.2	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.2				
PGS624 (45, -80)			NSR			111.3	Peg Leg		
PGS625 (50, -70)	0.0	15.2	15.2	0.36	0.2	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
PGS626 (190, -55)	0.0	13.7	13.7	0.54					
and	99.1	105.2	6.1	0.55	0.2	147.8	Peg Leg		16.9
and	123.4	135.6	12.2	0.51					
PGS627 (345, -82)	80.8	83.8	3.0	0.40	0.2	202.7	Western	Covington Dyke	1.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS628 (60, -75)	0.0	12.2	12.2	0.61	0.2	140.2	Peg Leg		11.3
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
PGS629 (70, -65)			NSR		147.8	Peg Leg			
PGS630 (60, -75)	39.6	106.7	67.1	1.17	0.2	129.5	Peg Leg		78.3
incl	51.8	77.7	25.9	2.21	1.0				
PGS631 (0, -75)	44.2	96.0	51.8	0.99	0.2				
incl	74.7	85.3	10.7	2.45	1.0	120.4	Peg Leg		59.7
and	105.2	109.7	4.6	1.84	0.2				
PGS632 (255, -50)			NSR		178.3	Peg Leg			
PGS633 (180, -55)	0.0	9.1	9.1	1.01	0.2	160.0	Main zone	Hamburg Ext	34.0
and	48.8	59.4	10.7	0.30	0.2				
and	70.1	96.0	25.9	0.80	0.2				
incl	88.4	93.0	4.6	2.03	1				
and	112.8	115.8	3.0	0.31	0.2				
PGS634 (180, -75)	57.9	97.5	39.6	0.65	0.2	135.6	Peg Leg		25.6
PGS635 (180, -60)	44.2	105.2	61.0	0.62	0.2	178.3	Main zone	Hamburg Ext	37.7
incl	86.9	94.5	7.6	1.70	1				
PGS636 (180, -70)	0.0	9.1	9.1	1.63	0.2	141.7	Peg Leg		51.4
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	79.2	100.6	21.3	1.59					
PGS637 (0, -90)	56.4	79.2	22.9	0.52	0.2	141.7	Main	Hamburg Ext	11.8
PGS638 (290, -75)	0.0	9.1	9.1	0.80	0.2	152.4	Peg Leg		12.8
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
PGS639 (180, -67)	56.4	80.8	24.4	0.63	0.2	166.1	Main zone	Hamburg Ext	15.5
PGS640 (0, -90)	7.6	30.5	22.9	0.37	0.2	56.3	Main	Hamburg East Backfill	16.9
and	38.1	54.9	16.8	0.50					
PGS641 (0, -90)			NSR		44.2	Main		Hamburg West Backfill	
PGS642 (180, -45)	44.2	47.2	3.0	1.34	0.2	182.9	Main zone	Hamburg Ext	17.0
and	48.8	73.2	24.4	0.53					
PGS643 (180, -67)			NSR		91.4	Western		Picaroon	
PGS644 (0, -65)			NSR		117.3	Western		West Beavertail	
PGS645 (180, -50)	51.8	67.1	15.2	0.36	0.2	166.1	Main	Hamburg Ext	5.5
PGS646 (180, -70)	10.7	18.3	7.6	0.44	0.2	128.0	Western	West Beavertail	3.4
PGS647 (145, -65)	18.3	21.3	3.0	0.36	0.2	135.6	Main	Hamburg Ext	1.1
PGS648 (0, -65)	7.6	27.4	19.8	0.46	0.2	138.7	Western	West Beavertail	9.2
PGS649 (180, -65)	0.0	10.7	10.7	0.40	0.2	134.1	Western	West Beavertail	12.5
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
PGS650 (180, -65)	3.0	4.6	1.5	0.21	0.2	123.4	Western	West Beavertail	26.8
and	6.1	24.4	18.3	1.24					
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
PGS651 (180, -65)			NSR		129.5	Western		West Beavertail	
PGS652 (0, -90)			NSR		160.0	Western		West Beavertail	
PGS653 (180, -65)			NSR		121.9	Western		West Beavertail	
PGS654 (180, -65)			NSR		99.1	Western		West Beavertail	
PGS655 (325, -69)	3.0	35.1	32.0	0.44	0.2	141.7	Western	Beavertail	32.6
and	42.7	70.1	27.4	0.68					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS656 (67, -65)	3.0	15.2	12.2	0.35	0.2	147.8	Western	Beavertail	29.0
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					
PGS657 (235, -65)	0.0	27.4	27.4	0.38	0.2	105.2	Western	Beavertail	26.1
and	33.5	42.7	9.1	0.31					
and	48.8	54.9	6.1	0.57					
and	61.0	79.2	18.3	0.51					
PGS658 (100, -57)	0.0	22.9	22.9	0.48	0.2	166.1	Western	Beavertail	12.0
and	132.6	135.6	3.0	0.35					
PGS659 (35, -53)	0.0	44.2	44.2	0.54	0.2	160.0	Western	Beavertail	25.9
and	64.0	70.1	6.1	0.33					
PGS660 (180, -50)	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	42.6
and	16.8	50.3	33.5	0.88	0.2				
incl	33.5	44.2	10.7	1.47	1				
and	85.3	89.9	4.6	1.51	0.2				
PGS661 (65, -45)	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	37.5
and	19.8	56.4	36.6	0.80					
and	64.0	67.1	3.0	0.46					
PGS662 (0, -90)			NSR		16.8	Western	Moosehead Dump		
PGS663 (0, -90)	0.0	12.2	12.2	0.52	0.2	19.8	Western	Moosehead Dump	6.3
PGS664 (0, -90)	0.0	18.3	18.3	0.31	0.2	25.9	Western	Moosehead Dump	5.7
PGS665 (0, -90)	0.0	7.6	7.6	0.28	0.2	38.1	Western	Moosehead Dump	3.3
	15.2	18.3	3.0	0.36					
PGS666 (0, -90)	0.0	24.4	24.4	0.29	0.2	44.2	Western	Moosehead Dump	7.0
PGS667	112.8	118.9	6.1	0.47	0.2	147.8	Peg Leg		2.8
PGS668	45.7	70.1	24.4	0.70	0.2	157.0	Peg Leg		19.3
and	80.8	86.9	6.1	0.37					
PGS669	70.1	77.7	7.6	0.22	0.2	135.6	Peg Leg		15.4
and	85.3	99.1	13.7	1.00					
PGS670 (350, -75)	68.6	86.9	18.3	2.95	0.2	152.4	Peg Leg		56.1
and	105.2	109.7	4.6	0.47					
PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.2	141.7	Peg Leg		2.6
PGS672 (185, -50)	70.1	76.2	6.1	0.73	0.2	157.0	Peg Leg		7.1
and	123.4	129.5	6.1	0.43					
PGS673 (145, -65)			NSR		166.1	Aggie			
PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.2	105.2	Dip Slope		19.2
and	30.5	32.0	1.5	0.48					
and	38.1	39.6	1.5	0.69					
and	51.8	70.1	18.3	0.49					
and	89.9	93.0	3.0	2.42					
PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.2	117.3	Dip Slope		11.3
and	57.9	62.5	4.6	0.36					
and	71.6	83.8	12.2	0.72					
PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.2	147.8	Hamburg Extension		18.7
and	47.2	56.4	9.1	1.17					
and	65.5	68.6	3.0	0.26					
PGS677 (203, -60)	0.0	7.6	7.6	0.85					
and	50.3	86.9	36.6	1.29					
incl	67.1	76.2	9.1	2.82	1				
and	94.5	97.5	3.0	0.45	0.2				
and	103.6	114.3	10.7	0.33	0.2				
PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.2	121.9	Hamburg Extension		10.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS679 (158, -54) and	47.2	59.4	12.2	0.37		0.2	121.9	Hamburg Extension	
	64.0	68.6	4.6	0.62					7.4
PGS680 (285, -75) and	50.3	53.3	3.0	0.45		0.2	105.2	Hamburg Extension	
	74.7	79.2	4.6	0.26					3.6
	94.5	96.0	1.5	0.69					
PGS681 (0, -85)	<b>18.3</b>	<b>30.5</b>	<b>12.2</b>	<b>0.83</b>	0.2	99.1	West Beavertail		<b>10.1</b>
PGS682 (180, -60)			NSR			117.3	West Beavertail		
PGS683 (180, -60)			NSR			147.8	West Beavertail		
PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.2	121.92	West Beavertail		1.9
PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.2	129.54	West Beavertail		0.6
PGS686 (0, -75) and	42.7	44.2	1.5	0.31		0.2	114.3	West Beavertail	
	48.8	51.8	3.0	0.24					2.7
	53.3	56.4	3.0	0.51					
PGS687 (180, -45) and	7.6	10.7	3.0	0.20	0.2	61.0	West Beavertail		
	<b>13.7</b>	<b>29.0</b>	<b>15.2</b>	<b>1.45</b>					<b>22.8</b>
incl	<b>13.7</b>	<b>18.3</b>	<b>4.6</b>	<b>3.90</b>	1				
PGS688 (0, -90) and	0.0	4.6	4.6	0.20	0.2	108.2	West Beavertail		1.8
	7.6	9.1	1.5	0.59					
PGS689 (180, -45)			NSR			100.6	West Beavertail		
PGS690 (0, -45) incl	<b>0.0</b>	<b>16.8</b>	<b>16.8</b>	<b>1.49</b>	0.2	109.73	West Beavertail		<b>25.0</b>
	<b>10.7</b>	<b>16.8</b>	<b>6.1</b>	<b>3.37</b>	1				
PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0
PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3
PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7
PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4
PGS695 (36, -65)			NSR			111.3	West Beavertail		0.0
PGS696 (182, -47) and	<b>0.0</b>	<b>7.6</b>	<b>7.6</b>	<b>1.00</b>		0.2	121.9	West Beavertail	
	<b>22.9</b>	<b>32.0</b>	<b>9.1</b>	<b>0.55</b>					<b>14.6</b>
	38.1	42.7	4.6	0.43					
PGS697 (286, -60) and	<b>1.5</b>	<b>22.9</b>	<b>21.4</b>	<b>0.80</b>	0.2	91.4	West Beavertail		<b>18.6</b>
	53.3	57.9	4.6	0.32					
PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4
PGS699 (326, -55)			NSR			91.4	West Beavertail		0.0
PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9
PGS701 (73, -65)			NSR			91.4	West Beavertail		0.0
PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2
PGS703 (120, -61)	<b>18.3</b>	<b>67.1</b>	<b>48.8</b>	<b>0.39</b>	0.2	86.9	West Beavertail		<b>19.2</b>
PGS704 (76, -45)			NSR			50.3	West Beavertail		0.0
PGS705 (324, -70)			NSR			108.2	West Beavertail		0.0
PGS706 (340, -61)			NSR			129.5	Beavertail		0.0
PGS707 (160, -56)			NSR			141.7	Beavertail		0.0
PGS708 (185, -50)	<b>0.0</b>	<b>33.5</b>	<b>33.5</b>	<b>0.32</b>	0.2	102.1	Beavertail		<b>10.7</b>
PGS709 (310, -65)			NSR			91.4	West Beavertail		0.0
PGS710 (290, -65)			NSR			61.0	West Beavertail		0.0
PGS711 (180, -70)			Hole not submitted			38.1	West Beavertail	hole lost	
PGS712 (145, -55)			NSR			118.9	Dip Slope		0.0
PGS713 (225, -55) incl.	<b>93.0</b>	<b>112.8</b>	<b>19.8</b>	<b>1.40</b>	0.2	121.9	Dip Slope		<b>27.8</b>
	<b>100.6</b>	<b>109.7</b>	<b>9.1</b>	<b>2.79</b>	1				
PGS714 (355, -60)	<b>89.9</b>	<b>108.2</b>	<b>18.3</b>	<b>0.71</b>	0.2	140.2	Dip Slope		<b>13.0</b>
PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2
PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3
PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4
PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3
PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1
PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8
PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9
PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2
PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6
PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6
PGS726 (339, -70)	<b>59.4</b>	<b>80.8</b>	<b>21.3</b>	<b>0.75</b>	0.2	91.4	Dip Slope		<b>15.9</b>
PGS727 (36, -45)	3.0	12.2	9.1	0.30					
and	21.3	25.9	4.6	0.21					
and	<b>27.4</b>	<b>36.6</b>	<b>9.1</b>	<b>0.59</b>					<b>9.1</b>
PGS728 (308, -45)	1.5	15.2	13.7	0.28	0.2				
and	24.4	32.0	7.6	0.57	0.2				
and	<b>36.6</b>	<b>61.0</b>	<b>24.4</b>	<b>0.60</b>	0.2				<b>22.7</b>
PGS729 (251, -51)	51.8	53.3	1.5	0.56	0.2	65.5	Dip Slope		0.8
PGS730 (30, -50)			NSR			59.4	Dip Slope		
PGS731 (300, -50)			NSR			50.3	Dip Slope		
PGS732 (280, -50)	7.6	16.8	9.1	0.39					
and	24.4	27.4	3.0	0.36					
and	33.5	35.1	1.5	0.56					5.5
PGS733 (0, -57)	<b>7.6</b>	<b>35.1</b>	<b>27.4</b>	<b>1.15</b>	0.2				
incl	<b>24.4</b>	<b>30.5</b>	<b>6.1</b>	<b>3.39</b>	1	61.0	Dip Slope		<b>31.4</b>
PGS734 (160, -50)	10.7	16.8	6.1	0.25	0.2	48.8	Dip Slope		1.5
PGS735 (0, -90)			NSR			117.3	Hamburg Extension		
PGS736 (31, -51)	<b>68.6</b>	<b>123.4</b>	<b>54.9</b>	<b>0.50</b>	0.2	146.3	Hamburg Extension		<b>27.7</b>
PGS737 (346, -68)	51.8	54.9	3.0	0.23	0.2				
and	<b>62.5</b>	<b>82.3</b>	<b>19.8</b>	<b>0.45</b>	0.2	121.9	Hamburg Extension		<b>9.5</b>
PGS738 (235, -60)	83.8	85.3	1.5	3.09	0.2	108.2	Hamburg Extension		4.7

### Liberty Gold - Goldstrike 2021 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS739 (0, -90)	4.6	9.1	4.6	0.30			Beavertail		<b>24.9</b>
and	32.0	41.1	9.1	0.40					
and	<b>79.2</b>	<b>91.4</b>	<b>12.2</b>	<b>1.02</b>					
incl	<b>85.3</b>	<b>86.9</b>	<b>1.5</b>	<b>6.01</b>	1				
and	117.3	126.5	9.1	0.82	0.2				
PGS740 (85, -50)	15.2	18.3	3.0	0.33			Beavertail		<b>27.3</b>
and	<b>77.7</b>	<b>111.3</b>	<b>33.5</b>	<b>0.79</b>	0.2				
incl	<b>80.8</b>	<b>88.4</b>	<b>7.6</b>	<b>1.03</b>	1				
PGS741 (195, -70)	19.8	27.4	7.6	0.30			Beavertail		6.6
and	44.2	45.7	1.5	0.84					
and	51.8	54.9	3.0	0.68					
and	62.5	65.5	3.0	0.33					
PGS742 (200, -68)	<b>0.0</b>	<b>62.5</b>	<b>62.5</b>	<b>0.46</b>	0.2		Beavertail		<b>28.8</b>
incl	<b>35.1</b>	<b>38.1</b>	<b>3.0</b>	<b>1.55</b>	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS743 (65, -80)	4.6	76.2	71.6	0.38	0.2	147.9	Beavertail		28.7				
incl	62.5	64.0	1.5	2.02	1								
and	94.5	100.6	6.1	0.25	0.2								
PGS744 (135, -50)	33.5	36.6	3.0	0.74	0.2	117.3	Beavertail		2.3				
PGS745 (80, -60)			No Significant Results			129.6	Beavertail						
PGS746 (180, -45)	74.7	88.4	13.7	0.27	0.2	114.3	Hamburg		3.7				
PGS747 (180, -80)	65.5	68.6	3.0	0.30	0.2	117.4	Hamburg		1.0				
PGS748 (0, -60)	0.0	3.0	3.0	0.40	0.2	114.3	Hamburg		53.1				
and	36.6	47.2	10.7	0.39									
and	74.7	97.5	22.9	2.09									
incl	76.2	85.3	9.1	4.36									
PGS749 (270, -60)	50.3	53.3	3.0	0.33	0.2	141.7	Hamburg		9.9				
and	70.1	86.9	16.8	0.53									
incl	83.8	85.3	1.5	1.58									
PGS750 (0, -85)	21.3	44.2	22.9	0.90	0.2	135.6	Hamburg		20.5				
Incl	21.3	25.9	4.6	2.86	1								
PGS751 (0, -65)	48.8	59.4	10.7	0.84	0.2	120.4	Hamburg		24.8				
incl	54.9	56.4	1.5	2.06	1								
and	68.6	86.9	18.3	0.83	0.2								
incl	71.6	74.7	3.0	1.49	1								
and	99.1	100.6	1.5	0.41	0.2								
PGS752 (18, -45)	30.5	47.2	16.8	0.78	0.2	105.2	Hamburg		25.5				
and	59.4	65.5	6.1	0.37									
and	76.2	89.9	13.7	0.74									
incl	80.8	86.9	6.1	1.14									
PGS753 (280, -85)	56.4	96.0	39.6	1.19	0.2	141.7	Hamburg		49.9				
incl	56.4	57.9	1.5	1.59	1.0								
incl	62.5	65.5	3.0	1.53									
incl	67.1	70.1	3.0	1.01									
incl	73.2	83.8	10.7	1.89									
incl	85.3	93.0	7.6	1.39									
and	102.1	108.2	6.1	0.43	0.2								
PGS754 (245, -40)	77.7	93.0	15.2	3.60	0.2	126.5	Hamburg		54.8				
incl	77.7	83.8	6.1	7.75	1								
also incl	77.7	82.3	4.6	9.98	5								
PGS755 (220, -57)	56.4	74.7	18.3	1.74	0.2	121.9	Hamburg		31.9				
incl	56.4	71.6	15.2	2.03	1								
PGS756 (240, -70)	44.2	62.5	18.3	1.07	0.2	129.5	Hamburg		27.2				
also incl	50.3	57.9	7.6	1.52	1.0								
and	80.8	86.9	6.1	0.75	0.2								
incl	82.3	83.8	1.5	1.17	1.0								
and	94.5	96.0	1.5	0.64	0.2								
and	108.2	112.8	4.6	0.48	0.2								
PGS757 (170, -70)	39.6	51.8	12.2	0.95	0.2	132.6	Hamburg		22.1				
incl	47.2	50.3	3.0	2.49	1								
and	61.0	68.6	7.6	0.54	0.2								
and	88.4	93.0	4.6	1.02									
incl	88.4	91.4	3.0	1.24									
and	112.8	114.3	1.5	0.74									
and	115.8	118.9	3.0	0.20									
PGS758 (020, -50)	74.7	141.7	67.1	0.62	0.2	178.3	Hamburg		41.5				
incl	77.7	80.8	3.0	1.76	1								
also incl	82.3	83.8	1.5	1.22									
also incl	88.4	89.9	1.5	1.02									
also incl	121.9	123.4	1.5	2.31									
also incl	125.0	126.5	1.5	1.04									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS759 (355, -50)	61.0	65.5	4.6	0.22	0.2	141.7	Hamburg		43.7				
and	70.1	140.2	70.1	0.61									
incl	94.5	100.6	6.1	1.74									
PGS760 (0, -90)	36.6	41.1	4.6	0.30	0.2	144.8	Hamburg		11.8				
and	47.2	71.6	24.4	0.43									
incl	64.0	65.5	1.5	1.12									
PGS761 (290, -65)	48.8	80.8	32.0	0.38	0.15	166.1	Hamburg		30.5				
also incl	54.9	80.8	25.9	0.42	0.2								
and	89.9	103.6	13.7	0.88	0.15								
incl	89.9	100.6	10.7	1.08	0.2								
also incl	94.5	97.5	3.0	2.70	1								
and	109.7	126.5	16.8	0.38	0.15								
incl	109.7	123.4	13.7	0.42	0.2								
PGS762	0.0	3.0	3.0	0.58	0.2	121.9	Hamburg		2.4				
and	57.9	59.4	1.5	0.41									
PGS763	0.0	3.0	3.0	0.47	0.2	141.7	Hamburg		3.1				
and	44.2	47.2	3.0	0.35									
and	121.9	123.4	1.5	0.37									
PGS764 (200, -80)	0.0	4.6	4.6	0.47		121.9	Hamburg		2.1				
PGS765 (300, -74)	1.5	6.1	4.6	0.47	0.2	121.9	Hamburg		4.5				
and	16.8	18.3	1.5	0.43									
and	65.5	68.6	3.0	0.41									
and	83.8	85.3	1.5	0.34									
PGS766 (350, -60)			No Significant Results		121.9	Hamburg							
PGS767 (250, -60)			No Significant Results		141.7	Hamburg							
PGS768 (10, -45)			No Significant Results		135.6	Hamburg							
PGS769 (0, -60)			No Significant Results		146.3	Hamburg							
PGS770 (335, -50)	22.9	48.8	25.9	0.67	0.2	129.5	Hamburg		17.4				
PGS771 (5, -85)	0.0	33.5	33.5	0.28	0.15	144.8	Hamburg		15.9				
incl	1.5	32.0	30.5	0.29	0.2								
and	35.1	39.6	4.6	0.15	0.15								
and	41.1	53.3	12.2	0.48	0.2								
also incl	48.8	50.3	1.5	1.17	1								
PGS772 (280, -65)	0.0	33.5	33.5	0.32	0.15	121.9	East Hamburg		18.7				
incl	0.0	33.5	33.5	0.32	0.2								
and	41.1	54.9	13.7	0.44	0.15								
incl	44.2	54.9	10.7	0.51	0.2								
also incl	50.3	53.3	3.0	1.14	1								
and	62.5	67.1	4.6	0.45	0.15								
incl	62.5	65.5	3.0	0.58	0.2								
PGS773 (25, -50)	32.0	94.5	62.5	0.79	0.15	105.2	East Hamburg		49.5				
incl	32.0	93.0	61.0	0.81	0.2								
also incl	35.1	36.6	1.5	1.33									
also incl	39.6	54.9	15.2	1.48									
also incl	56.4	57.9	1.5	1.06									
also incl	68.6	70.1	1.5	1.05									
also incl	71.6	73.2	1.5	1.24									
PGS774 (345, -75)	35.1	82.3	47.2	0.45	0.15	99.1	East Hamburg		21.3				
incl	38.1	73.2	35.1	0.48	0.2								
also incl	74.7	80.8	6.1	0.59									
PGS775 (350, -80)	9.1	15.2	6.1	2.72	1	117.3	Hamburg Pit		18.3				
and	22.9	56.4	33.5	0.58	0.15								
incl	24.4	54.9	30.5	0.61	0.2								
also incl	24.4	25.9	1.5	1.17	1								
also incl	47.2	53.3	6.1	1.24									
and	62.5	70.1	7.6	0.31									
incl	62.5	68.6	6.1	0.34	0.2								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
<b>PGS776 (290, -65)</b>	<b>21.3</b>	<b>53.3</b>	<b>32.0</b>	<b>0.35</b>	<b>0.15</b>	99.1	Hamburg Pit		<b>11.3</b>				
incl	<b>38.1</b>	<b>53.3</b>	<b>15.2</b>	<b>0.54</b>	<b>0.2</b>								
also incl	44.2	45.7	1.5	1.13	1								
<b>PGS777 (250, -60)</b>	18.3	22.9	4.6	0.26	0.15	121.9	Hamburg Pit		<b>15.5</b>				
and	<b>35.1</b>	<b>45.7</b>	<b>10.7</b>	<b>0.42</b>									
incl	<b>35.1</b>	<b>41.1</b>	<b>6.1</b>	<b>0.62</b>									
also incl	<b>39.6</b>	<b>41.1</b>	<b>1.5</b>	<b>1.67</b>									
and	48.8	57.9	9.1	0.25									
incl	48.8	53.3	4.6	0.34									
and	<b>68.6</b>	<b>76.2</b>	<b>7.6</b>	<b>0.62</b>									
also incl	<b>71.6</b>	<b>74.7</b>	<b>3.0</b>	<b>1.08</b>	1								
and	94.5	99.1	4.6	0.62	0.2								
<b>PGS778 (200, -70)</b>	16.8	27.4	10.7	0.33	0.15	157.0	Hamburg Pit		<b>10.6</b>				
incl	16.8	27.4	10.7	0.33	0.2								
and	73.2	77.7	4.6	0.41	0.15								
incl	73.2	77.7	4.6	0.41	0.2								
and	86.9	97.5	10.7	0.49	0.15								
incl	86.9	97.5	10.7	0.49	0.2								
<b>PGS779 (145, 62)</b>	85.3	89.9	4.6	0.58	0.15	135.6	Hamburg Pit		<b>2.7</b>				
incl	85.3	89.9	4.6	0.58	0.2								
<b>PGS780 (80, -83)</b>	<b>10.7</b>	<b>19.8</b>	<b>9.1</b>	<b>2.21</b>	0.2	138.7	Hamburg Pit		<b>45.3</b>				
incl	<b>12.2</b>	<b>18.3</b>	<b>6.1</b>	<b>3.06</b>	1								
and	<b>25.9</b>	<b>61.0</b>	<b>35.1</b>	<b>0.70</b>	0.15								
incl	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.90</b>	0.2								
also incl	<b>25.9</b>	<b>32.0</b>	<b>6.1</b>	<b>1.82</b>	1								
also incl	<b>33.5</b>	<b>35.1</b>	<b>1.5</b>	<b>1.02</b>									
incl	53.3	61.0	7.6	0.59	0.2								
also incl	54.9	56.4	1.5	1.26	1								
and	<b>83.8</b>	<b>91.4</b>	<b>7.6</b>	<b>0.83</b>	0.15								
incl	<b>83.8</b>	<b>89.9</b>	<b>6.1</b>	<b>0.98</b>	0.2								
also incl	85.3	88.4	3.0	1.60	1								
<b>PGS781 (60, -55)</b>	<b>13.7</b>	<b>27.4</b>	<b>13.7</b>	<b>0.94</b>	0.15	160.0	Hamburg Pit		<b>17.5</b>				
incl	<b>13.7</b>	<b>25.9</b>	<b>12.2</b>	<b>1.04</b>	0.2								
also incl	<b>15.2</b>	<b>19.8</b>	<b>4.6</b>	<b>1.75</b>	1								
and	48.8	53.3	4.6	0.45	0.15								
incl	48.8	53.3	4.6	0.45	0.2								
and	103.6	112.8	9.1	0.28	0.15								
incl	103.6	111.3	7.6	0.30	0.2								
<b>PGS782 (187, -75)</b>	7.6	54.9	47.2	0.56	0.15	141.7	Hamburg Pit		<b>26.7</b>				
incl	9.1	53.3	44.2	0.59	0.2								
also incl	<b>24.4</b>	<b>25.9</b>	<b>1.5</b>	<b>1.13</b>	1								
also incl	<b>27.4</b>	<b>29.0</b>	<b>1.5</b>	<b>2.54</b>									
also incl	<b>42.7</b>	<b>44.2</b>	<b>1.5</b>	<b>1.64</b>									
<b>PGS783 (170, -55)</b>	7.6	19.8	12.2	0.30	0.15	135.6	Hamburg Pit		<b>20.2</b>				
incl	9.1	19.8	10.7	0.31	0.2								
and	<b>30.5</b>	<b>47.2</b>	<b>16.8</b>	<b>0.83</b>									
incl	<b>32.0</b>	<b>42.7</b>	<b>10.7</b>	<b>1.10</b>									
and	53.3	57.9	4.6	0.34	0.15								
incl	53.3	56.4	3.0	0.43	0.2								
and	80.8	85.3	4.6	0.26	0.15								
incl	80.8	83.8	3.0	0.30	0.2								
<b>PGS784 (225, -40)</b>	No Significant Results					129.5	West Hamburg						
<b>PGS785 (195, -45)</b>	61.0	77.7	16.8	0.25	0.15	121.9	West Hamburg		<b>4.1</b>				
incl	62.5	73.2	10.7	0.29	0.2								
<b>PGS786 (135, -72)</b>	<b>62.5</b>	<b>97.5</b>	<b>35.1</b>	<b>0.76</b>	0.15	199.6	West Hamburg		<b>26.7</b>				
incl	<b>62.5</b>	<b>82.3</b>	<b>19.8</b>	<b>1.05</b>	0.2								
also incl	<b>62.5</b>	<b>74.7</b>	<b>12.2</b>	<b>1.37</b>	1								
incl	89.9	97.5	7.6	0.64	0.2								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
<b>PGS787 (70, -75)</b>	<b>70.1</b>	<b>114.3</b>	<b>44.2</b>	<b>0.75</b>	<b>0.15</b>	196.6	<b>West Hamburg</b>		<b>33.3</b>				
incl	<b>70.1</b>	<b>111.3</b>	<b>41.1</b>	<b>0.80</b>	<b>0.2</b>								
also incl	<b>71.6</b>	<b>74.7</b>	<b>3.0</b>	<b>1.31</b>									
also incl	<b>89.9</b>	<b>94.5</b>	<b>4.6</b>	<b>1.05</b>									
also incl	<b>96.0</b>	<b>99.1</b>	<b>3.0</b>	<b>1.94</b>									
also incl	<b>103.6</b>	<b>105.2</b>	<b>1.5</b>	<b>1.16</b>									
<b>PGS788 (0, -90)</b>	<b>19.8</b>	<b>24.4</b>	<b>4.6</b>	<b>0.50</b>	0.2	132.6	<b>Hassayampa</b>		<b>16.6</b>				
and	<b>30.5</b>	<b>45.7</b>	<b>15.2</b>	<b>0.25</b>									
and	<b>54.9</b>	<b>61.0</b>	<b>6.1</b>	<b>0.17</b>	0.15								
and	<b>62.5</b>	<b>91.4</b>	<b>29.0</b>	<b>0.33</b>									
incl	<b>62.5</b>	<b>88.4</b>	<b>25.9</b>	<b>0.35</b>	<b>0.2</b>								
<b>PGS789 (90, -60)</b>	<b>30.5</b>	<b>35.1</b>	<b>4.6</b>	<b>0.29</b>	<b>0.15</b>	99.1	<b>Hassayampa</b>		<b>4.8</b>				
and	<b>38.1</b>	<b>44.2</b>	<b>6.1</b>	<b>0.18</b>	<b>0.15</b>								
and	<b>48.8</b>	<b>61.0</b>	<b>12.2</b>	<b>0.20</b>	<b>0.15</b>								
<b>PGS790 (40, -50)</b>	<b>30.5</b>	<b>67.1</b>	<b>36.6</b>	<b>0.72</b>	<b>0.2</b>	121.9	<b>Hassayampa</b>		<b>28.9</b>				
also incl	<b>36.6</b>	<b>38.1</b>	<b>1.5</b>	<b>1.24</b>									
also incl	<b>44.2</b>	<b>45.7</b>	<b>1.5</b>	<b>1.74</b>									
also incl	<b>50.3</b>	<b>51.8</b>	<b>1.5</b>	<b>1.40</b>									
also incl	<b>56.4</b>	<b>59.4</b>	<b>3.0</b>	<b>1.05</b>									
also incl	<b>61.0</b>	<b>65.5</b>	<b>4.6</b>	<b>1.35</b>									
and	<b>85.3</b>	<b>91.4</b>	<b>6.1</b>	<b>0.43</b>	<b>0.2</b>								
<b>PGS791 (340, -60)</b>	<b>29.0</b>	<b>33.5</b>	<b>4.6</b>	<b>0.48</b>	<b>0.15</b>	111.3	<b>Hassayampa</b>		<b>9.2</b>				
incl	<b>30.5</b>	<b>33.5</b>	<b>3.0</b>	<b>0.65</b>	<b>0.2</b>								
also incl	<b>32.0</b>	<b>33.5</b>	<b>1.5</b>	<b>1.09</b>	<b>1</b>								
and	<b>54.9</b>	<b>76.2</b>	<b>21.3</b>	<b>0.33</b>	<b>0.15</b>								
incl	<b>56.4</b>	<b>74.7</b>	<b>18.3</b>	<b>0.35</b>	<b>0.2</b>								
<b>PGS792 (0, -57)</b>	No Significant Results					<b>213.4</b>	<b>Hassayampa</b>						
<b>PGS793 (320, -62)</b>	<b>77.7</b>	<b>99.1</b>	<b>21.3</b>	<b>0.63</b>	<b>0.15</b>	152.4	<b>Hassayampa</b>		<b>13.4</b>				
incl	<b>77.7</b>	<b>97.5</b>	<b>19.8</b>	<b>0.66</b>	<b>0.2</b>								
also incl	<b>79.2</b>	<b>82.3</b>	<b>3.0</b>	<b>1.92</b>	<b>1</b>								
<b>PGS794 (60, -65)</b>	<b>0.0</b>	<b>15.2</b>	<b>15.2</b>	<b>1.14</b>	<b>0.2</b>	138.7	<b>Hassayampa</b>		<b>22.6</b>				
also incl	<b>0.0</b>	<b>9.1</b>	<b>9.1</b>	<b>1.66</b>	<b>1</b>								
and	<b>51.8</b>	<b>56.4</b>	<b>4.6</b>	<b>0.30</b>	<b>0.15</b>								
incl	<b>51.8</b>	<b>54.9</b>	<b>3.0</b>	<b>0.38</b>	<b>0.2</b>								
and	<b>85.3</b>	<b>94.5</b>	<b>9.1</b>	<b>0.18</b>	<b>0.15</b>								
and	<b>109.7</b>	<b>117.3</b>	<b>7.6</b>	<b>0.28</b>									
incl	<b>111.3</b>	<b>117.3</b>	<b>6.1</b>	<b>0.30</b>	<b>0.2</b>								
<b>PGS795 (110, 60)</b>	<b>42.7</b>	<b>56.4</b>	<b>13.7</b>	<b>0.70</b>	<b>0.15</b>	178.3	<b>Hassayampa</b>		<b>11.1</b>				
incl	<b>42.7</b>	<b>54.9</b>	<b>12.2</b>	<b>0.77</b>	<b>0.2</b>								
also incl	<b>44.2</b>	<b>47.2</b>	<b>3.0</b>	<b>1.88</b>	<b>1</b>								
and	<b>73.2</b>	<b>80.8</b>	<b>7.6</b>	<b>0.20</b>	<b>0.15</b>								
<b>PGS796 (310, -65)</b>	<b>0.0</b>	<b>16.8</b>	<b>16.8</b>	<b>0.51</b>	<b>0.2</b>	172.2	<b>Hassayampa</b>		<b>71.0</b>				
also incl	<b>0.0</b>	<b>1.5</b>	<b>1.5</b>	<b>1.38</b>									
also incl	<b>15.2</b>	<b>16.8</b>	<b>1.5</b>	<b>1.31</b>									
and	<b>51.8</b>	<b>65.5</b>	<b>13.7</b>	<b>0.77</b>	<b>0.2</b>								
incl	<b>54.9</b>	<b>56.4</b>	<b>1.5</b>	<b>1.29</b>									
incl	<b>61.0</b>	<b>64.0</b>	<b>3.0</b>	<b>1.31</b>									
and	<b>85.3</b>	<b>141.7</b>	<b>56.4</b>	<b>0.82</b>	<b>0.15</b>								
incl	<b>86.9</b>	<b>140.2</b>	<b>53.3</b>	<b>0.86</b>	<b>0.2</b>								
also incl	<b>91.4</b>	<b>102.1</b>	<b>10.7</b>	<b>2.48</b>	<b>1</b>								
also incl	<b>93.0</b>	<b>94.5</b>	<b>1.5</b>	<b>5.66</b>	<b>5</b>								
also incl	<b>112.8</b>	<b>114.3</b>	<b>1.5</b>	<b>1.26</b>	<b>1</b>								
also incl	<b>128.0</b>	<b>131.1</b>	<b>3.0</b>	<b>2.10</b>									
and	<b>150.9</b>	<b>164.6</b>	<b>13.7</b>	<b>0.42</b>	<b>0.2</b>								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS797 (290, -80)</b>	0.0	7.6	7.6	1.16	0.15	141.7	Hassayampa		52.8
incl	0.0	6.1	6.1	1.41	0.2				
also incl	0.0	1.5	1.5	4.00	1				
and	44.2	67.1	22.9	0.81	0.15				
incl	44.2	53.3	9.1	0.53	0.2				
also incl	47.2	48.8	1.5	1.06	1				
incl	59.4	67.1	7.6	1.73	0.2				
also incl	61.0	65.5	4.6	2.58	1				
<i>also incl</i>	61.0	62.5	1.5	5.06	5				
and	77.7	93.0	15.2	1.17	0.2				
incl	85.3	91.4	6.1	2.01	1				
and	103.6	117.3	13.7	0.56	0.15				
incl	105.2	117.3	12.2	0.61	0.2				
also incl	109.7	111.3	1.5	1.52	1				