

Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

Liberty Gold - Black Pine 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP001 (200, -70)	No Significant Values				182.9	North B Ex Pit	Deep test to E of B Ex pit		
LBP002 (45, -50)	6.1	45.7	39.6	0.58	0.2	211.8	A Basin	Twinned historic hole and extended mineralization in lower 77.7 metre intercept	155.2
including	19.8	24.4	4.6	1.54	1				
and	88.4	103.6	15.2	1.08	0.2				
including	89.9	97.5	7.6	1.55	1				
and	111.3	189.0	77.7	1.49	0.2				
including	118.9	134.1	15.2	3.23					
including	146.3	149.4	3.0	1.61		1	A Basin	Twinned historic hole and extended mineralization in lower 77.7 metre intercept	155.2
including	181.4	187.5	6.1	5.64					
LBP003 (217, -70)	51.8	56.4	4.6	0.29	0.2	199.6	A Basin	Drilling within upper zone of A Basin mineralization	24.7
and	57.9	85.3	27.4	0.51	0.2				
including	74.7	76.2	1.5	1.21	1				
and	96.0	111.3	15.2	0.61	0.2				
including	103.6	106.7	3.0	1.53	1				
LBP004 (130, -45)	0.0	7.6	7.6	0.38	0.2	190.5	J Anomaly	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	43.6
and	10.7	35.1	24.4	0.95					
including	29.0	30.5	1.5	6.18	1				
and	51.8	61.0	9.1	1.03	0.2				
including	51.8	57.9	6.1	1.28	1				
and	111.3	126.5	15.2	0.54	0.2				
LBP005 (255, -45)	4.6	13.7	9.1	0.72	0.2	184.4	J Anomaly	Step out drillhole along mineralized structure	13.6
including	6.1	7.6	1.5	2.65	1				
and	15.2	18.3	3.0	0.47					
and	44.2	53.3	9.1	0.42	0.2				
LBP006 (260, -45)	24.4	32.0	7.6	1.80	0.2	163.1	J Anomaly	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	26.2
including	24.4	29.0	4.6	2.77	1				
and	44.2	62.5	18.3	0.60	0.2				
including	47.2	48.8	1.5	1.14	1				
and	71.6	77.7	6.1	0.25	0.2				
LBP007 (0, -80)	76.2	79.2	3.0	0.79	0.2	172.2	North B Ex Pit	Deep test to NE of B Ex pit	2.4
LBP008	73.2	79.2	6.1	0.21	0.2	160.0	North B Ex Pit	Deep test to NE of B Ex pit	4.0
and	114.3	121.9	7.6	0.36	0.2				
LBP009	15.2	48.8	33.5	0.52	0.2	178.3	North B Ex Pit	Validating and stepping out on gold intercepts E of B Pit	40.6
including	25.9	29.0	3.0	1.41	1				
including	45.7	47.2	1.5	1.12	1				
and	67.1	76.2	9.1	0.45	0.2				
and	96.0	120.4	24.4	0.69	0.2				
including	96.0	97.5	1.5	2.95	1				
including	100.6	103.6	3.0	1.10	1				
and	135.6	143.3	7.6	0.35	0.2				
LBP010	88.4	93.0	4.6	0.31	0.2	150.8	North B Ex Pit	Deep extension of gold mineralization E of Tallman NE pit	1.4
LBP011	0.0	10.7	10.7	2.37	0.2	152.4	South B Ex Pit	Open to south and southwest with no drilling or soil geochemistry for >200m	35.1
including	0.0	9.1	9.1	2.72	1				
and	106.7	121.9	15.2	0.65	0.2				
including	117.3	121.9	4.6	1.38	1				
LBP012	No Significant Values				13.2	Hazel Pine	Hole lost in early 20th century historic mine workings (Ag-Au-Pb-Zn Vein deposits)		
LBP013	62.5	65.5	3.0	0.81	0.2	117.3	Hazel Pine	Elevated Ag and Zn values	2.5
including	62.5	64.0	1.5	1.40	1				

Liberty Gold - Black Pine 2019 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP014	7.6	15.2	7.6	0.49	0.2	196.6	B Pit	LBP014 was drilled to bisect and deepen historic holes 88-357 (61m of 1.4 g/t Au) and 87-169 (43m of 2.1 g/t Au) (4th and 3rd best remaining intercepts, respectively, drilled w/ hard TDs of 400ft ending in grade). After drilling it was determined that the down-dip 88-357 was down-dropped by a normal fault, and incredibly had a hard stop of 500 ft, right at the extent of mineralization	64.5
and	39.6	50.3	10.7	0.27	0.2				
and	51.8	89.9	38.1	1.18	0.2				
including	62.5	88.4	25.9	1.61	1				
and	128.0	150.9	22.9	0.39	0.2				
including	128.0	129.5	1.5	1.02	1				
and	152.4	158.5	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.82	0.2				
including	185.9	187.5	1.5	1.36	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP015	10.7	15.2	4.6	0.36	0.2	196.6	B Pit	LBP015 was drilled to validate through the main body of mineralization and extend a drillhole that ended in 2.1 g/t Au in a modelled lower sequence of gold mineralization. The hole returned a good test through the main body but did not appreciably extend gold mineralization around the historic hole, which was drilled with a hard stop of 400 feet, and again stopped in the only high grade gold at the Lower Plate contact	81.9
and	67.1	115.8	48.8	1.50	0.2				
including	77.7	80.8	3.0	1.31	1				
including	91.4	94.5	3.0	6.19	1				
and including	91.4	93.0	1.5	10.4	5				
including	100.6	106.7	6.1	5.35	1				
and including	102.1	105.2	3.0	8.03	5				
and	123.4	132.6	9.1	0.32	0.2				
and	138.7	144.8	6.1	0.68	0.2				
including	140.2	141.7	1.5	1.86	1				
LBP016	12.2	16.8	4.6	0.26	0.2	175.3	B Pit	LBP016 was drilled to step out laterally from B Pit mineralization, towards A Basin mineralization and accomplished this task very well, extending high grade oxide by 30 metres towards A Basin	69.3
and	51.8	56.4	4.6	0.29	0.2				
and	89.9	135.6	45.7	1.46	0.2				
including	93.0	121.9	29.0	2.00	1				
and including	102.1	103.6	1.5	7.09	5				
LBP017	9.1	18.3	9.1	0.34	0.2	166.1	B Pit	LBP017 was drilled down-dip of the B pit ore body where mineralization appeared open in hole 88-357 (61 m of 1.4 g/t Au). The downdip test returned a similar width of lower grade material	25.1
and	25.9	33.5	7.6	0.35	0.2				
and	74.7	117.3	42.7	0.45	0.2				
including	89.9	91.4	1.5	1.11	1				
including	109.7	111.3	1.5	1.82	1				
LBP018 (125, -83)	Not Assayed				16.8			Hole Lost	
LBP019 (319, -74)	18.3	29.0	10.7	0.30	0.2	211.4	B Pit- A Basin (Discovery 1 Zone)	Step out along B Pit to A-Basin Section	23.6
and	88.4	91.4	3.0	0.38	0.2				
and	129.5	172.2	42.7	0.41	0.2				
including	149.4	152.4	3.0	1.24	1				
and	189.0	192.0	3.0	0.55	0.2				
LBP020 (036, -79)	38.1	50.3	12.2	0.40	0.2	257.6	Discovery 1 Zone	150 metre step-out from intercept in hole LBP002, along B Pit to A Basin Section (Discovery 1)	57.3
including	39.6	41.1	1.5	1.31	1				
and	74.7	80.8	6.1	0.21	0.2				
and	88.4	103.6	15.2	0.41	0.2				
including	102.1	103.6	1.5	1.18	1				
and	164.6	199.6	35.1	0.75	0.2				
including	170.7	176.8	6.1	1.27	1				
including	182.9	184.4	1.5	1.09	1				
including	190.5	193.5	3.0	1.21	1				
including	196.6	198.1	1.5	1.19	1				
and	217.9	234.7	16.8	1.12	0.2				
including	227.1	233.2	6.1	2.62	1				
LBP021 (144, -75)	38.1	53.3	15.2	0.36	0.2	266.7	Discovery 1 Zone	250 metre step-out from intercept in hole LBP002, and 300 metre step-out from intercept in hole LBP016, along B Pit to A Basin Section	91.1
and	83.8	89.9	6.1	0.22	0.2				
and	189.0	236.2	47.2	1.78	0.2				
including	199.6	222.5	22.9	3.24	1				
and including	202.7	205.7	3.0	9.99	5				
and including	216.4	217.9	1.5	5.73	5				
including	231.6	233.2	1.5	1.39	1				
LBP022 (017, -73)	29.0	41.1	12.2	0.41	0.2	294.1	Discovery 1 Zone	60 metre offset from LBP021	36.5
and	71.6	82.3	10.7	0.68	0.2				
including	76.2	77.7	1.5	3.05	1				
and	96.0	100.6	4.6	0.24	0.2				
and	121.9	126.5	4.6	0.31	0.2				
and	195.1	199.6	4.6	0.24	0.2				
and	211.8	221.0	9.1	0.76	0.2				
including	211.8	214.9	3.0	1.05	1				
including	219.5	221.0	1.5	1.09	1				
and	242.3	248.4	6.1	0.28	0.2				
and	260.6	265.2	4.6	1.04	0.2				
including	260.6	262.1	1.5	1.82	1				
and	278.9	289.6	10.7	0.68	0.2				
including	285.0	288.0	3.0	1.58	1				
LBP023 (062, -51)	25.9	32.0	6.1	0.32	0.2	278.9	B-A Basin-A pit (Discovery 2)	240 metre offset from LBP021 beneath A Pit Top of intercept is 65 metres below the floor of the historic A Pit.	103.1
and	42.7	50.3	7.6	0.43	0.2				
and	56.4	59.4	3.0	0.69	0.2				
and	102.1	109.7	7.6	0.52	0.2				
and	114.3	120.4	6.1	0.23	0.2				
and	123.4	128.0	4.6	0.27	0.2				
and	204.2	253.0	48.8	1.78	0.2				
including	214.9	216.4	1.5	1.29	1				
including	224.0	239.3	15.2	4.72	1				
and including	225.6	231.6	6.1	7.95	5				
and	272.8	278.9	6.1	0.39	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP024 (248, -64)	56.4	62.5	6.1	0.33	0.2	233.2	Discovery 1 Zone		24.9
and	71.6	76.2	4.6	0.26	0.2				
and	80.8	86.9	6.1	0.24	0.2				
and	134.1	141.7	7.6	0.34	0.2				
and	164.6	169.2	4.6	0.26	0.2				
and	181.4	210.3	29.0	0.57	0.2				
including	198.1	199.6	1.5	1.20	1				
including	201.2	202.7	1.5	2.25	1				
LBP025 (118, -83)	86.9	89.9	3.0	0.33	0.2	224.0	Discovery 1 Zone		49.3
and	100.6	105.2	4.6	0.56	0.2				
and	140.2	172.2	32.0	1.36	0.2				
including	146.3	147.8	1.5	2.08	1				
including	153.9	170.7	16.8	1.95	1				
and	193.5	201.2	7.6	0.28	0.2				
LBP026 (343, -51)	128.0	134.1	6.1	0.20	0.2	242.3	Discovery 1 Zone		25.0
and	135.6	140.2	3.0	1.10	0.2				
including	137.2	138.7	1.5	1.93	1				
and	166.1	198.1	32.0	0.59	0.2				
including	190.5	195.1	4.6	2.47	1				
and	211.8	216.4	4.6	0.32	0.2				
LBP027 (038, -66)	32.0	38.1	6.1	0.50	0.2	269.7	A Basin		101.2
and	117.3	128.0	10.7	2.18	0.2				
including	118.9	126.5	7.6	2.90	1				
and	143.3	169.2	25.9	2.89	0.2				
including	143.3	158.5	15.2	4.52	1				
and including	144.8	150.9	6.1	6.63	5				
and including	152.4	155.4	3.0	5.01	5				
LBP028 (138, -65)	44.2	65.5	21.3	0.44	0.2	300.2	Discovery 1 Zone		63.1
and	91.4	102.1	10.7	0.24	0.2				
and	137.2	149.4	12.2	0.93	0.2				
including	137.2	144.8	7.6	1.25	1				
and	192.0	198.1	6.1	0.23	0.2				
and	211.8	217.9	6.1	0.29	0.2				
and	224.0	234.7	10.7	0.67	0.2				
including	228.6	231.6	3.0	1.35	1				
and	243.8	269.7	25.9	1.14	0.2				
including	253.0	257.6	4.6	4.17	1				
and including	254.5	256.0	1.5	5.60	5				
LBP029 (105, -51)	132.6	158.5	25.9	0.33	0.2	251.5	Discovery 1 Zone	2nd best unmined intercept on property, 150 metres away from best unmined intercept (LBP002).	113.7
and	166.1	207.3	41.1	2.56	0.2				
including	170.7	190.5	19.8	4.47	1				
and including	172.2	176.8	4.6	8.76	5				
including	195.1	196.6	1.5	1.28	1				
including	199.6	202.7	3.0	2.53	1				
LBP030 (067, -65)	39.6	44.2	4.6	0.71	0.2	248.4	Discovery 1 Zone		14.4
including	42.7	44.2	1.5	1.04	1				
and	109.7	114.3	4.6	0.27	0.2				
and	121.9	125.0	3.0	0.33	0.2				
and	153.9	166.1	12.2	0.27	0.2				
and	172.2	178.3	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.39	0.2				
and	213.4	217.9	4.6	0.22	0.2				
and	240.8	243.8	3.0	0.58	0.2				
LBP031 (062, -48)	76.2	83.8	7.6	0.28	0.2	294.1	Discovery 1 Zone		31.7
and	96.0	108.2	12.2	0.26	0.2				
and	109.7	115.8	6.1	0.21	0.2				
and	120.4	131.1	10.7	0.65	0.2				
and including	128.0	129.5	1.5	1.85	1				
and	141.7	167.6	25.9	0.33	0.2				
and	178.3	181.4	3.0	0.33	0.2				
and	211.8	216.4	4.6	0.56	0.2				
and	233.2	245.4	12.2	0.38	0.2				
and	251.5	256.0	4.6	0.33	0.2				
LBP032 (065, -80)	24.4	42.7	18.3	0.33	0.2	288.0	Discovery 1 Zone		31.7
and	62.5	76.2	13.7	0.75	0.2				
including	70.1	71.6	1.5	1.05	1				
and	221.0	243.8	22.9	0.63	0.2				
including	224.0	227.1	3.0	1.86	1				
and	265.2	269.7	4.6	0.22	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP033 (067, -52)	41.1	53.3	12.2	0.34	0.2	291.1	Discovery 1 Zone		26.1
and	100.6	109.7	9.1	0.27	0.2				
and	164.6	170.7	6.1	0.35	0.2				
and	189.0	196.6	7.6	0.23	0.2				
and	204.2	221.0	16.8	0.66	0.2				
including	208.8	210.3	1.5	1.02	1				
including	217.9	221.0	3.0	1.26	1				
and	246.9	263.7	16.8	0.28	0.2				
LBP034 (68, -46)	45.7	71.6	25.9	0.35	0.2	374.9	Discovery 1 Zone		67.9
and	102.1	106.7	4.6	0.37	0.2				
and	129.5	137.2	7.6	0.38	0.2				
and	144.8	169.2	24.4	0.39	0.2				
and	245.4	266.7	21.3	1.11	0.2				
including	245.4	251.5	6.1	3.19	1				
and	294.1	301.8	7.6	1.80	0.2				
including	295.7	300.2	4.6	2.56	1				
and	307.8	313.9	6.1	0.62	0.2				
and	327.7	335.3	7.6	0.46	0.2				
LBP035 (100, -60)	45.7	65.5	19.8	0.30	0.2	288.0	Discovery 1 Zone		44.8
and	96.0	100.6	4.6	0.40	0.2				
and	128.0	131.1	3.0	0.46	0.2				
and	150.9	158.5	7.6	0.37	0.2				
and	164.6	179.8	15.2	0.69	0.2				
including	175.3	178.3	3.0	1.94	1				
and	213.4	227.1	13.7	1.18	0.2				
including	221.0	225.6	4.6	2.68	1				
and	239.3	246.9	7.6	0.31	0.2				
and	266.7	269.7	3.0	0.37	0.2				
and	278.9	281.9	3.0	0.89	0.2				
LBP036 (64, -57)	7.6	12.2	4.6	0.24	0.2	259.1	Discovery 1 Zone		19.5
and	33.5	47.2	13.7	0.57					
and	56.4	61.0	4.6	0.29					
and	111.3	115.8	4.6	0.25					
and	126.5	131.1	4.6	0.23					
and	143.3	147.8	4.6	0.42					
and	160.0	164.6	4.6	0.25					
and	190.5	193.5	3.0	0.35					
and	204.2	207.3	3.0	0.25					
and	242.3	251.5	9.1	0.24					
LBP037 (203, -65)	41.1	53.3	12.2	0.26	0.2	257.6	Discovery 1 Zone		9.6
and	73.2	85.3	12.2	0.28					
and	182.9	184.4	1.5	0.54					
and	198.1	204.2	6.1	0.35					
LBP038 (0, -90)	22.9	32.0	9.1	0.31	0.2	324.6	Discovery 1 Zone		49.5
and	83.8	88.4	4.6	0.39					
and	210.3	248.4	38.1	0.57					
and	259.1	281.9	22.9	0.26					
and	294.1	313.9	19.8	0.87					
LBP039 (255, -71)	42.7	50.3	7.6	0.34	0.2	227.1	Discovery 1 Zone		13.1
and	59.4	64.0	4.6	0.28					
and	111.3	114.3	3.0	1.13					
and	141.7	144.8	3.0	0.56					
and	146.3	150.9	4.6	0.20					
and	155.4	158.5	3.0	0.43					
and	187.5	192.0	4.6	0.40					
LBP040 (142, -72)	22.9	29.0	6.1	0.32	0.2	274.3	Discovery 1 Zone		12.9
and	50.3	53.3	3.0	0.40					
and	54.9	61.0	6.1	0.22					
and	105.2	106.7	1.5	0.39					
and	147.8	149.4	1.5	0.34					
and	222.5	233.2	10.7	0.55					
and	239.3	242.3	3.0	0.24					
and	257.6	260.6	3.0	0.23					
LBP041 (043, -80)	0.0	1.5	1.5	0.35	0.2	211.8	Discovery 1 Zone		18.1
and	56.4	57.9	1.5	0.55					
and	59.4	64.0	4.6	0.20					
and	67.1	106.7	39.6	0.36					
and	140.2	143.3	3.0	0.23					
and	147.8	150.9	3.0	0.22					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP042 (094, -58)	32.0	51.8	19.8	0.39	0.2	300.2	Discovery 1 Zone		53.3
and	56.4	59.4	3.0	0.24					
and	71.6	74.7	3.0	0.42					
and	102.1	109.7	7.6	0.62					
and	121.9	125.0	3.0	0.21					
and	126.5	129.5	3.0	0.37					
and	227.1	233.2	6.1	0.36					
and	240.8	263.7	22.9	1.53					
including	242.3	259.1	16.8	1.88					
				1					
LBP043 (102, -66)	10.7	21.3	10.7	0.45	0.2	266.7	Discovery 2 Zone	*Interval grades revised due to laboratory error on one sample and reissue of certificate	317.7
and	27.4	36.6	9.1	0.39					
and	83.8	89.9	6.1	0.54					
and	140.2	150.9	10.7	1.52					
including	143.3	149.4	6.1	2.25					
and	158.5	167.6	9.1	4.92*					
including	160.0	166.1	6.1	7.22*					
and including	161.5	166.1	4.6	9.03*					
and	208.8	262.1	53.3	4.39					
including	214.9	253.0	38.1	5.76					
and including	221.0	233.2	12.2	12.05					
and including	240.8	245.4	4.6	7.21					
including	254.5	257.6	3.0	2.69					
				1					
LBP044 (107, -72)	32.0	38.1	6.1	0.29	0.2	269.7	Discovery 2 Zone	Hole Lost in Mineralization	87.2
and	45.7	54.9	9.1	0.32					
and	56.4	62.5	6.1	0.20					
and	76.2	80.8	4.6	0.31					
and	112.8	117.3	4.6	0.45					
and	192.0	211.8	19.8	1.43					
including	201.2	208.8	7.6	3.33					
and including	204.2	205.7	1.5	5.14					
and	234.7	237.7	3.0	0.31					
and	253.0	269.7	16.8	2.90					
including	254.5	265.2	10.7	3.94					
and including	259.1	262.1	3.0	6.88					
				5					
LBP045 (022, -66)	0.0	25.9	25.9	0.43	0.2	230.1	Discovery 2 Zone		55.8
and	32.0	54.9	22.9	0.58					
including	36.6	42.7	6.1	1.36					
and	56.4	64.0	7.6	0.74					
including	59.4	61.0	1.5	1.27					
and	89.9	102.1	12.2	0.33					
and	137.2	147.8	10.7	0.30					
and	167.6	173.7	6.1	0.62					
and	179.8	192.0	12.2	1.22					
including	184.4	187.5	3.0	3.97					
and including	185.9	187.5	1.5	6.87					
				5					
LBP046 (049, -70)	79.2	100.6	21.3	0.27	0.2	243.8		off-trend	7.6
and	196.6	202.7	6.1	0.29					
LBP047 (072, -62)	79.2	82.3	3.0	0.22	0.2	227.1	Discovery 2 Zone		20.9
and	88.4	100.6	12.2	0.31					
and	102.1	105.2	3.0	0.21					
and	106.7	108.2	1.5	0.35					
and	132.6	138.7	6.1	0.44					
including	132.6	134.1	1.5	1.10					
and	166.1	170.7	4.6	1.13					
including	167.6	170.7	3.0	1.39					
and	178.3	181.4	3.0	0.66					
and	201.2	208.8	7.6	0.70					
				0.2					
LBP048 (061, -63)	0.0	21.3	21.3	0.34	0.2	251.5	Discovery 2 Zone		90.3
and	25.9	45.7	19.8	0.33					
and	56.4	64.0	7.6	0.26					
and	79.2	89.9	10.7	0.38					
and	111.3	114.3	3.0	0.21					
and	173.7	204.2	30.5	0.78					
including	195.1	196.6	1.5	1.13					
including	198.1	202.7	4.6	2.91					
and	208.8	248.4	39.6	1.16					
including	210.3	213.4	3.0	1.95					
including	225.6	243.8	18.3	1.82					
				1					
LBP049 (088, -55)	100.6	120.4	19.8	0.34	0.2	269.7	Discovery 2 Zone		16.4
and	126.5	129.5	3.0	0.24					
and	160.0	166.1	6.1	0.68					
and	173.7	176.8	3.0	0.60					
and	184.4	190.5	6.1	0.48					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP050 (064, -67)	35.1	54.9	19.8	0.32	0.2	272.8	Discovery 2 Zone	Hole stopped short of potential lower target interval	44.7
and	61.0	68.6	7.6	0.35					
and	74.7	80.8	6.1	0.21					
and	83.8	91.4	7.6	0.39					
and	138.7	141.7	3.0	0.23					
and	205.7	213.4	7.6	0.28					
and	230.1	242.3	12.2	2.34					
including	233.2	240.8	7.6	3.42					
LBP051 (187, -66)	1.5	9.1	7.6	0.21	0.2	205.7	Discovery 2 Zone		107.1
and	77.7	80.8	3.0	0.24					
and	131.1	172.2	41.1	2.51					
including	137.2	144.8	7.6	6.69					
and including	137.2	141.7	4.6	9.11					
including	146.3	147.8	1.5	1.07					
including	149.4	157.0	7.6	4.85					
and including	152.4	155.4	3.0	8.52					
including	164.6	166.1	1.5	1.06	1	342.9	Discovery 2 Zone		64.9
including	169.2	172.2	3.0	1.14					
and	202.7	205.7	3.0	0.42	0.2				
LBP052 (35, -62)	22.9	29.0	6.1	0.64	0.2	257.6	Discovery 2 Zone		7.0
and	50.3	53.3	3.0	0.39					
and	74.7	96.0	21.3	0.61					
and	102.1	126.5	24.4	0.34					
and	202.7	231.6	29.0	0.28					
and	269.7	309.4	39.6	0.77					
LBP053 (45, -67)	4.6	7.6	3.0	0.25					
and	100.6	105.2	4.6	0.59					
and	132.6	135.6	3.0	0.27	0.2	379.5	Discovery 2 Zone		114.9
and	233.2	239.3	6.1	0.28					
and	243.8	248.4	4.6	0.22					
LBP054 (52, -66)	39.6	68.6	29.0	0.31					
and	70.1	74.7	4.6	0.20					
and	79.2	91.4	12.2	0.23					
and	93.0	96.0	3.0	0.25					
and	150.9	153.9	3.0	0.33	0.2	300.2	Discovery 2 Zone		123.1
and	166.1	170.7	4.6	0.21					
and	172.2	176.8	4.6	0.31					
and	207.3	214.9	7.6	0.27					
and	222.5	225.6	3.0	0.33					
and	248.4	349.0	100.6	0.94					
including	253.0	268.2	15.2	1.65					
and including	335.3	345.9	10.7	2.33	1				
LBP055 (88, -68)	4.6	36.6	32.0	0.47	0.2	285.0	Discovery 2 Zone		93.8
and	57.9	62.5	4.6	0.46					
and	71.6	99.1	27.4	0.53					
and	166.1	179.8	13.7	1.21					
and	192	265.2	73.2	1.02					
including	192	208.8	16.8	2.39	1				
LBP056 (245, -80)	27.4	33.5	6.1	0.24	0.2	266.7	Discovery 2 Zone	hole ended in grade	71.8
and	79.2	82.3	3.0	0.35					
and	89.9	99.1	9.1	0.28					
and	120.4	123.4	3.0	0.47					
and	199.6	225.6	25.9	0.48					
and	231.6	271.3	39.6	1.89					
including	231.6	245.4	13.7	4.58	1				
and	281.9	285.0	3.0	0.29	0.2				
LBP057 (105, -74)	0.0	38.1	38.1	0.40	0.2	324.6	Discovery 2 Zone		71.2
and	56.4	59.4	3.0	0.43					
and	68.6	74.7	6.1	0.47					
and	173.7	239.3	65.5	0.77					
including	179.8	195.1	15.2	1.68	1				
and	248.4	253.0	4.6	0.35	0.2				
LBP058 (10, -75)	89.9	111.3	21.3	0.46	0.2	236.2	Discovery 2 Zone		64.3
and	120.4	131.1	10.7	0.48					
and	224.0	239.3	15.2	0.62					
and	251.5	291.1	39.6	1.18					
including	283.5	288.0	4.6	3.00	1				
LBP059 (110, -58)	0.0	16.8	16.8	0.34	0.2	236.2	Discovery 2 Zone		64.3
and	25.9	35.1	9.1	0.44					
and	147.8	160.0	12.2	0.41					
and	170.7	202.7	32.0	0.38					
and	208.8	233.2	24.4	1.53					
including	210.3	219.5	9.1	3.28	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP060 (180, -70)	68.6	80.8	12.2	0.26	0.2	318.6	Discovery 2 Zone		30.5
and	86.9	97.5	10.7	0.33					
and	103.6	115.8	12.2	0.37					
and	121.9	128.0	6.1	0.35					
and	216.4	248.4	32.0	0.54					
LBP061 (173, -66)	0.0	13.7	13.7	0.38	0.2	221.0	Discovery 2 Zone		10.2
and	51.8	59.4	7.6	0.21					
and	73.2	77.7	4.6	0.55					
and	102.1	105.2	3.0	0.28					
LBP062 (150, -72)	76.2	85.3	9.1	0.40	0.2	221.0	Discovery 2 Zone	poor recovery between reportable intervals	152.7
and	109.7	118.9	9.1	1.12					
and	129.5	173.7	44.2	3.14					
including	135.6	152.4	16.8	6.53					
and including	140.2	147.83	7.6	11.3					
LBP063 (350, -73)	4.6	6.1	1.5	0.40	0.2	233.2	Discovery 2 Zone		63.1
and	82.3	125.0	42.7	0.39					
and	138.7	143.3	4.6	0.28					
and	155.4	160.0	4.6	0.38					
and	161.5	167.6	6.1	0.20					
and	213.4	222.5	9.1	4.56	5				
including	214.9	219.5	4.6	7.32					
LBP064 (110, -70)	77.7	80.8	3.0	0.46	0.2	227.1	Discovery Zone 2	Poor recovery at base of intercept	217.8
and	93.0	105.2	12.2	0.35					
and	112.8	175.3	62.5	3.40					
including	141.7	175.3	33.5	5.01					
and including	146.3	167.6	21.3	6.2	5				
LBP065 (45, -65)	71.6	74.7	3.0	0.42	0.2	304.8	Discovery Zone 2		36.8
and	80.8	86.9	6.1	0.33					
and	94.5	112.8	18.3	0.29					
and	121.9	149.4	27.4	0.37					
and	163.1	169.2	6.1	0.27					
and	210.3	213.4	3.0	1.85					
and	242.3	253.0	10.7	0.79					
Including	245.4	249.9	4.6	1.20					
and	259.1	268.2	9.1	0.26					
LBP066 (86, -60)	4.6	7.6	3.0	0.29	0.2	243.8	Discovery Zone 2	Hole ended in grade	100.2
and	12.2	15.2	3.0	0.45					
and	96.0	111.3	15.2	0.29					
and	131.1	146.3	15.2	0.46					
and	164.6	167.6	3.0	1.94					
and	173.7	243.8	70.1	1.15					
Including	175.3	190.5	15.2	2.92	1				
and including	181.4	182.9	1.5	14.65	5				
LBP067C (104, -66)	11.6	34.6	23.0	0.38	0.2	273.7	Discovery 1 Zone		185.2
and	78.6	81.7	3.0	1.03					
and	170.9	185.2	14.2	0.70					
and	188.7	244.5	55.9	2.92					
including	195.1	217.2	22.1	5.64	1				
and including	203.9	211.2	7.3	12.39	5				
LBP068 (360, -75)	74.7	89.9	15.2	0.26	0.2	318.5	Discovery Zone 2		105.5
and	96.0	143.3	47.2	0.41					
and	172.2	184.4	12.2	0.78					
and	228.6	249.9	21.3	2.38					
including	237.7	246.9	9.1	4.89	1				
and including	239.3	245.4	6.1	5.93	5				
and	266.7	301.8	35.1	0.63	0.2				
LBP069 (74, -78)	12.2	16.8	4.6	0.33	0.2	303.3	Discovery Zone 2		149.6
	22.9	25.9	3.0	0.34					
	70.1	86.9	16.8	0.32					
	160.0	217.9	57.9	1.52					
including	173.7	182.9	9.1	7.42	1				
and including	176.8	181.4	4.6	12.2	5				
	219.5	228.6	9.1	2.91	0.2				
including	219.5	224.0	4.6	5.38	1				
	271.3	285.0	13.7	1.96	0.2				
including	271.3	281.9	10.7	2.30	1				
LBP070 (165, -74)	57.9	61.0	3.0	0.33	0.2	306.3	Discovery Zone 2		14.8
and	77.7	91.4	13.7	0.24					
and	109.7	131.1	21.3	0.31					
and	158.5	160.0	1.5	0.57					
and	178.3	184.4	6.1	0.32					
and	230.1	233.2	3.0	0.37					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP071 (355, -73)	7.6	22.9	15.2	0.38	0.2	251.5	Discovery Zone 2		50.5
and	25.9	36.6	10.7	0.39					
and	71.6	79.2	7.6	0.42					
and	120.4	132.6	12.2	1.07					
and	152.4	153.9	1.5	1.32					
and	160.0	172.2	12.2	0.82					
and	193.5	198.1	4.6	0.24					
and	199.6	204.2	4.6	1.62					
including	199.6	202.7	3.0	2.21	1				
and	230.1	239.3	9.1	0.41	0.2				
LBP072 (70, -75)	22.9	38.1	15.2	0.47	0.2	306.3	Discovery Zone 2		62.0
and	57.9	94.5	36.6	0.62					
and	100.6	106.7	6.1	0.24					
and	111.3	118.9	7.6	0.28					
and	128.0	132.6	4.6	0.52					
and	147.8	150.9	3.0	0.26					
and	189.0	192.0	3.0	0.27					
and	199.6	202.7	3.0	0.34					
and	208.8	211.8	3.0	0.28					
and	222.5	225.6	3.0	0.24					
and	234.7	237.7	3.0	0.33	1	212.8	Discovery Zone 1		50.4
and	277.4	288.0	10.7	1.96					
including	278.9	281.9	3.0	5.45					
LBP073C (144, -81)	43.9	50.4	6.5	0.28					
and	70.0	79.9	9.9	0.25					
and	94.1	100.4	6.4	0.34					
and	165.5	168.3	2.8	0.50					
and	183.5	206.7	23.2	1.84					
including	185.6	199.3	13.7	2.79					
LBP074 (50, -78)	76.2	89.9	13.7	0.35	0.2	306.3	Discovery Zone 2		16.0
and	118.9	126.5	7.6	0.24					
and	132.6	135.6	3.0	0.32					
and	227.1	233.2	6.1	1.01					
and	243.8	246.9	3.0	0.74					
LBP075 (80, -60)	0.0	16.8	16.8	0.29	0.2	242.3	Discovery Zone 2		11.2
and	29.0	32.0	3.0	0.87					
and	205.7	210.3	4.6	0.66					
LBP076 (245, -70)	0.0	7.6	7.6	0.33	0.2	211.8	Discovery Zone 2		12.0
and	117.3	118.9	1.5	0.51					
and	128.0	134.1	6.1	1.07					
and	155.4	161.5	6.1	0.35					
LBP077 (0, -70)	7.6	12.2	4.6	0.26	0.2	274.3	Discovery Zone 2		34.3
and	59.4	67.1	7.6	0.25					
and	125.0	129.5	4.6	0.29					
and	167.6	181.4	13.7	0.90					
and	187.5	190.5	3.0	2.34					
and	202.7	216.4	13.7	0.67					
LBP078C (48, -52)	3.7	15.2	11.6	0.83	0.2	194.2	Discovery Zone 1		55.7
and	22.4	41.8	19.3	0.43					
and	178.6	194.2	15.5	2.43					
including	186.5	192.6	6.1	5.56	1				
and including	188.1	191.1	3.0	8.10	5				
LBP079 (350, -58)	4.6	16.8	12.2	0.34	0.2	243.8	Discovery Zone 2		21.8
and	68.6	71.6	3.0	0.32					
and	132.6	143.3	10.7	0.30					
and	166.1	175.3	9.1	0.48					
and	211.8	224.0	12.2	0.60					
LBP080 (345, -83)	10.7	12.2	1.5	1.01	0.2	179.8	Discovery Zone 2		2.3
and	108.2	109.7	1.5	0.50	0.2	275.8	SE step-out on Discovery 2		51.9
LBP081 (025, -62)	12.2	18.3	6.1	0.35					
and	19.8	32.0	12.2	0.23					
and	57.9	62.5	4.6	0.27					
and	68.6	76.2	7.6	0.31					
and	111.3	114.3	3.0	0.40					
and	140.2	144.8	4.6	0.23					
and	195.1	208.8	13.7	1.09					
including	202.7	207.3	4.6	2.44	1				
and	214.9	230.1	15.2	0.88	0.2				
including	214.9	224.0	9.1	1.17	1				
and	237.7	246.9	9.1	1.39	0.2				
including	240.8	245.4	4.6	2.27	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP082C (15, -82)	24.8	38.1	13.3	0.34	0.2	264.6	Discovery Zone 1		42.4
and	55.5	57.0	1.5	0.77					
and	65.8	82.5	16.7	0.30					
and	183.8	189.7	5.9	0.24					
and	196.8	216.6	19.7	0.70					
including	200.6	205.1	4.6	1.50					
and	231.0	235.6	4.6	0.25					
and	240.2	264.6	24.4	0.63					
including	251.2	253.9	2.7	1.35	1				
LBP083 (100, -69)	54.9	59.4	4.6	0.24	0.2	178.3	Discovery Zone		7.9
and	74.7	77.7	3.0	0.40					
and	94.5	96.0	1.5	0.61					
and	102.1	112.8	10.7	0.43					
LBP084 (110, -70)	7.6	9.1	1.5	0.42	0.2	257.6	SE step-out Discovery 2		36.5
and	15.2	22.9	7.6	0.45					
and	76.2	79.2	3.0	0.34					
and	102.1	103.6	1.5	0.99					
and	155.4	173.7	18.3	0.66					
and	184.4	199.6	15.2	0.38					
and	214.9	219.5	4.6	0.69					
and	227.1	236.2	9.1	0.96					
LBP085 (65, -82)	4.6	38.1	33.5	0.42	0.2	257.6	Discovery Zone 2		79.7
and	51.8	68.6	16.8	0.70					
and	143.3	184.4	41.1	1.31					
including	172.2	182.9	10.7	2.22					
LBP086 (270, -65)	18.3	22.9	4.6	0.30	0.2	257.6	Discovery Zone 1		47.3
and	61.0	64.0	3.0	0.23					
and	74.7	77.7	3.0	0.28					
and	106.7	128.0	21.3	0.26					
and	149.4	160.0	10.7	0.74					
and	178.3	192.0	13.7	2.25					
including	181.4	185.9	4.6	5.49	1				
LBP087C (120, -80)	15.2	22.2	6.9	0.23	0.2	186.5	Discovery Zone 1		42.2
and	34.4	36.9	2.4	0.40					
and	84.7	87.8	3.0	0.37					
and	100.0	103.8	3.8	0.49					
and	142.2	171.3	29.1	1.26					
including	162.5	171.3	8.8	1.77	1				
LBP088 (75, -73)	30.5	41.1	10.7	0.34	0.2	327.7	Discovery Zone 2		150.2
and	48.8	56.4	7.6	0.24					
and	57.9	62.5	4.6	0.43					
and	73.2	79.2	6.1	0.37					
and	88.4	93.0	4.6	0.43					
and	120.4	137.2	16.8	0.29					
and	210.3	214.9	4.6	0.45					
and	237.7	239.3	1.5	2.21					
and	257.6	318.5	61.0	2.10					
including	257.6	268.2	10.7	6.33	1				
and including	257.6	260.6	3.0	16.2	5				
LBP089 (155, -75)	3.0	27.4	24.4	0.41	0.2	260.6	Discovery Zone 2		50.3
and	41.1	79.2	38.1	0.86					
incl	59.4	70.1	10.7	2.20					
and	160.0	178.3	18.3	0.40					
LBP090 (35, -80)	39.6	48.8	9.1	0.31	2	312.4	Discovery Zone 1		63.8
and	175.3	216.4	41.1	0.56					
and	222.5	259.1	36.6	1.03					
including	222.5	228.6	6.1	4.25					
LBP091 (260, -81)	4.6	25.9	21.3	0.56					
and	32.0	45.7	13.7	0.32	0.2	243.8	Discovery Zone 2		65.4
and	141.7	163.1	21.3	2.22					
including	144.8	161.5	16.8	2.70					
and	181.4	182.9	1.5	1.22					
LBP092 (205, -80)	25.9	33.5	7.6	0.24					
and	61.0	106.7	45.7	0.66	0.2	295.7	Discovery Zone 2		44.4
and	190.5	195.1	4.6	0.25					
and	201.2	208.8	7.6	0.79					
and	234.7	243.8	9.1	0.41					
and	253.0	257.6	4.6	0.33					
LBP093C (0, -90)	21.8	25.3	3.5	0.41	0.2	119.8	Rangefront Target	Hole ended in grade	31.4
and	26.8	32.8	5.9	0.23					
and	46.2	101.5	55.3	0.49					
incl	93.2	96.9	3.7	1.80	1				
and	113.7	119.8	6.1	0.28	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP094 (115, -68)	6.1	29.0	22.9	0.43	0.2	304.8	Discovery Zone 2		58.7
and	79.2	83.8	4.6	0.57					
and	115.8	131.1	15.2	0.34					
and	147.8	150.9	3.0	0.41					
and	160.0	161.5	1.5	0.69					
and	189.0	224.0	35.1	0.92					
including	207.3	213.4	6.1	3.58	1				
and	242.3	249.9	7.6	0.24					
and	256.0	265.2	9.1	0.26					
and	275.8	285.0	9.1	0.28					
LBP095 (260, -82)	33.5	47.2	13.7	0.27	0.2	285.0	Discovery Zone 2		130.7
and	70.1	80.8	10.7	0.30					
and	88.4	94.5	6.1	0.28					
and	157.0	201.2	44.2	1.14					
including	193.5	196.6	3.0	1.77					
and	217.9	240.8	22.9	2.83	0.2				
including	219.5	234.7	15.2	4.03	1				
and including	227.1	231.6	4.6	5.99	5				
and	257.6	269.7	12.2	0.57	0.2				
LBP096 (160, -70)	4.6	12.2	7.6	0.38	0.2	274.3	Discovery Zone 2		88.5
and	21.3	25.9	4.6	0.25					
and	167.6	170.7	3.0	0.94					
and	178.3	216.4	38.1	0.72					
including	211.8	214.9	3.0	1.18	1				
and	227.1	256.0	29.0	1.87	0.2				
including	228.6	239.3	10.7	4.41	1				
and including	230.1	233.2	3.0	7.95	5				
LBP097 (45, -75)	3.0	7.6	4.6	0.23	0.2	213.4	Discovery Zone 2		38.2
and	21.3	29.0	7.6	0.22					
and	77.7	80.8	3.0	0.24					
and	105.2	108.2	3.0	0.27					
and	137.2	167.6	30.5	1.05					
including	147.8	160.0	12.2	1.86	1				
and	193.5	196.6	3.0	0.63	0.2				
LBP098 (295, -62)	16.8	21.3	4.6	0.29	0.2	227.1	South Discovery Zone 1		15.5
and	105.2	115.8	10.7	0.45					
and	123.4	126.5	3.0	0.50					
and	137.2	144.8	7.6	0.56					
and	150.9	158.5	7.6	0.46					
LBP099 (205, -75)	12.2	15.2	3.0	0.23	0.2	239.3	Sourth step out on Discovery 1		18.2
and	96.0	102.1	6.1	0.46					
and	152.4	157.0	4.6	0.36					
and	166.1	170.7	4.6	0.33					
and	179.8	184.4	4.6	0.70					
and	196.6	205.7	9.1	0.91					
including	198.1	204.2	6.1	1.21	1				
LBP100 (280, -60)	68.6	96.0	27.4	0.41	0.2	251.5	Ridge SW of Discovery 1		11.2
LBP101 (340, -70)	24.4	27.4	3.0	0.29	0.2	239.3	SE of Discovery 2		8.1
and	29.0	33.5	4.6	0.21					
and	132.6	141.7	9.1	0.35					
and	214.9	224.0	9.1	0.33					
LBP102 (205, -50)	100.6	132.6	32.0	0.31	0.2	263.7	Ridge SW of Discovery 1		17.1
and	190.5	196.6	6.1	0.21					
and	214.9	217.9	3.0	0.56					
and	236.2	253.0	16.8	0.25					
LBP103 (295, -62)	79.2	82.3	3.0	0.23	0.2	280.4	SE step-out on Discovery 2		17.1
and	153.9	158.5	4.6	0.38					
and	187.5	192.0	4.6	2.72					
incl	187.5	190.5	3.0	3.90	1				
and	199.6	204.2	4.6	0.34					
and	275.8	277.4	1.5	0.41					
LBP104 (115, -50)	65.5	77.7	12.2	0.30	0.2	385.6	Ridge E of A Pit		7.3
and	88.4	91.4	3.0	0.41					
and	272.8	283.5	10.7	0.22					
LBP105 (220, -70)	9.1	12.2	3.0	0.39	0.2	248.4	Ridge SW of Discovery 1		2.9
LBP106 (250, -70)	157.0	161.5	4.6	0.30	0.2	274.3	SE step-out on Discovery 2		6.7
and	167.6	172.2	4.6	0.23					
and	201.2	202.7	1.5	0.53					
and	222.5	228.6	6.1	0.36					
and	245.4	248.4	3.0	0.43					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
Cutoff (g/t)	0.2, 1.0, 5.0								
Min g/t'm		1.0							
Max Waste (m)		5.0							

Liberty Gold - Black Pine 2020 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target Concept	Comments	g/t x m
LBP107 (90, -83)	41.1	54.9	13.7	0.38					
and	61.0	77.7	16.8	0.23					
and	89.9	93.0	3.0	0.42					
and	196.6	207.3	10.7	0.53					
and	239.3	253.0	13.7	0.96					
and	262.1	283.5	21.3	0.92					
incl	268.2	274.3	6.1	2.17	1				
LBP108 (85, -65)	6.1	13.7	7.6	0.40					
and	53.3	59.4	6.1	0.25					
and	137.2	141.7	4.6	1.18					
and	184.4	193.5	9.1	0.50					
and	208.8	211.8	3.0	0.45					
LBP109 (235, -71)	32.0	47.2	15.2	0.26					
and	53.3	61.0	7.6	0.33					
and	77.7	80.8	3.0	0.34					
and	125.0	129.5	4.6	0.24					
and	169.2	175.3	6.1	0.65					
and	196.6	221.0	24.4	0.58					
incl	214.9	219.5	4.6	1.24					
and	234.7	240.8	6.1	0.35					
and	249.9	265.2	15.2	0.66					
and	297.2	301.8	4.6	1.41					
and	307.8	312.4	4.6	1.32					
LBP110 (70, -50)	3.0	6.1	3.0	0.38					
and	16.8	22.9	6.1	0.25					
and	120.4	134.1	13.7	0.68					
and	152.4	175.3	22.9	0.80					
LBP111 (93, -65)	38.1	42.7	4.6	0.30					
and	68.6	97.5	29.0	0.45					
and	179.8	201.2	21.3	1.27					
and	237.7	245.4	7.6	0.94					
and	265.2	285.0	19.8	0.74					
incl	271.3	275.8	4.6	1.52	1				
and	318.5	324.6	6.1	2.17					
and	330.7	333.8	3.0	3.05	0.2				
LBP112 (270, -47)	No Significant Results				257.6	Ravine Target			
LBP113 (120, -75)	10.7	19.8	9.1	0.43					
and	35.1	47.2	12.2	0.32					
and	64.0	77.7	13.7	0.39					
and	94.5	109.7	15.2	0.58					
and	121.9	125.0	3.0	0.47					
and	137.2	141.7	4.6	0.23					
and	172.2	176.8	4.6	0.40					
and	202.7	207.3	4.6	0.76					
and	243.8	253.0	9.1	1.12					
and	315.5	320.0	4.6	0.50					
LBP114 (240, -55)	153.9	158.5	4.6	0.70					
and	202.7	214.9	12.2	0.75	0.2	233.2	Trough Target (D-2 South)		12.3
LBP115 (300, -80)	27.4	82.3	54.9	0.32					
and	144.8	160.0	15.2	0.24					
and	204.2	263.7	59.4	0.65					
incl	259.1	262.1	3.0	2.21	1				
and	271.3	285.0	13.7	0.62	0.2				
LBP116 (150, -55)	No Significant Results				294.1	SE of A Pit			
LBP117 (145, -60)	No Significant Results				361.2	Discovery 1 to E pit deep test			
LBP118 (295, -50)	109.7	114.3	4.6	0.38	0.2	175.3	Trough Target		1.7
LBP119 (215, -55)	178.3	181.4	3.0	0.46	0.2	342.9	Discovery 1 to E pit deep test		1.4
LBP120 (200, -45)	No Significant Results				281.9	Trough Target			
LBP121 (290, -65)	271.3	274.3	3.0	0.44	0.2	295.7	Discovery 1 to E pit deep test		1.3
LBP122 (165, -65)	No Significant Results				349.0				
LBP123 (145, -60)	56.4	61.0	4.6	0.41			Good alteration and most assay intervals above detection		4.1
and	86.9	93.0	6.1	0.36	0.2	349.0			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP124 (250, -65)	6.1	13.7	7.6	0.24	0.2	208.8	B Pit to Tallman Pit (D-1 SE extension)	Hole ended in mineralization	21.9				
and	6.1	13.7	7.62	0.24									
and	51.8	61.0	9.1	0.36									
and	85.3	123.4	38.1	0.39									
LBP125 (200, -55)	335.3	345.9	10.7	1.07	0.2	365.8			16.6				
and	355.1	365.8	10.7	0.48									
LBP126 (150, -65)	18.3	21.3	3.0	0.34	0.2	208.8	B Pit to Tallman Pit (D-1 SE extension)	Hole lost; last five assay intervals returne > 2 g/t Au: no recovery in some of the lower interval (assigned 0 grade)	30.0				
and	44.2	61.0	16.8	0.27									
and	70.1	83.8	13.7	0.44									
and	125.0	129.5	4.6	0.22									
and	131.1	160.0	29.0	0.54									
incl.	150.9	153.9	3.0	1.54									
and	163.1	170.7	7.6	0.24	0.2								
LBP127 (60, -58)	89.9	93.0	3.0	0.36	0.2	294.1	D-3	Hole lost; last five assay intervals returne > 2 g/t Au: no recovery in some of the lower interval (assigned 0 grade)	109.5				
and	128.0	132.6	4.6	0.54									
and	155.4	158.5	3.0	0.57									
and	187.5	201.2	13.7	0.28									
and	224.0	257.6	33.5	1.98									
incl	239.3	254.5	15.2	3.93									
and	263.7	294.1	30.5	1.11									
incl	286.5	294.1	7.6	2.39	1								
LBP128 (90, -65)	3.0	7.6	4.6	0.29	0.2	213.4	B Pit to Tallman Pit (D-1 SE extension)		18.7				
and	64.0	85.3	21.3	0.31									
and	155.4	173.7	18.3	0.59									
incl	164.6	169.2	4.6	1.42									
LBP129 (15, -65)	1.5	12.2	10.7	0.27	0.2	339.9	D-3		69.2				
and	32.0	41.1	9.1	0.33									
and	65.5	80.8	15.2	0.41									
and	137.2	157.0	19.8	0.31									
and	222.5	228.6	6.1	0.73									
and	240.8	269.7	29.0	1.60									
incl	243.8	263.7	19.8	2.09	1								
LBP130 (250, -80)	51.8	73.2	21.3	0.82	0.2	196.6	D-3		25.5				
and	74.7	83.8	9.1	0.22									
and	86.9	88.4	1.5	1.20									
and	114.3	117.3	3.0	0.36									
and	173.7	184.4	10.7	0.28									
LBP131 (15, -80)	1.5	4.6	3.0	0.76	0.2	373.4	D-3		92.7				
and	19.8	24.4	4.6	0.36									
and	62.5	67.1	4.6	0.24									
and	73.2	77.7	4.6	0.32									
and	96.0	100.6	4.6	0.22									
and	102.1	115.8	13.7	0.25									
and	141.7	144.8	3.0	0.31									
and	169.2	245.4	76.2	0.82									
incl	187.5	210.3	22.9	1.65									
and	257.6	269.7	12.2	0.58									
and	275.8	288.0	12.2	0.77	0.2								
and	304.8	307.8	3.0	0.33									
LBP132 (270, -55)	76.2	89.9	13.7	1.27	0.2	227.1	D-3	Hole ended in 0.411 g/t Au	17.4				
incl	77.7	86.9	9.1	1.68	1								
LBP133 (270, -65)	15.2	45.7	30.5	0.68	0.2	239.3	D-3		35.6				
and	53.3	62.5	9.1	0.80									
and	207.3	234.7	27.4	0.28									
LBP134 (10, -55)	99.1	108.2	9.1	0.65	0.2	291.1	D-3		33.5				
and	117.3	134.1	16.8	0.52									
and	169.2	195.1	25.9	0.68									
incl	173.7	176.8	3.0	1.97									
and	257.6	260.6	3.0	0.37									
LBP135 (70, -70)	No Significant Results				86.9	D-3	Not Assayed; Hole lost in void						
LBP136 (205, -65)	13.7	19.8	6.1	0.69	0.2	367.3	D-3		56.6				
and	50.3	56.4	6.1	0.29									
and	61.0	91.4	30.5	0.44									
and	134.1	138.7	4.6	0.44									
and	176.8	193.5	16.8	0.39									
and	211.8	216.4	4.6	0.52									
and	228.6	233.2	4.6	0.66									
and	260.6	263.7	3.0	0.40									
and	274.3	281.9	7.6	0.60									
and	288.0	301.8	13.7	1.27									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP137 (95, -60)	16.8	29.0	12.2	0.29	0.2	211.8	D-2 South	Offset to LBP110 south of D-2 zone	28.1
and	53.3	56.4	3.0	0.65					
and	105.2	111.3	6.1	0.88					
and	117.3	138.7	21.3	0.75					
incl	117.3	120.4	3.0	2.05					
and	144.8	147.8	3.0	0.38					
LBP138 (33, -52)	117.3	126.5	9.1	1.43	0.2	284.9	D-3	Hole ended in grade; last assay interval 0.84 g/t Au	97.9
and	199.6	208.8	9.1	0.48					
and	217.9	285.0	67.1	1.20					
incl	217.9	234.7	16.8	2.57					
and incl	227.1	230.1	3.0	8.51					
LBP139 (26, -70)	80.8	123.4	42.7	0.85	0.2	227.1	D-2 South	Offset to LBP110 south of D-2 Zone	41.4
incl	88.4	94.5	6.1	1.73	1				
and	129.5	144.8	15.2	0.34	0.2				
LBP140 (240, -70)	61.0	77.7	16.8	0.51	0.2	342.9	D-3		88.1
and	118.9	131.1	12.2	0.52					
and	190.5	196.6	6.1	6.33					
incl	190.5	195.1	4.6	8.29					
and	205.7	221.0	15.2	1.12					
and	231.6	259.1	27.4	0.59					
and	318.5	323.1	4.6	0.29					
LBP141 (100, -60)	97.5	102.1	4.6	0.31	0.2	227.1	F		3.5
and	111.3	115.8	4.6	0.22					
and	117.3	120.4	3.0	0.40					
LBP142 (120, -65)	21.3	38.1	16.8	0.27	0.2	196.6	D-3		6.9
and	80.8	85.3	4.6	0.53					
LBP143 (240, -70)	70.1	76.2	6.1	0.29	0.2	213.4	F		3.9
and	88.4	94.5	6.1	0.34					
LBP144 (293, -70)	13.7	19.8	6.1	0.42					
and	70.1	88.4	18.3	0.53	0.2	312.4	D-3		27.4
and	245.4	251.5	6.1	1.69					
and	259.1	265.2	6.1	0.79					
LBP145 (320, -65)	No Significant Results				233.2	F			
LBP146 (195, -60)	57.9	67.1	9.1	0.32	0.2	251.5	D-3		2.9
LBP147 (110, -60)	No Significant Results				196.6	F			
LBP148 (293, -60)	71.6	88.4	16.8	0.45	0.2	294.1	D-3		19.4
and	126.5	129.5	3.0	0.36					
and	224.0	227.1	3.0	0.35					
and	234.7	257.6	22.9	0.43					
LBP149 (80, -60)	3.0	32.0	29.0	0.29	0.2	190.5	F		58.9
and	41.1	64.0	22.9	2.21					
incl	44.2	48.8	4.6	7.42					
LBP150 (117, -60)	19.8	22.9	3.0	0.70	0.2	251.5	B Pit to Tallman Pit (D-1 SE extension)		93.4
and	32.0	44.2	12.2	0.33					
and	50.3	56.4	6.1	0.26					
and	79.2	83.8	4.6	0.62					
and	138.7	146.3	7.6	0.83					
and	153.9	176.8	22.9	0.48					
and	185.9	189.0	3.0	0.47					
and	208.8	228.6	19.8	3.04					
incl	208.8	222.5	13.7	4.15					
and incl	217.9	222.5	4.6	8.54					
and	231.6	245.4	13.7	0.29	0.2				
LBP151 (35, -70)	30.5	41.1	10.7	0.25	0.2	365.8	D-3		19.4
and	53.3	57.9	4.6	0.53					
and	59.4	64.0	4.6	0.22					
and	97.5	103.6	6.1	0.78					
and	138.7	141.7	3.0	0.55					
and	205.7	216.4	10.7	0.65					
and	291.1	295.7	4.6	3.57					
LBP152 (90, -79)	1.5	10.7	9.1	0.26	0.2	409.9	D-3		152.0
and	18.3	30.5	12.2	0.32					
and	54.9	59.4	4.6	0.28					
and	172.2	176.8	4.6	0.22					
and	219.5	315.5	96.0	1.44					
incl	228.6	260.6	32.0	1.95					
and incl	253.0	254.5	1.5	5.31					
incl	263.7	292.6	29.0	1.86					
and incl	277.4	278.9	1.5	5.58					
incl	294.1	297.2	3.0	1.12					
incl	303.3	306.3	3.0	2.88					
and	332.2	342.9	10.7	0.46	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP153 (205, -60)	9.1	13.7	4.6	0.34	0.2	172.2	B Pit to Tallman Pit (D-1 SE extension)		23.1
and	33.5	48.8	15.2	0.32					
and	61.0	79.2	18.3	0.33					
and	102.1	117.3	15.2	0.70					
LBP154 (65, -74)	41.2	48.8	7.6	0.68	0.2	312.4	D-3		19.3
and	56.4	65.5	9.1	0.24					
and	99.1	103.6	4.6	0.66					
and	158.5	167.6	9.1	0.38					
and	195.1	201.2	6.1	0.39					
and	297.2	301.8	4.6	0.66					
LBP155 (180, -70)	45.7	71.6	25.9	0.69	0.2	166.1	D-1 SE Extension		18.0
LBP156 (30, -70)	51.8	76.2	24.4	0.39	0.2	166.1	D-1 SE Extension		14.4
and	82.3	91.4	9.1	0.55					
LBP157 (170, -81)	3.1	16.8	13.7	0.26	0.2	397.8	D-3		41.2
and	19.8	24.4	4.6	0.25					
and	106.7	115.8	9.1	0.39					
and	126.5	132.6	6.1	0.39					
and	190.5	195.1	4.6	0.51					
and	205.7	208.8	3.0	0.89					
and	260.6	268.2	7.6	1.99					
incl	260.6	266.7	6.1	2.38					
and	277.4	294.1	16.8	0.94					
incl	278.9	283.5	4.6	1.63					
incl	288.0	291.1	3.0	1.14					
and	321.6	327.7	6.1	1.70	0.2				
LBP158 (103, -72)	30.5	38.1	7.6	0.32	0.2	341.4	D-3		33.2
and	39.6	57.9	18.3	0.48					
incl	54.9	56.4	1.5	1.98					
and	99.1	102.1	3.0	0.66					
and	125.0	126.5	1.5	2.36					
and	164.6	173.7	9.1	0.59					
and	204.2	207.3	3.0	0.76					
and	216.4	219.5	3.0	1.20					
and	312.4	315.5	3.0	0.64					
and	317.0	323.1	6.1	0.23					
and	333.8	339.9	6.1	0.28					
LBP159 (12, -65)	4.6	9.1	4.6	0.25	0.2	294.1	F Zone		6.2
and	155.4	166.1	10.7	0.36					
and	199.6	202.7	3.0	0.42					
LBP160 (240, -79)	1.5	27.4	25.9	0.28	0.2	338.3	D-3		13.6
and	65.5	71.6	6.1	0.46					
and	301.8	306.3	4.6	0.77					
LBP161 (150, -75)	29.0	38.1	9.1	0.47	0.2	385.6	D-3		24.1
and	47.2	53.3	6.1	0.29					
and	68.6	76.2	7.6	0.23					
and	89.9	93.0	3.0	0.47					
and	111.3	112.8	1.5	0.82					
and	144.8	155.4	10.7	0.58					
and	195.1	196.6	1.5	0.93					
and	345.9	353.6	7.6	0.80					
LBP162 (43, -60)	102.1	111.3	9.1	0.86	0.2	294.1	D-3		44.3
incl	108.2	109.7	1.5	2.86					
and	129.5	134.1	4.6	0.41					
and	187.5	190.5	3.0	1.67					
incl	187.5	189.0	1.5	3.10					
and	199.6	233.2	33.5	0.82					
incl	199.6	216.4	16.8	1.28					
and	248.4	254.5	6.1	0.30					
LBP163 (302, -68)	3.0	15.2	12.2	0.4	0.2	309.4	D-3		24.4
and	24.4	27.4	3.0	0.4					
and	155.4	161.5	6.1	0.7					
and	167.6	179.8	12.2	0.3					
and	265.2	285.0	19.8	0.4					
and	295.7	300.2	4.6	0.2					
LBP164 (196, -79)	25.9	36.6	10.7	0.27	0.2	361.2	D-3		27.0
and	44.2	54.9	10.7	0.61					
and	76.2	80.8	4.6	0.70					
and	129.5	137.2	7.6	1.08					
and	172.2	181.4	9.1	0.68					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP165 (95, -75)	62.5	77.7	15.2	1.10	0.2	318.5	D-3		63.2				
incl	67.1	74.7	7.6	1.63	1								
and	85.3	99.1	13.7	0.68	0.2								
incl	89.9	91.4	1.5	2.56	1								
and	109.7	153.9	44.2	0.70	0.2								
incl	126.5	129.5	3.0	1.77	1								
incl	138.7	143.3	4.6	1.68	0.2								
and	170.7	184.4	13.7	0.30									
and	195.1	201.2	6.1	0.36									
LBP166 (345, -73)	1.5	9.1	7.6	0.25	0.2	379.5	D-3		31.6				
and	19.8	24.4	4.6	0.29									
and	29.0	54.9	25.9	0.45									
incl	38.1	39.6	1.5	1.09	1								
and	91.4	97.5	6.1	0.27	0.2								
and	105.2	109.7	4.6	0.28									
and	172.2	176.8	4.6	0.51									
and	217.9	219.5	1.5	0.46									
and	233.2	239.3	6.1	0.54									
and	245.4	249.9	4.6	0.28									
and	268.2	272.8	4.6	1.18									
incl	269.8	271.3	1.5	2.12	1								
and	350.5	352.0	1.5	0.50	0.2								
LBP167 (285, -75)	25.9	42.7	16.8	0.57	0.2	379.5	D-3		19.1				
incl	35.1	38.1	3.0	1.22	1								
and	61.0	77.7	16.8	0.36	0.2								
and	120.4	125.0	4.6	0.50									
and	222.5	227.1	4.6	0.24									
LBP168 (98, -45)	25.9	29.0	3.0	0.51	0.2	251.5	D-1 SE Extension		51.6				
and	36.6	41.2	4.6	0.29									
and	47.2	48.8	1.5	1.17									
and	79.3	96.0	16.8	0.34									
and	141.7	173.7	32.0	1.06									
incl	144.8	155.5	10.7	2.34	1								
and	196.6	201.2	4.6	0.53	0.2								
and	211.8	217.9	6.1	0.80									
incl	213.4	214.9	1.5	1.87	1								
LBP169 (128, -71)	13.7	18.3	4.6	0.39	0.2	384.0	D-3	Hole Lost in Mineralization	103.4				
and	126.5	129.5	3.0	0.38									
and	195.1	199.6	4.6	0.58									
and	216.4	222.5	6.1	0.32									
and	233.2	313.9	80.8	0.98									
incl	239.3	242.3	3.0	1.71	1								
incl	248.4	253.0	4.6	1.60									
incl	260.6	278.9	18.3	2.32									
and incl	263.7	266.7	3.0	5.60	5								
and	373.4	381.0	7.6	2.19	0.2								
incl	374.9	379.5	4.6	3.17	1								
LBP170 (120, -70)	73.2	89.9	16.8	0.50	0.2	342.9	D-3		19.7				
incl	74.7	76.2	1.5	1.24	1								
and	97.5	125.0	27.4	0.37	0.2								
incl	121.9	123.4	1.5	1.22	1								
and	245.4	248.4	3.0	0.37	0.2								
LBP171 (75, -45)	33.5	48.8	15.2	0.29	0.2	257.6	D-1 Southeast Extension		31.8				
and	71.6	88.4	16.8	0.36									
incl	79.3	80.8	1.5	1.22	1								
and	164.6	205.7	41.1	0.52	0.2								
incl	167.6	169.2	1.5	3.27									
and incl	181.4	182.9	1.5	1.20	1								
LBP172 (178, -74)	202.7	207.3	4.6	0.55	0.2	349.0	D-3		19.1				
and	216.4	221.0	4.6	0.39									
and	245.4	256.0	10.7	0.35									
and	277.4	291.1	13.7	0.32									
and	303.3	317.0	13.7	0.49									
LBP173 (225, -60)	13.7	16.8	3.0	0.44	0.2	263.7	D-1 Northwest Extension		29.2				
and	33.5	50.3	16.8	1.18									
incl	33.5	35.1	1.5	1.26									
incl	41.2	48.8	7.6	1.82	1								
and	77.7	88.4	10.7	0.58	0.2								
incl	79.3	80.8	1.5	1.43									
and	115.8	120.4	4.6	0.41	0.2								
LBP174 (57, -45)	33.5	36.6	3.0	0.97	0.2	213.3	D-1 Southeast Extension		14.8				
incl	35.1	36.6	1.5	1.62	1								
and	76.2	102.1	25.9	0.28	0.2								
and	201.2	210.3	9.1	0.51									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
incl	208.8	210.3	1.5	1.27	1				
LBP175 (230, -60)	0.0	6.1	6.1	0.37	0.2	282	D-1 Northwest Extension		2.3
LBP176 (300, -60)	54.9	65.5	10.7	1.26	0.2	141.7	D-1 Southeast Extension		13.5
incl	54.9	62.5	7.6	1.59	1				
LBP177 (315, -74)	100.6	105.2	4.6	0.35	0.2	336.8	D-3		19.9
and	240.8	269.8	29.0	0.63					
incl	242.3	246.9	4.6	1.56	1				
LBP178 (75, -45)	No Significant Results					141.7	D-1 Southeast Extension	Drilled in Footwall to Mineralization	
LBP179 (70, -65)	0.0	10.7	10.7	0.38	0.2	275.8	D-1 Northwest Extension		31.8
and	21.3	24.4	3.0	0.37					
and	47.2	51.8	4.6	0.37					
and	103.6	128.0	24.4	1.02					
incl	109.7	120.4	10.7	1.38	1				
LBP180 (270, -50)	No Significant Results					227.1	D-3/Fzone Transition	Anomalous Gold - Drilled into footwall of Mineralization	
LBP181 (15, -68)	0.0	7.6	7.6	0.37	0.2	221.0	D-1 Northwest Extension		6.7
and	64.0	68.6	4.6	0.25					
and	187.5	190.5	3.0	0.52					
and	196.6	199.6	3.0	0.39					
LBP182 (270, -75)	132.6	150.9	18.3	0.38	0.2	361.2	D-3		35.7
and	227.1	242.3	15.2	1.89					
LBP183 (180, -45)	13.7	16.8	3.0	0.40	0.2	227.1	Southwest Extension	Anomalous	1.2
LBP184 (275, -55)	89.9	96.0	6.1	0.28	0.2	214.9	D-1 Northwest Extension		3.6
and	114.3	121.9	7.6	0.25					
LBP185 (20, -50)	50.3	54.9	4.6	0.24	0.2	243.8	D-1 Northwest Extension		11.2
and	68.6	85.3	16.8	0.41					
and	189.0	196.6	7.6	0.42					
LBP186 (45, -70)	112.8	117.4	4.6	0.27	0.2	403.9	Southwest Extension		1.2
LBP187 (45, -75)	65.5	68.6	3.0	0.40	0.2	367.3	D-3		22.1
and	89.9	105.2	15.2	0.37					
and	112.8	143.3	30.5	0.41					
and	147.8	152.4	4.6	0.28					
and	256.0	262.1	6.1	0.24					
LBP188 (110, -70)	71.6	96.0	24.4	0.32	0.2	254.5	D-1 North		21.6
and	111.3	120.4	9.1	1.07					
and	163.1	173.7	10.7	0.39					
LBP189 (195, -62)	65.5	74.7	9.1	0.39	0.2	422.1	D-3 South	Step-Out to the Southeast	80.5
and	94.5	103.6	9.1	0.35					
and	138.7	147.8	9.1	0.45					
and	190.5	195.1	4.6	0.66					
and	213.4	224.0	10.7	0.33					
and	266.7	329.2	62.5	1.01					
incl	300.2	326.1	25.9	1.94					
LBP190C (122, -50)	18.6	20.1	1.5	1.28	0.2	244.1	D-1 Southeast Extension	Metallurgical PQ Core Hole	53.4
and	30.8	41.5	10.7	0.36					
and	49.1	51.8	2.7	1.51					
incl	50.3	51.8	1.5	2.00					
and	74.7	80.8	6.1	0.43					
and	143.7	161.8	18.1	0.69					
incl	145.1	146.9	1.8	1.62					
and	152.7	156.6	3.9	1.35					
and	162.9	174.3	11.4	0.28					
and	184.7	193.9	9.1	0.46					
incl	190.8	192.3	1.5	1.12	1				
and	208.9	223.1	14.2	1.61	0.2				
and	213.7	219.8	6.1	3.04	1				
LBP191 (300, -70)	62.5	70.1	7.6	0.23	0.2	281.9	D-1		11.4
and	71.6	82.3	10.7	0.27					
and	225.6	236.2	10.7	0.23					
and	239.3	248.4	9.1	0.47					
incl	246.9	248.4	1.5	1.17					
LBP192 (120, -45)	53.3	56.4	3.0	0.45	0.2	202.7	Southwest Extension		4.4
and	67.1	70.1	3.0	0.41					
and	192.0	198.1	6.1	0.29					
LBP193 (352, -78)	1.5	6.1	4.6	0.44	0.2	301.8	D-3 South	Stepout to the southeast	47.3
and	91.4	96.0	4.6	0.35					
and	132.6	135.6	3.0	0.40					
and	141.7	160.0	18.3	0.62					
incl	149.4	152.4	3.0	2.04					
and	178.3	214.9	36.6	0.85					
incl	181.4	184.4	3.0	1.85					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
incl	187.5	190.5	3.0	1.34	1				
incl	196.6	204.2	7.6	1.29					
LBP194 (218, -73)	64.0	83.8	19.8	0.30	0.2				
and	187.5	198.1	10.7	1.29					
incl	187.5	190.5	3.0	3.10	1				
incl	193.5	196.6	3.0	1.07	1				
and	228.6	236.2	7.6	0.58	0.2				
and	237.7	242.3	4.6	0.22					
incl	233.2	234.7	1.5	1.17	1				
and	265.2	330.7	65.5	0.31	0.2				
and	333.8	341.4	7.6	0.44					
LBP195 (240, -45)	19.8	24.4	4.6	0.33	0.2				
and	135.6	138.7	3.0	0.68	0.2				
incl	137.2	138.7	1.5	1.10	1				
LBP196 (120, -45)	12.2	15.2	3.0	0.43	0.2	182.9	Southwest Extension		2.6
and	117.3	120.4	3.0	0.42					
LBP197C (45, -78)	58.8	75.3	16.5	1.44	0.2				
incl	61.9	74.1	12.2	1.66	1				
and	88.2	91.1	2.9	0.49					
and	107.3	110.6	3.4	0.33	0.2				
and	116.7	129.8	13.1	0.56					
incl	118.9	119.8	0.9	2.87	1				
and	136.6	151.8	15.2	1.36	0.2				
incl	136.6	147.1	10.5	1.81	1				
and	157.9	165.5	7.6	1.23	0.2				
incl	159.4	164.3	4.9	1.55	1				
and	228.0	232.6	4.6	0.43	0.2				
LBP198 (6, -63)	0.0	4.6	4.6	0.48					
and	166.1	169.2	3.0	0.61					
and	187.5	196.6	9.1	0.37					
and	222.5	227.1	4.6	0.43					
and	239.3	243.8	4.6	0.35					
and	248.4	254.5	6.1	0.35					
LBP199 (252, -79)	62.5	79.2	16.8	0.51					
and	85.3	91.4	6.1	0.48					
and	144.8	153.9	9.1	0.35					
and	214.9	230.1	15.2	0.62					
incl	224.0	227.1	3.0	2.01	1				
and	239.3	246.9	7.6	0.74					
and	260.6	263.7	3.0	0.35					
and	271.3	281.9	10.7	0.42					
and	295.7	304.8	9.1	0.61					
and	362.7	367.3	4.6	0.45					
LBP200 (45, -45)	0.0	15.2	15.2	0.58	0.2	172.2	Southwest Extension		10.4
and	25.9	30.5	4.6	0.36					
LBP201 (185, -60)	24.4	27.4	3.0	0.32					
and	74.7	76.2	1.5	0.64					
and	82.3	88.4	6.1	0.75					
and	150.9	160.0	9.1	0.47					
and	167.6	173.7	6.1	0.47					
LBP202 (40, -75)	88.4	96.0	7.6	0.48	0.2	208.8	Southwest Extension		3.6
LBP203 (315, -66)	1.5	6.1	4.6	0.25					
and	77.7	105.2	27.4	1.50					
and	138.7	141.7	3.0	0.51					
and	187.5	192.0	4.6	0.27					
and	205.7	213.4	7.6	0.62					
and	233.2	242.3	9.1	0.28					
and	260.6	275.8	15.2	0.31					
LBP204 (12, -46)	0.0	6.1	6.1	0.38					
and	65.5	71.6	6.1	0.32					
and	152.4	160.0	7.6	0.61					
incl	153.9	155.5	1.5	1.36	1				
and	187.5	193.6	6.1	0.30					
and	259.1	263.7	4.6	0.34	0.2				
and	275.8	280.4	4.6	0.79					
incl	277.4	278.9	1.5	1.05	1				
and	295.7	298.7	3.0	0.50	0.2				
LBP205 (0, -50)	12.2	15.2	3.0	0.38	0.2	184.4	Southwest Extension		1.1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP206 (52, -77)	0.0	4.6	4.6	0.64	0.2	365.8	D-3		131.1				
incl	1.5	3.1	1.5	1.30	1								
and	22.9	27.4	4.6	0.37	0.2								
and	56.4	70.1	13.7	0.37									
and	91.4	103.6	12.2	0.32									
and	236.2	259.1	22.9	1.41									
incl	243.8	257.6	13.7	1.93	1								
and	271.3	327.7	56.4	1.51	0.2								
incl	277.4	286.5	9.1	1.42	1								
incl	292.6	317.0	24.4	2.36									
and incl	304.8	307.9	3.0	5.86	5								
incl	318.5	326.1	7.6	1.04	1								
LBP207C (240, -50)	30.6	37.2	6.6	0.27	0.2	271.9	D-2	Metallurgical PQ Core Hole	133.4				
and	68.7	82.1	13.4	1.12									
incl	68.7	74.5	5.8	1.11									
incl	76.8	80.0	3.2	2.05									
and	103.0	105.8	2.7	1.80									
incl	103.0	104.2	1.2	2.91	1								
and	114.9	146.9	32.0	3.16	0.2								
incl	116.4	143.9	27.4	3.58	1								
and incl	116.4	118.0	1.5	5.08									
and incl	122.5	125.6	3.0	10.3	5								
and incl	140.8	142.3	1.5	6.90									
and	153.0	163.7	10.7	0.84	0.2								
incl	159.1	160.6	1.5	2.95	1								
and	207.9	212.5	4.6	0.36	0.2								
LBP208 (107, -69)	4.6	30.5	25.9	0.26	0.2	434.3	D-3		103.0				
and	179.8	192.0	12.2	0.43									
and	227.1	269.8	42.7	1.25									
incl	239.3	245.4	6.1	1.29									
incl	257.6	268.2	10.7	3.01									
and	277.4	294.1	16.8	0.68									
incl	285.0	288.0	3.0	1.87	1								
and	300.2	330.7	30.5	0.71	0.2								
incl	303.3	304.8	1.5	1.09	1								
incl	310.9	317.0	6.1	1.02									
incl	318.5	321.6	3.0	1.93									
and	364.2	368.8	4.6	1.00	0.2								
incl	364.2	367.3	3.0	1.16	1								
LBP209 (60, -70)	70.1	73.2	3.0	0.37	0.2	251.5	Southwest Extension		3.0				
and	86.9	91.4	4.6	0.42									
LBP210 (105, -82)	13.7	16.8	3.0	0.38	0.2	269.7	D-3 South		26.2				
and	53.3	57.9	4.6	0.33									
and	73.2	79.3	6.1	0.30									
and	99.1	103.6	4.6	0.25									
and	131.1	134.1	3.0	0.73									
and	143.3	152.4	9.1	0.48									
and	167.6	182.9	15.2	0.92									
incl	167.6	170.7	3.0	1.01	1								
incl	172.2	176.8	4.6	1.67									
LBP211 (72, -60)	27.4	44.2	16.8	0.76	0.2	263.7	D-3		29.7				
incl	38.1	42.7	4.6	1.15	1								
and	100.6	111.3	10.7	0.68	0.2								
incl	105.2	106.7	1.5	1.42	1								
and	153.9	158.5	4.6	0.49	0.2								
and	169.2	172.2	3.0	0.37									
and	182.9	189.0	6.1	0.51									
and	222.5	231.7	9.1	0.35									
LBP212 (0, -55)	41.2	44.2	3.0	0.33	0.2	219.5	Hazel Pine Extension		3.3				
and	117.4	120.4	3.0	0.44									
and	153.9	157.0	3.0	0.34									
LBP213 (200, -85)	3.1	9.1	6.1	0.24	0.2	416.1	D-3		35.6				
and	10.7	15.2	4.6	0.36									
and	18.3	24.4	6.1	0.23									
and	61.0	62.5	1.5	1.31									
and	86.9	106.7	19.8	0.42									
and	184.4	202.7	18.3	0.50									
and	254.5	257.6	3.0	0.67									
and	266.7	281.9	15.2	0.38									
and	297.2	301.8	4.6	0.36									
and	336.8	341.4	4.6	0.47									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t m				
LBP214C (125, -77)	69.2	72.2	3.0	0.68	0.2	285.6	D2	Metallurgical PQ Core Hole	185.7				
and	79.9	82.3	2.4	0.59	0.2								
and	95.1	115.4	20.3	0.79	0.2								
incl	101.2	104.3	3.1	2.90	1								
and	124.2	171.6	47.4	3.32	0.2								
incl	127.3	151.0	23.7	5.08	1								
and incl	130.2	135.9	5.8	12.5	5								
and incl	142.0	145.4	3.4	7.99	5								
incl	163.7	170.2	6.6	4.36	1								
and incl	168.3	170.2	2.0	7.63	5								
and	269.0	274.9	5.9	1.49	0.2								
incl	270.2	273.4	3.2	2.35	1								
LBP215 (180, -45)	16.8	21.3	4.6	1.14	0.2	129.5	Hazel Pine Extention		5.2				
LBP216 (126, -62)	1.5	7.6	6.1	0.23	0.2	196.6	D-1 Southeast Extension		32.7				
and	16.8	19.8	3.0	0.53									
and	32.0	38.1	6.1	0.37									
and	45.7	54.9	9.1	0.27									
and	67.1	79.3	12.2	0.44									
and	132.6	143.3	10.7	1.19									
incl	140.2	143.3	3.0	3.24	1								
and	155.5	160.0	4.6	0.34	0.2								
and	166.1	175.3	9.1	0.59									
incl	172.2	173.7	1.5	1.21	1								
LBP217 (280, -45)	50.3	61.0	10.7	0.70	0.2	233.2	M Zone		76.9				
incl	56.4	59.4	3.0	1.39	1								
and	94.5	102.1	7.6	1.79	0.2								
and	109.7	120.4	10.7	0.37	0.2								
and	126.5	152.4	25.9	2.00									
incl	128.0	149.4	21.3	2.31	1								
LBP218 (330, -80)	35.1	51.8	16.8	0.27	0.2	221.0	D-1 Southeast Extension		13.0				
and	73.2	77.7	4.6	0.58									
and	83.8	88.4	4.6	0.37									
and	132.6	137.2	4.6	0.40									
and	140.2	144.8	4.6	0.23									
and	147.8	150.9	3.0	0.40									
LBP219 (10, -70)	No Significant Results				440.4			West of D-3					
LBP220 (280, -45)	112.8	121.9	9.1	0.47	0.2	211.8	M Zone		15.1				
incl	118.9	120.4	1.5	1.19	1								
and	152.4	163.1	10.7	1.01	0.2								
incl	155.5	158.5	3.0	1.97	1								
LBP221 (310, -58)	4.6	10.7	6.1	0.35	0.2	172.2	D-1 Southeast Extension		23.0				
and	39.6	48.8	9.1	0.58									
and	57.9	61.0	3.0	0.36									
and	67.1	73.2	6.1	0.40									
and	91.4	97.5	6.1	0.44									
and	125.0	146.3	21.3	0.44									
LBP222C (90, -79)	3.1	10.8	7.8	0.32	0.2	345.0	D3	Metallurgical PQ Core Hole	116.1				
and	47.9	59.7	11.9	0.29									
and	74.2	78.0	3.9	0.24									
and	84.4	88.7	4.3	0.40									
and	113.4	114.9	1.5	0.70									
and	134.7	139.4	4.7	0.28									
and	218.1	225.0	6.9	0.73									
incl	223.3	225.0	1.8	1.37	1								
and	243.9	252.1	8.1	3.62	0.2								
and incl	249.0	250.6	1.5	5.36	5								
and	259.1	313.3	54.2	1.27	0.2								
incl	262.2	265.8	3.6	2.47	1								
incl	275.4	292.4	17.0	2.51									
and incl	279.8	281.0	1.3	6.37									
incl	304.9	308.5	3.5	1.48									
and	319.6	320.7	1.1	1.74									
LBP223 (350, -45)	71.6	83.8	12.2	1.04	0.2	149.4	D-1 Southeast Extension		12.7				
incl	77.7	83.8	6.1	1.63	1								
LBP224 (226, -45)	18.3	68.6	50.3	0.97	0.2	202.7	J Zone	Reduced cyanide solubility	61.9				
incl	33.5	35.1	1.5	3.53	1								
incl	42.7	45.7	3.0	4.09									
and incl	44.2	45.7	1.5	5.27									
incl	59.4	67.1	7.6	2.24									
and	93.0	97.5	4.6	0.44	0.2								
and	128.0	131.1	3.0	0.73									
and	140.2	144.8	4.6	0.35									
and	155.5	166.1	10.7	0.68									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
incl	163.1	164.6	1.5	1.28	1				
LBP225 (145, -65)	6.1	33.5	27.4	0.44	0.2	190.5	F Zone		18.5
incl	7.6	10.7	3.0	1.09	1				
and	56.4	74.7	18.3	0.35	0.2				
LBP226 (290, -70)	257.6	262.1	4.6	0.35	0.2	379.5		West of D-3	1.6
LBP227 (50, -45)	12.2	86.9	74.7	0.43	0.2	190.5	F Zone		32.1
incl	50.3	53.3	3.0	1.40					
incl	61.0	62.5	1.5	1.31					
incl	71.6	73.2	1.5	1.69					
LBP228 (0, -45)	25.9	30.5	4.6	0.25		312.4	J Zone	Reduced cyanide solubility	14.1
and	59.4	73.2	13.7	0.41					
and	269.8	278.9	9.1	0.81					
incl	269.8	271.3	1.5	1.07					
incl	274.3	275.8	1.5	1.35					
LBP229 (10, -45)	7.6	13.7	6.1	0.36	0.2	172.2	F Zone		44.2
and	39.6	102.1	62.5	0.64					
incl	73.2	83.8	10.7	1.33					
incl	94.5	97.5	3.0	1.20					
and	115.8	120.4	4.6	0.44	0.2				
LBP230 (220, -55)	1.5	7.6	6.1	0.23	0.2	379.5		West of D-3	1.4
LBP231C (210, -86)	25.3	36.0	10.7	0.28	0.2	279.8	D3	Metallurgical PQ Core Hole	69.6
and	72.9	78.6	5.7	0.41	0.2				
and	138.6	142.7	4.1	0.65	0.2				
and	147.7	167.5	19.8	0.38	0.2				
incl	147.7	149.4	1.7	1.01	1				
and	173.3	184.0	10.8	0.77	0.2				
incl	174.0	175.4	1.4	1.06	1				
incl	181.1	182.6	1.5	1.17	1				
and	190.2	214.3	24.1	1.23	0.2				
incl	193.2	195.6	2.3	2.72	1				
incl	206.8	211.2	4.4	3.39	1				
incl	212.8	214.3	1.5	1.08	1				
and	223.4	244.9	21.5	0.75	0.2				
incl	236.4	242.0	5.7	1.93	1				
LBP232 (92, -65)	4.6	9.1	4.6	0.78	0.2	251.5	D-3 South		18.2
incl	6.1	7.6	1.5	1.42	1				
and	25.9	33.5	7.6	0.24					
and	53.3	68.6	15.2	0.31					
and	94.5	109.7	15.2	0.36					
and	179.8	182.9	3.0	0.34					
and	202.7	207.3	4.6	0.34					
LBP233 (20, -60)	221.0	224.0	3.0	0.40	0.2	227.1	Mineral Gulch		1.2
LBP234 (42, -70)	4.6	7.6	3.0	0.77		274.3	D-3		5.0
and	114.3	123.4	9.1	0.30					
LBP235 (172, -77)	59.4	62.5	3.0	0.77	0.2	349.0	D-3 and D-1		56.3
and	68.6	77.7	9.1	0.86					
incl	70.1	71.6	1.5	1.64					
incl	74.7	76.2	1.5	1.18					
and	147.8	152.4	4.6	0.34					
and	234.7	280.4	45.7	0.90					
incl	243.8	253.0	9.1	2.35					
incl	254.5	256.0	1.5	1.70					
and	323.1	330.7	7.6	0.45	0.2				
LBP236 (40, -55)	3.1	7.6	4.6	0.99	0.2	263.7	D-3		23.2
incl	4.6	6.1	1.5	1.47	1				
and	61.0	65.5	4.6	0.31					
and	74.7	83.8	9.1	0.32					
and	96.0	100.6	4.6	0.25					
and	120.4	126.5	6.1	0.27					
and	184.4	192.0	7.6	0.65					
incl	187.5	189.0	1.5	1.02	1				
and	198.1	207.3	9.1	0.51	0.2				
incl	198.1	199.6	1.5	1.20	1				
and	249.9	254.5	4.6	0.43	0.2				
LBP237 (0, -60)	No Significant Results					190.5	Mineral Gulch		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP238C (280, -83)	8.5	12.4	3.9	0.43	0.2	159.4	D-2	Metallurgical PQ Core Hole	35.5
and	20.7	22.3	1.5	0.71					
and	28.4	29.6	1.2	0.73					
and	40.5	54.3	13.7	0.24					
and	70.0	91.7	21.7	1.11					
incl	72.5	80.9	8.4	1.58					
incl	81.8	83.2	1.5	1.21					
incl	87.8	91.7	3.9	1.20					
and	99.8	104.6	4.7	0.33					
and	122.4	127.4	5.0	0.23					
and	129.7	133.5	3.8	0.48					
LBP239 (290, -55)	44.2	62.5	18.3	0.39	0.2	268.2	J Zone		27.6
and	82.3	105.2	22.9	0.65					
incl	82.3	85.3	3.0	1.60					
incl	86.9	88.4	1.5	1.02					
incl	94.5	96.0	1.5	1.35					
and	111.3	128.0	16.8	0.33	0.2				
LBP240 (172, -67)	57.9	64.0	6.1	0.33	0.2	391.7	D3	Reduced cyanide solubility in some intervals	66.4
and	99.1	117.4	18.3	0.24					
and	149.4	160.0	10.7	1.80					
and	184.4	198.1	13.7	1.30					
incl	185.9	190.5	4.6	1.25					
incl	192.0	196.6	4.6	2.45					
and	260.6	272.8	12.2	0.65					
incl	262.1	265.2	3.0	1.10					
and	286.5	312.4	25.9	0.43					
incl	291.1	292.6	1.5	1.28					
and	336.8	342.9	6.1	0.64	0.2				
LBP241 (310, -75)	64.0	71.6	7.6	0.29	0.2	182.9		West of D-1	2.2
LBP242C (333, -45)	40.1	53.3	13.3	0.71	0.2	95.4	E Pit		25.6
and	57.7	62.8	5.1	3.19					
incl	57.7	61.3	3.6	4.31					
LBP243 (290, -50)	160.0	163.1	3.0	0.47	0.2	178.3		West of D-1	1.4
LBP244 (0, -90)	56.4	62.5	6.1	0.63	0.2	336.8	D-3		41.3
and	71.6	76.2	4.6	0.71					
and	91.4	96.0	4.6	0.42					
and	106.7	109.7	3.0	0.61					
and	128.0	134.1	6.1	0.26					
and	147.8	160.0	12.2	0.33					
and	161.5	173.7	12.2	0.35					
and	217.9	224.0	6.1	1.71					
incl	221.0	224.0	3.0	2.87					
and	230.1	240.8	10.7	0.33					
and	278.9	288.0	9.1	0.32	0.2				
and	294.1	303.3	9.1	0.40					
LBP245 (100, -50)	103.6	117.4	13.7	0.26	0.2	213.4	D-1 North		4.8
and	120.4	126.5	6.1	0.20					
LBP246 (140, -55)	88.4	94.5	6.1	0.29	0.2	243.8	D-3		1.4
and	125.0	134.1	9.1	0.35					
and	219.5	222.5	3.0	0.39					
LBP247C (32, -55)	42.8	45.9	3.0	0.47	0.2	175.9	D-1 North	Exploration Core Hole	6.3
and	58.7	66.1	7.5	0.27					
and	144.5	149.7	5.1	0.55					
LBP248 (250, -60)	32.0	83.8	51.8	0.37	0.2	202.7	Rangefront Zone		46.7
and	93.0	129.5	36.6	0.76					
incl	96.0	102.1	6.1	1.28					
1									
LBP249 (60, -55)	71.6	79.3	7.6	0.24	0.2	307.8	D-3		44.8
and	115.8	138.7	22.9	0.53					
incl	117.4	118.9	1.5	1.05					
and	152.4	190.5	38.1	0.43					
incl	178.3	179.8	1.5	1.82					
and	199.6	204.2	4.6	0.22					
and	217.9	263.7	45.7	0.25					
and	277.4	278.9	1.5	0.40					
and	285.0	288.0	3.0	0.48					
and									
LBP250 (160, -58)	57.9	67.1	9.1	1.18	0.2	263.7	D-1 Southeast Extension	Reduced cyanide solubility in bottom intervals	81.8
incl	59.4	64.0	4.6	1.74	1				
and	77.7	97.5	19.8	0.32	0.2				
and	176.8	190.5	13.7	4.57	1				
incl	178.3	189.0	10.7	5.77	1				
and incl	178.3	184.4	6.1	8.65	5				
and	214.9	221.0	6.1	0.34	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP251C (258, -55)	64.6	96.6	32.0	0.57	0.2	172.8	CD Pit	Metallurgical HQ Core Hole	30.1				
incl	71.6	73.2	1.5	1.13	1								
and	112.8	124.1	11.3	0.50	0.2								
incl	120.2	121.6	1.4	1.14	1								
and	138.5	155.4	16.9	0.36	0.2								
LBP252 (160, -47)	73.2	76.2	3.0	0.71	0.2	272.8	D-1 Southeast Extension		24.8				
and	83.8	96.0	12.2	0.30									
and	182.9	184.4	1.5	1.35									
and	219.5	239.3	19.8	0.86									
incl	221.0	227.1	6.1	1.50	1								
incl	233.2	234.7	1.5	1.76									
LBP253 (0, -90)	7.6	12.2	4.6	0.65	0.2	239.3	Rangefront		8.2				
and	41.2	45.7	4.6	0.22									
and	123.4	128.0	4.6	0.35									
and	135.6	144.8	9.1	0.28									
LBP254 (205, -65)	0.0	6.1	6.1	0.32	0.2	198.1	D-2 South		12.6				
and	109.7	123.4	13.7	0.78									
incl	115.8	118.9	3.0	1.62									
LBP255 (118, -75)	48.8	57.9	9.1	1.27	0.2	263.7	D-2 South	Reduced cyanide solubility	68.4				
and	179.8	242.3	62.5	0.91									
incl	189.0	208.8	19.8	1.62									
incl	211.8	213.4	1.5	1.51									
incl	233.2	239.3	6.1	1.46									
LBP256 (100, -63)	4.6	13.7	9.1	0.51	0.2	182.9	M Zone		55.9				
and	59.4	62.5	3.0	1.07									
incl	59.4	61.0	1.5	1.27									
and	89.9	128.0	38.1	1.26									
incl	99.1	121.9	22.9	1.74									
LBP257 (152, -67)	36.6	41.1	4.6	0.32	0.2	365.8	D-3		29.5				
and	108.2	114.3	6.1	0.30									
and	126.5	128.0	1.5	1.60									
and	164.6	169.2	4.6	0.32									
and	272.8	285.0	12.2	0.78									
and	291.1	300.2	9.1	1.40									
LBP258 (118, -55)	82.3	93.0	10.7	0.34	0.2	288.0	D-1 Southeast Extension		102.8				
and	181.4	204.2	22.9	4.34									
incl	181.4	196.6	15.2	6.28									
and incl	187.5	193.5	6.1	10.8									
5													
LBP259 (315, -73)	132.6	176.8	44.2	1.14	0.2	274.3	D-3		53.2				
incl	141.7	161.5	19.8	1.91	1								
and	189.0	192.0	3.0	0.44	0.2								
and	198.1	201.2	3.0	0.45									
LBP260 (170, -45)	123.4	129.5	6.1	1.06	0.2	233.2	D-1 South		6.5				
incl	123.4	126.5	3.0	1.54	1								
LBP261 (100, -80)	33.5	45.7	12.2	0.54	0.2	355.1	D-3		55.0				
and	160.0	167.6	7.6	0.26									
and	179.8	190.5	10.7	0.35									
and	196.6	214.9	18.3	0.50									
incl	204.2	205.7	1.5	1.17									
and	240.8	272.8	32.0	0.99									
incl	248.4	253.0	4.6	1.49									
incl	263.7	269.8	6.1	2.53									
and	333.8	341.4	7.6	0.24	0.2								
LBP262 (145, -65)	18.3	27.4	9.1	0.29	0.2	272.8	D-3		19.7				
and	42.7	47.2	4.6	0.32									
and	54.9	59.4	4.6	0.49									
and	96.0	100.6	4.6	0.23									
and	102.1	105.2	3.0	0.37									
and	112.8	115.8	3.0	0.52									
and	140.2	146.3	6.1	0.61									
and	173.7	181.4	7.6	0.77									
incl	175.3	176.8	1.5	2.04	1								
LBP263 (30, -80)	70.1	86.9	16.8	0.91	0.2	303.3	D-3	Poor recovery at base - hole ended in grade	74.9				
incl	79.2	85.3	6.1	1.44	1								
and	120.4	125.0	4.6	0.24	0.2								
and	147.8	185.9	38.1	0.57									
incl	169.2	173.7	4.6	1.58	1								
and	208.8	214.9	6.1	2.99	0.2								
and	239.3	243.8	4.6	0.23									
and	245.4	249.9	4.6	0.52									
and	263.7	289.6	25.9	0.53									
and	300.2	303.3	3.0	0.48									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP264 (65, -45)	59.4	96.0	36.6	0.60	0.2	190.5	D-1 South		24.7
incl and	83.8	88.4	4.6	2.23	1				
and	169.2	178.3	9.1	0.30	0.2				
LBP265 (110, -78)	1.5	15.2	13.7	0.26					
and	64.0	76.2	12.2	0.37					
and	150.9	153.9	3.0	0.33	0.2	396.2	D-3		20.5
and	192.0	199.6	7.6	0.37					
and	251.5	256.0	4.6	0.36					
and	306.3	313.9	7.6	0.92					
incl	309.4	313.9	4.6	1.13	1				
LBP266 (180, -78)	4.6	12.2	7.6	0.40					
and	27.4	33.5	6.1	0.46					
and	44.2	50.3	6.1	0.30	0.2	221.0	D-2		36.2
and	57.9	62.5	4.6	0.30					
and	83.8	89.9	6.1	0.35					
and	97.5	105.2	7.6	0.42					
and	106.7	125.0	18.3	0.47					
and	138.7	143.3	4.6	0.38					
and	150.9	155.5	4.6	2.23					
incl	150.9	153.9	3.0	2.89	1				
and	204.2	207.3	3.0	0.41	0.2				
LBP267 (130, -60)	74.7	79.3	4.6	0.23	0.2	251.5	D-2 North		6.4
and	80.8	99.1	18.3	0.29					
LBP268 (145, -63)	144.8	147.8	3.0	0.65	0.2				
and	160.0	170.7	10.7	0.61					
incl	161.5	163.1	1.5	1.59	1				
and	227.1	236.2	9.1	0.87	0.2				
incl	230.1	231.7	1.5	2.61	1				27.2
incl	234.7	236.2	1.5	1.09					
and	251.5	263.7	12.2	0.37	0.2				
and	269.8	274.3	4.6	0.30					
and	288.0	301.8	13.7	0.24					
and	330.7	333.8	3.0	0.53					
LBP269 (45, -73)	53.3	83.8	30.5	0.34					
and	99.1	102.1	3.0	0.97					
and	135.6	141.7	6.1	0.29	0.2	281.9	D-2 North		19.8
and	166.1	178.3	12.2	0.29					
and	265.2	266.7	1.5	0.74					
LBP270 (135, -55)	No Significant Results					202.7	D-1 Northwest		
LBP271 (200, -55)	32.0	36.6	4.6	0.36					
and	38.1	64.0	25.9	0.25	0.2	294.1	D-2 East		9.4
and	115.8	118.9	3.0	0.44					
LBP272 (10, -60)	213.4	234.7	21.3	0.58	0.2				
incl	228.6	230.1	1.5	3.07	1				
incl	233.2	234.7	1.5	1.07					
and	246.9	251.5	4.6	0.23	0.2				
and	253.0	257.6	4.6	0.34					15.0
LBP273 (200, -45)	166.1	172.2	6.1	0.31	0.2	196.6	D-1 Southeast Extension		1.9
LBP274 (320, -65)	54.9	65.5	10.7	0.24					
and	71.6	74.7	3.0	0.44	0.2	333.8	D-2 East		3.9
LBP275 (0, -90)	7.6	12.2	4.6	0.49					
and	86.9	96.0	9.1	1.30					
and	175.3	182.9	7.6	0.24	0.2	213.4	M Zone		18.4
and	184.4	187.5	3.0	0.82					
LBP276 (90, -75)	18.3	25.9	7.6	0.24					
and	62.5	74.7	12.2	0.41					
and	105.2	111.3	6.1	0.28	0.2	251.5	Rangefront		11.8
and	123.4	128.0	4.6	0.38					
and	210.3	213.4	3.0	0.52					
LBP277 (90, -70)	260.6	266.7	6.1	0.22	0.15				
including	262.1	266.7	4.6	0.24	0.2				
and	292.6	300.2	7.6	0.21					
and	342.9	347.5	4.6	0.24	0.15				
and	364.2	367.3	3.0	6.17					
and including	365.8	367.3	1.5	8.54	5				
LBP278 (0, -90)	No Significant Results					239.3	D-3 South	Drilled under target	
LBP279 (30, -65)	99.1	105.2	6.1	0.62	0.2	263.7	D-3 South	Step-Out	3.7
LBP280 (270, -65)	312.4	315.5	3.0	0.33	0.2	373.4	Rangefront Central	Reconnaissance Target	1.0
LBP281 (290, -60)	No Significant Results					214.9	D-3 South	Drilled under target	
LBP282 (150, -75)	No Significant Results					422.1	Rangefront Southwest	Reconnaissance Target	
LBP283 (90, -60)	214.9	219.5	4.6	0.29	0.2	385.6	Rangefront Southwest	Reconnaissance Target	1.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP284 (220, -45)	76.2	80.8	4.6	0.23	0.15	135.6	D-3 South	Drilled under target	1.1
LBP285 (125, -45)	41.2	45.7	4.6	0.24	0.15	178.3	D-3 South	Step-Out	11.6
and	54.9	68.6	13.7	0.45	0.2				
and	85.3	86.9	1.5	0.75					
and	112.8	121.9	9.1	0.23	0.15				
and	153.9	158.5	4.6	0.24					
LBP286 (0, -90)	86.9	91.4	4.6	0.23	0.15	233.2	Rangefront Southwest	Reconnaissance Target	1.1
LBP287 (220, -50)	117.4	121.9	4.6	0.39	0.2	342.9	Rangefront Southwest	Reconnaissance Target	7.0
and	202.7	221.0	18.3	0.28	0.15				
including	208.8	221.0	12.2	0.34	0.2				
LBP288 (175, -45)	19.8	25.9	6.1	0.19	0.15	239.3	D-3 South	Step-Out	3.1
and	91.4	97.5	6.1	0.32					
including	91.4	96.0	4.6	0.36	0.2				
LBP289 (135, -60)	48.8	65.5	16.8	0.38	0.15				
including	54.9	64.0	9.1	0.55	0.2	275.8	Tallman North	Reduced Cyanide Solubility	53.0
and including	54.9	56.4	1.5	1.40	1				
and	71.6	79.3	7.6	0.15					
and	80.8	94.5	13.7	0.34					
and	184.4	211.8	27.4	1.38					
including	184.4	204.2	19.8	1.85	0.2				
and including	185.9	192.0	6.1	4.37					
and including	198.1	202.7	4.6	1.28	1				
and	233.2	246.9	13.7	0.22	0.15				
including	233.2	239.3	6.1	0.23	0.2				
LBP290 (0, -50)	214.9	239.3	24.4	1.03	0.15	342.9	Rangefront Southwest	Reconnaissance Target	25.1
including	217.9	239.3	21.3	1.15	0.2				
and including	224.0	228.6	4.6	4.16	1				
LBP291 (90, -50)	195.1	198.1	3.0	0.66	0.15	318.5	Rangefront Southwest	Reconnaissance Target	2.0
including	196.6	198.1	1.5	1.16	1				
LBP292 (225, -45)	56.4	67.1	10.7	0.36	0.15	300.2	D-3 South	Step-Out	3.9
including	62.5	67.1	4.6	0.61	0.2				
LBP293 (320, -45)	132.6	143.3	10.7	0.24	0.15	147.8	D-1 Southeast Extension	Step-Out	2.6
including	135.6	143.3	7.6	0.26	0.2				
LBP294 (150, -50)	No Significant Results					397.8	Rangefront Southwest	Reconnaissance Target	
LBP295 (270, -75)	150.9	178.3	27.4	0.38	0.15	428.2	Upper F Zone	Reconnaissance Target	11.6
including	150.9	157.0	6.1	0.54					
including	158.5	175.3	16.8	0.39	0.2				
and including	169.2	170.7	1.5	1.06	1				
and	240.8	245.4	4.6	0.26	0.2				
LBP296 (300, -65)	105.2	109.7	4.6	0.35	0.2	198.1	Rangefront Southwest	Reconnaissance Target	1.6
LBP297 (270, -90)	59.4	65.5	6.1	0.45	0.15	460.9	E Zone North	Step-Out Target	16.6
including	59.4	62.5	3.0	0.72	0.2				
and	76.2	82.3	6.1	0.20	0.15				
and	108.2	111.3	3.0	0.98	0.2				
including	108.2	109.7	1.5	1.65	1				
and	181.4	195.1	13.7	0.53	0.2				
including	181.4	182.9	1.5	1.60	1				
and	288.0	291.1	3.0	0.43					
and	339.9	344.4	4.6	0.24	0.2				
LBP298 (235, -45)	No Significant Results					396.2	Rangefront Southwest	Reconnaissance Target	
LBP299 (200, -50)	No Significant Results					315.5	Rangefront Southwest	Reconnaissance Target	
LBP300 (270, -50)	108.2	121.9	13.7	0.38	0.15	300.2	Upper F Zone	Reconnaissance Target	8.6
including	109.7	121.9	12.2	0.41	0.2				
and	294.1	300.2	6.1	0.55	0.15				
including	295.7	300.2	4.6	0.67	0.2				
and including	295.7	297.2	1.5	1.27	1				
LBP301 (90, -63)	50.3	53.3	3.0	0.39	0.2	304.8	D-1 Southeast	Step-Out	22.4
and	76.2	83.8	7.6	0.22					
and	187.5	222.5	35.1	0.47					
including	187.5	210.3	22.9	0.55	0.2				
and including	193.6	198.1	4.6	1.28	1				
including	213.4	219.5	6.1	0.51	0.2				
and including	217.9	219.5	1.5	1.18	1				
and	266.7	271.3	4.6	0.66	0.2				
including	268.2	269.8	1.5	1.16	1				
LBP302 (90, -50)	No Significant Results					243.8	Upper F Zone	Reconnaissance Target	
LBP303 (100, -60)	195.1	217.9	22.9	1.73	0.2	320.0	North Tallman	Reduced Cyanide Solubility	47.4
including	195.1	205.7	10.7	3.34	1				
and	245.4	251.5	6.1	0.33	0.15				
including	248.4	251.5	3.0	0.47	0.2				
and	281.9	295.7	13.7	0.42	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP304 (65, -72)	50.3	56.4	6.1	0.69	0.2	304.8	North Tallman	Reduced Cyanide Solubility	37.9				
including	50.3	51.8	1.5	1.51	1								
and	61.0	67.1	6.1	0.17	0.15								
and	74.7	80.8	6.1	0.22									
and	86.9	91.4	4.6	0.25	0.2								
and	193.6	208.8	15.2	0.82									
including	204.2	208.8	4.6	1.43	1								
and	214.9	233.2	18.3	0.60	0.15								
including	219.5	233.2	13.7	0.75	0.2								
and including	219.5	221.0	1.5	2.33	1								
and including	225.6	228.6	3.0	1.33									
and	239.3	248.4	9.1	0.74	0.2	269.7	North Tallman	Reduced Cyanide Solubility	21.1				
including	243.8	245.4	1.5	1.12	1								
LBP305 (250, -90)	54.9	68.6	13.7	0.32	0.15	269.7	North Tallman	Reduced Cyanide Solubility	21.1				
including	54.9	61.0	6.1	0.53	0.2								
and	86.9	94.5	7.6	0.31	0.15								
including	86.9	93.0	6.1	0.35	0.2								
and	198.1	222.5	24.4	0.59									
LBP306 (270, -50)	No Significant Results				470.9	Upper F	Reconnaissance Target						
LBP307 (250, -75)	68.6	88.4	19.8	0.27	0.2	239.3	North Tallman	Reduced Cyanide Solubility	12.5				
and	96.0	105.2	9.1	0.32	0.15								
including	96.0	102.1	6.1	0.39	0.2								
and	114.3	120.4	6.1	0.21	0.15								
including	114.3	118.9	4.6	0.23	0.2								
and	204.2	214.9	10.7	0.28	0.15	350.5	North Tallman	Reduced Cyanide Solubility	33.1				
including	205.5	214.9	9.1	0.30	0.2								
LBP308 (90, -47)	82.3	91.4	9.1	0.23	0.2								
and	201.2	219.5	18.3	0.97	0.15								
including	201.2	217.9	16.8	1.05	0.2								
and including	202.7	207.3	4.6	2.56	1								
and	222.5	233.2	10.7	0.16	0.15								
and	277.4	297.2	19.8	0.53									
including	283.5	297.2	13.7	0.69	0.2	233.2	D-1 Southeast Extension	Step-Out	9.3				
and including	291.1	292.6	1.5	1.13	1								
and	309.4	313.9	4.6	0.23	0.15								
LBP309 (150, -50)	152.4	167.6	15.2	0.6	0.2								
LBP310 (270, -47)	No Significant Results				242.3	E Zone North	Step-Out						
LBP311 (40, -60)	0.0	7.6	7.6	0.59	0.2	196.6	D-1 Southeast Extension	Step-Out	34.5				
including	1.5	3.1	1.5	1.25	1.0								
and	44.2	53.3	9.1	0.38	0.2								
and	71.6	83.8	12.2	0.32									
and	94.5	120.4	25.9	0.42	0.15								
including	94.5	111.3	16.8	0.57	0.2								
and including	96.0	99.1	3.0	1.72	1								
and	121.9	137.2	15.2	0.70	0.15								
including	121.9	132.6	10.7	0.93	0.2								
and including	123.4	126.5	3.0	1.92	1								
and	146.3	152.4	6.1	0.18	0.15								
LBP312 (340, -50)	56.4	59.4	3.0	0.38	0.2	446.5	Upper F	Reconnaissance Target	1.1				
LBP313 (80, -50)	0	7.62	7.6	0.65	0.15	239.3	D-1 Southeast Extension	Step-Out	25.9				
including	0.0	4.6	4.6	0.99	0.2								
and including	0.0	3.1	3.0	1.31	1								
and	54.9	64.0	9.1	0.41	0.2								
and	86.9	114.3	27.4	0.34	0.15								
including	97.5	114.3	16.8	0.43	0.2								
and including	100.5	102.1	1.5	1.42	1								
and	126.5	146.3	19.8	0.40	0.15								
including	126.5	129.5	3.0	1.27	0.2	336.8	E Zone North	Step-Out	10.8				
including	138.7	141.7	3.0	0.56									
and including	126.5	128.0	1.5	1.62	1								
LBP314 (20, -60)	114.3	123.4	9.1	0.24	0.15								
including	114.3	120.4	6.1	0.29	0.2								
and	202.7	216.4	13.7	0.63	0.15								
including	204.2	214.9	10.7	0.76	0.2								
and including	210.3	214.9	4.6	1.36	1								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP315 (250, -55)	18.3	21.3	3.0	0.35	0.2	304.8	D-1 Southeast Extension	Step-Out	20.3
and	29.0	57.9	29.0	0.29	0.15				
including	33.5	45.7	12.2	0.29	0.2				
including	53.3	57.9	4.6	0.58					
and including	53.3	54.9	1.5	1.08	1				
and	128.0	134.1	6.1	0.91	0.2				
including	129.5	132.6	3.0	1.38	1				
and	158.5	163.1	4.6	0.41					
and	204.2	205.7	1.5	0.67	0.2				
and	231.7	239.3	7.6	0.31	0.15				
including	233.2	239.3	6.1	0.34	0.2				
LBP316 (30, -50)	120.4	129.5	9.1	0.64	0.15	227.1	D-1 Southeast Extension	Step-Out	5.8
including	121.9	128.0	6.1	0.87	0.2				
and including	126.5	128.0	1.5	1.22	1				
LBP317 (65, -50)	160.0	167.6	7.6	0.21	0.15	221.0	D-1 Southeast Extension	Step-Out	1.6
LBP318 (270, -65)	7.6	13.7	6.1	0.26	0.2	257.6	E Zone North	Step-Out	2.9
and	15.2	21.3	6.1	0.21	0.15				
LBP319 (80, -47)	82.3	93.0	10.7	0.22	0.15	342.9	North Tallman	Reduced Cyanide Solubility	37.5
including	82.3	86.9	4.6	0.26	0.2				
and	211.8	225.6	13.7	0.88	0.2				
including	213.4	214.9	1.5	2.46					
including	216.4	217.9	1.5	1.15					
and	233.2	239.3	6.1	0.31	0.2				
and	246.9	253.0	6.1	0.19	0.15				
and	304.8	324.6	19.8	1.01	0.15				
including	304.8	321.6	16.8	1.15	0.2				
and including	307.9	315.5	7.6	1.79					
and including	317.0	318.5	1.5	1.04	1				
LBP320 (40, -60)	9.1	12.2	3.0	1.14	1	275.8	Upper F Zone	Reconnaissance	7.8
and	24.4	35.1	10.7	0.28	0.2				
and	50.3	56.4	6.1	0.22	0.15				
including	51.8	56.4	4.6	0.23	0.2	303.3	E Zone North	Step-Out	2.5
LBP321 (300, -50)	64.9	57.9	3.0	0.42	0.15				
including	54.9	56.4	1.5	0.66	0.2				
and	64.0	70.1	6.1	0.20	0.15	288.0	North Tallman	Reduced Cyanide Solubility	21.6
LBP322 (62, -60)	53.3	65.5	12.2	0.20					
and	91.4	96.0	4.6	0.24	0.15				
and	193.6	208.8	15.2	0.39					
including	193.6	207.3	13.7	0.41	0.2				
and	221.0	251.5	30.5	0.32	0.15				
including	221.0	246.9	25.9	0.35	0.2	349.0	E Zone North	Step-Out	3.3
and	260.6	266.7	6.1	0.39	0.15				
including	260.6	265.2	4.6	0.47	0.2				
LBP323 (80, -65)	45.7	50.3	4.6	0.36	0.15	318.5	Upper F Zone	Reconnaissance	2.3
including	45.7	48.8	3.0	0.46	0.2				
and	91.4	99.1	7.6	0.21	0.15				
including	94.5	99.1	4.6	0.23	0.2	347.5	North Tallman	Reduced Cyanide Solubility	38.6
LBP324 (160, -45)	33.5	38.1	4.6	0.24					
and	36.9	45.7	6.1	0.19	0.15				
LBP325 (62, -47)	80.8	93.0	12.2	0.19	0.15				
including	88.4	93.0	4.6	0.24	0.2				
and	100.6	106.7	6.1	0.31	0.15				
including	100.6	105.2	4.6	0.35	0.2				
and	224.0	280.4	56.4	0.49	0.15				
including	224.0	278.9	54.9	0.50	0.2				
and including	224.0	227.1	3.0	1.29					
and including	231.7	233.2	1.5	1.04		297.2	E Zone North	Step-Out	10.9
and including	234.7	236.2	1.5	1.78					
and including	256.0	257.6	1.5	1.04					
and	288.0	292.6	4.6	0.28					
and	304.8	317.0	12.2	0.22	0.15				
including	304.8	307.8	3.0	0.39					
including	313.9	317.0	3.0	0.33		297.2	E Zone North	Step-Out	10.9
and	329.2	335.3	6.1	0.46	0.15				
including	329.2	333.8	4.6	0.56	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP327 (35, -72)	86.9	96.0	9.1	0.21	0.15	257.6	North Tallman	Reduced Cyanide Solubility	26.8
including	86.9	91.4	4.6	0.24	0.2				
and	106.7	111.3	4.6	0.23	0.15				
and	205.7	240.8	35.1	0.68					
including	207.3	210.3	3.0	0.36					
including	213.4	240.8	27.4	0.81					
and including	225.6	227.1	1.5	1.06					
and including	228.6	234.7	6.1	2.00					
and including	237.7	239.3	1.5	1.28					
LBP328 (310, -45)	0.0	13.7	13.7	0.30	0.15	263.7	E Zone West	Step-Out	24.9
including	0.0	12.2	12.2	0.31					
and	21.3	25.9	4.6	0.32	0.2				
and	50.3	71.6	21.3	0.30	0.15				
including	56.4	71.6	15.2	0.37	0.2				
and	112.8	135.6	22.9	0.22	0.15				
including	112.8	117.4	4.6	0.30					
including	129.5	135.6	6.1	0.29	0.2				
and	143.3	147.8	4.6	0.29	0.15				
including	143.3	146.3	3.0	0.34	0.2				
and	153.9	181.4	27.4	0.24	0.15				
including	153.9	167.6	13.7	0.25					
including	169.2	181.4	12.2	0.24	0.2				
LBP329 (35, -60)	77.7	82.3	4.6	0.31	0.15	274.3	North Tallman	Reduced Cyanide Solubility	25.9
including	77.7	80.8	3.0	0.39	0.2				
and	91.4	102.1	10.7	0.23	0.15				
including	93.0	97.5	4.6	0.30					
and	210.3	213.4	3.0	0.40					
and	222.5	259.1	36.6	0.57					
including	245.4	248.4	3.0	2.08					
including	254.5	256.0	1.5	1.11	1				
LBP330 (35, -47)	105.2	111.3	6.1	0.24	0.15	300.2	North Tallman	Reduced Cyanide Solubility	8.1
including	105.2	109.7	4.6	0.27	0.2				
and	262.1	283.5	21.3	0.31	0.15				
including	262.1	278.9	16.8	0.34	0.2				
LBP331 (70, -57)	4.6	16.8	12.2	0.27	0.2	324.6	E Zone North	Step-Out	3.3
LBP332 (225, -50)	1.5	4.6	3.0	0.35	0.2	410.0	E Zone	Step-Out	24.1
and	10.7	22.9	12.2	0.28	0.15				
including	13.7	22.9	9.1	0.31	0.2				
and	112.8	158.5	45.7	0.32	0.15				
including	112.8	120.4	7.6	0.22					
including	121.9	158.5	36.6	0.35					
and	164.6	173.7	9.1	0.24	0.15				
including	166.1	172.2	6.1	0.28	0.2				
and	277.4	281.9	4.6	0.26	0.15				
and	294.1	297.2	3.0	0.55	0.2				
LBP333 (160, -90)	178.3	182.9	4.6	0.38	0.15	274.3	Rangefront Southwest	Reconnaissance Target	1.7
including	179.8	182.9	3.0	0.48	0.2				
LBP334 (160, -72)	167.6	172.2	4.6	0.42	0.15				
including	167.6	170.7	3.0	0.55	0.2	274.3	Rangefront Southwest	Reconnaissance Target	4.2
and	195.1	199.6	4.6	0.26					
and	221.0	227.1	6.1	0.17	0.15				
LBP335 (160, -60)	161.5	164.6	3.0	0.39	0.15	274.3	Rangefront Southwest	Reconnaissance Target	1.2
LBP336 (70, -80)	4.6	13.7	9.1	0.26	0.2	335.3	E Zone North	Step-Out	10.5
and	29.0	36.6	7.6	0.19					
and	234.7	263.7	29.0	0.23					
including	234.7	251.5	16.8	0.25					
including	253.0	259.1	6.1	0.23	0.2				
LBP337 (220, -75)	153.9	167.6	13.7	2.10	0.2	251.5	Rangefront Southwest	Reconnaissance Target	28.8
including	155.5	164.6	9.1	2.88	1				
and including	155.5	157.0	1.5	6.33	5				
LBP338 (220, -60)	144.8	163.1	18.3	0.29	0.15	263.7	Rangefront Southwest	Reconnaissance Target	8.1
including	146.3	153.9	7.6	0.47					
and	164.6	172.2	7.6	0.37	0.20				
LBP339 (200, -47)	1.5	13.7	12.2	0.77	0.20	342.9	E Zone West	Step-Out	16.0
including	6.1	9.1	3.0	1.86	1.00				
and	199.6	210.3	10.7	0.51	0.15				
including	201.2	207.3	6.1	0.76	0.20				
and including	202.7	204.2	1.5	1.10	1.00				
and	257.6	262.1	4.6	0.25	0.20				
LBP340 (260, -55)	152.4	176.78	24.4	0.42	0.15	227.1	Rangefront Southwest	Reconnaissance Target	10.2
including	152.4	164.6	12.2	0.64	0.2				
and including	150.4	153.9	1.5	1.10	1				
including	170.7	176.8	6.1	0.26	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
LBP341 (130, -58)	202.7	211.8	9.1	0.19	0.15	288.0	Rangefront Southwest	Reconnaissance Target	3.2				
LBP342 (325, -90)			No Significant Results			263.7	Upper F Zone	Reconnaissance Target					
LBP343 (100, -60)	227.1	233.2	6.1	0.24	0.15	304.8	Rangefront Southwest	Reconnaissance Target	1.5				
LBP344 (325, -60)			No Significant Results			342.9	Upper F Zone	Reconnaissance Target					
LBP345 (310, -60)	157.0	175.3	18.3	0.32	0.15	227.1	Rangefront Southwest	Reconnaissance Target	5.9				
including	163.1	175.3	12.2	0.39	0.2								
LBP346 (230, -45)	7.6	12.2	4.6	0.24	0.15	403.9	E Zone	Step-Out	3.0				
and	178.3	187.5	9.1	0.21									
LBP347 (45, -45)			Pending			152.4	I Pit	Resource Upgrade					
LBP348 (0, -45)			Pending			172.2	I Pit	Resource Upgrade					
LBP349 (90, -70)	56.4	61.0	4.6	0.35	0.20	483.1	Rangefront Gap	Reconnaissance	43.9				
and	118.9	129.5	10.7	0.22	0.15								
including	123.4	129.5	6.1	0.26	0.2								
and	143.3	152.4	9.1	0.18	0.15								
and	170.7	182.9	12.2	0.21	0.15								
including	172.2	179.8	7.6	0.23	0.2								
and	198.1	227.1	29.0	0.24	0.15								
including	198.1	208.8	10.7	0.30	0.2								
including	217.9	225.6	7.6	0.26									
and	243.8	254.5	10.7	0.19	0.15								
and	260.6	266.7	6.1	0.17	0.15								
and	281.9	306.3	24.4	0.25	0.15								
including	292.6	306.3	13.7	0.32	0.2								
and	327.7	344.4	16.8	0.81	0.15								
including	327.7	342.9	15.2	0.88	0.2								
and including	329.2	335.3	6.1	1.59	1								
and	429.8	455.7	25.9	0.23	0.15								
including	445.1	452.6	7.6	0.37	0.2								
LBP350 (220, -60)	102.1	103.6	1.5	1.7	1	379.5	Upper F Zone	Reconnaissance	19.7				
and	367.3	379.5	12.2	1.40	0.15								
including	368.8	379.5	10.7	1.58	0.2								
and including	370.3	379.5	9.1	1.76	1								
LBP351 (270, -70)	182.9	221.0	38.1	0.26	0.15	446.5	Rangefront Gap	Reconnaissance	23.6				
including	182.9	187.5	4.6	0.36	0.20								
including	192.0	201.2	9.1	0.22									
including	204.2	221.0	16.8	0.30									
and	256.0	262.1	6.1	0.17	0.15								
and	275.8	285.0	9.1	0.16									
and	315.5	324.6	9.1	0.46									
and	335.3	344.4	9.1	0.26	0.20								
including	338.3	344.4	6.1	0.30									
and	365.8	374.9	9.1	0.28									
including	365.8	373.9	7.6	0.30	0.20								
and	388.6	396.2	7.6	0.27	0.15								
LBP352 (120, -45)			Pending			222.5	CD Zone Extension	Step-out					
LBP353 (180, -45)			No Significant Results			318.5	Upper F Zone	Reconnaissance					
LBP354 (180, -60)	67.1	71.6	4.6	0.83	0.20	434.3	Rangefront Gap	Reconnaissance	40.2				
including	68.6	70.1	1.5	1.29	1.00								
and	126.5	132.6	6.1	0.23	0.15								
and	169.2	199.6	30.5	0.42									
including	175.3	199.6	24.4	0.49									
and including	184.4	187.5	3.0	1.24	1.00								
and	217.9	225.6	7.6	0.25	0.15								
including	217.9	224.0	6.1	0.27									
and	339.9	396.2	56.4	0.36									
including	339.9	346.0	6.1	0.28	0.20								
including	347.5	353.6	6.1	0.21									
including	355.1	396.2	41.1	0.41									
LBP355 (120, -90)			Pending			318.5	CD Zone Extension	Step-Out					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP356 (0, -55)	94.5	100.6	6.1	0.44	0.20	470.9	Rangefront Gap	Reconnaissance	133.5
and	141.7	157.0	15.2	0.24	0.15				
including	141.7	149.4	7.6	0.23	0.20				
including	150.9	157.0	6.1	0.30	0.15				
and	253.0	339.9	86.9	0.91	0.15				
including	253.0	271.3	18.3	0.25	0.20				
including	285.0	339.9	54.9	1.32	0.20				
and including	286.5	309.4	22.9	2.15	1.00				
and including	315.5	318.5	3.0	2.83	1.00				
and including	320.0	321.6	1.5	1.15	0.20				
and including	289.6	291.1	1.5	5.75	5.00				
and	346.0	367.3	21.3	2.03	0.20				
including	349.0	365.8	16.8	2.52	1.00				
and including	352.0	353.6	1.5	5.15	5.00				
and	374.9	396.2	21.3	0.23	0.15				
including	374.9	382.5	7.6	0.30	0.20				
including	385.6	391.7	6.1	0.26	0.20				
LBP357 (300, -60)	121.9	132.6	10.7	0.30	0.20	336.8	Discovery West	Step-Out	14.9
and	216.4	236.2	19.8	0.45	0.15				
including	228.6	234.7	6.1	1.05	0.20				
and including	228.6	231.7	3.0	1.65	1.00				
and	256.0	263.7	7.6	0.16	0.15				
and	275.8	281.9	6.1	0.26	0.15	434.3	Rangefront Gap	Reconnaissance	112.2
including	277.4	281.9	4.6	0.28	0.20				
LBP358 (45, -50)	61.0	65.5	4.6	0.31	0.20				
and	175.3	178.3	3.0	0.34	0.20				
and	222.5	251.5	29.0	0.22	0.15				
including	225.5	230.1	7.6	0.33	0.20				
and	262.1	286.5	24.4	1.23	0.15				
including	263.7	281.9	18.3	1.58	0.20				
and including	266.7	281.9	15.2	1.85	1.00				
and	295.7	346.0	50.3	1.37	0.15				
including	295.7	339.9	44.2	1.54	0.20				
and including	295.7	297.2	1.5	2.65	1.00				
and including	307.9	330.2	22.9	2.37	1.00				
and including	324.6	326.1	1.5	6.75	5.00				
and	379.5	391.7	12.2	0.24	0.15				
including	379.5	388.6	9.1	0.27	0.20				
and	406.9	413.0	6.1	0.25	0.15				
LBP359 (80, -50)	Pending				379.5	CD Zone Extension		Step-Out	
LBP360 (230, -62)	94.5	103.6	9.1	0.21	0.15	196.6	Discovery Zone	Resource Upgrade	7.4
and	118.9	137.2	18.3	0.30	0.15				
including	118.9	134.1	15.2	0.33	0.20				
LBP361 (120, -75)	3.1	7.6	4.6	0.32	0.20	288.0	Discovery Zone	Resource Upgrade	21.5
and	47.4	54.9	7.6	0.17	0.15				
and	68.6	96.0	27.4	0.23	0.15				
including	73.2	94.5	21.3	0.25	0.20				
and	140.2	157.0	16.8	0.38	0.15				
including	141.7	157.0	15.2	0.40	0.20				
and	222.5	231.7	9.1	0.29	0.15				
including	225.6	231.6	6.1	0.36	0.20				
and	239.3	243.8	4.6	0.27	0.15	367.3	Rangefront	Step-Out	
and	245.4	251.5	6.1	0.18	0.15				
LBP362 (120, -60)	Pending				367.3				
LBP363 (205, -45)	9.1	30.5	21.3	0.40	0.20	257.6	Discovery Zone	Resource Upgrade	19.4
and	118.9	121.9	3.0	0.38	0.20				
and	173.7	190.5	16.8	0.46	0.20				
including	176.8	178.3	1.5	1.09	1.00				
including	179.8	181.4	1.5	1.32	1.00				
and	199.6	205.7	6.1	0.33	0.15				
including	201.2	205.7	4.6	0.38	0.20	233.2	Rangefront	Step-Out	
LBP364 (0, -45)	Pending				233.2				
LBP365 (185, -65)	4.6	10.7	6.1	0.37	0.20		Discovery Zone	Resource Upgrade	15.4
and	18.3	22.9	4.6	0.31	0.20				
and	88.4	93.0	4.6	0.28	0.15				
and	100.6	118.9	18.3	0.29	0.20				
including	109.7	115.8	6.1	0.49	0.20				
and	173.7	175.3	1.5	0.81	0.20	274.3	Rangefront	Step-Out	
and	199.6	207.3	7.6	0.28	0.20				
and	217.9	221.0	3.0	0.60	0.20				
LBP366 (300, -47)	Pending				274.3				
LBP367 (40, -50)	Pending				361.2	CD Zone Extension		Step-Out	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP368 (135, -45)	4.6	35.1	35.1	0.20	0.15	160.0	Discovery Zone	Resource Upgrade	10.8
including	7.6	22.9	15.2	0.24	0.20				
and	27.4	33.5	6.1	0.22	0.15				
and	102.1	123.4	21.3	0.18	0.15				
LBP369 (245, -50)	Pending					251.5	Rangefront	Step-Out	
LBP370 (90, -48)	1.5	42.7	41.1	0.45	0.20	202.7	Discovery Zone	Resource Upgrade	31.3
including	38.1	39.6	1.5	2.67	1.00				
and	91.4	100.6	9.1	0.48	0.15				
including	93.0	100.6	7.6	0.53	0.20				
and including	93.0	94.5	1.5	1.17	1.00				
and	170.7	187.5	16.8	0.50	0.20				
including	176.8	178.3	1.5	1.22	1.00				
LBP371 (90, -45)	Pending					100.6	I Pit Extension	Step-Out	
LBP372 (180, -45)	Pending					202.7	Discovery Zone	Resource Upgrade	
LBP373 (0, -45)	Pending					196.6	I Pit Extension	Step-out	
LBP374 (45, -45)	Pending					208.8	I Pit Extension	Step-out	
LBP375 (140, -45)	Pending					221.0	Discovery Zone	Resource Upgrade	
LBP376 (10, -45)	Pending					324.6	CD Zone Extension	Step-Out	
LBP377 (330, -60)	19.8	51.8	32.0	0.21	0.15	349.0	Discovery Zone	Resource Upgrade	73.5
including	30.5	47.2	16.8	0.24	0.10				
and	91.4	108.2	16.8	0.37	0.15				
including	91.4	106.7	15.2	0.39	0.20				
and	120.4	129.5	9.1	0.27	0.15				
including	120.4	126.5	6.1	0.32	0.20				
and	131.1	140.2	9.1	0.16	0.15				
including	135.6	140.2	4.6	0.23	0.20				
and	170.7	175.3	4.6	0.61					
including	170.7	172.2	1.5	1.33	1.00				
and	187.5	213.4	25.9	0.58	0.20				
including	196.6	202.7	6.1	1.38	1.00				
and	221.0	237.7	16.8	0.85	0.15				
including	228.6	237.7	9.1	1.41	0.20				
and including	230.1	234.7	4.6	2.57	1.00				
and	251.5	256.0	4.6	0.38	0.15				
including	251.5	254.5	3.0	0.48	0.20				
and	263.7	289.6	25.9	0.88	0.15				
including	263.7	283.5	19.8	1.09	0.20				
and including	263.7	275.8	12.2	1.47	1.00				
LBP378 (300, -45)	Pending					208.8	I Pit Extension	Step-Out	
LBP379 (120, -45)	Pending					86.9	I Pit Extension	Step-Out	
LBP380 (25, -60)	Pending					349.0	Discovery Zone	Resource Upgrade	
LBP381 (30, -45)	44.2	70.1	25.9	0.32	0.15	190.5	Discovery Zone	Resource Upgrade	14.3
including	51.8	70.1	18.3	0.37	0.20				
and	131.1	137.2	6.1	0.28	0.15				
including	132.6	137.2	4.6	0.32	0.20				
and	155.5	176.8	21.3	0.20	0.15				
including	163.1	169.2	6.1	0.26	0.20				
LBP382 (165, -45)	Pending					190.5	Back Range	Step-Out	
LBP383 (235, -77)	0.0	7.6	7.6	0.17	0.15	330.7	Discovery Zone	Resource Upgrade	26.7
and	16.8	22.9	6.1	0.28	0.20				
and	80.8	99.1	18.3	0.24	0.15				
including	80.8	83.8	3.0	0.44	0.20				
including	86.9	99.1	12.2	0.22					
and	123.4	129.5	6.1	0.35	0.15				
including	125.0	129.5	4.6	0.41	0.20				
and	140.2	170.7	30.5	0.39	0.20				
and	222.5	227.1	4.6	0.26	0.15				
including	234.7	236.2	1.5	0.89	0.20				
and	233.2	236.2	3.0	0.54					
and	259.1	263.7	4.6	0.22	0.15				
and	268.2	275.8	7.6	0.19					
LBP384 (50, -60)	56.4	64.0	7.6	0.25	0.15	202.7	Discovery Zone	Resource Upgrade	5.6
including	59.4	64.0	4.6	0.32	0.20				
and	94.5	102.1	7.6	0.19					
and	146.3	150.9	4.6	0.26	0.15				
and	178.3	184.8	6.1	0.17					
LBP385 (0, -55)	39.6	48.8	9.1	0.25	0.15	202.7	Discovery Zone	Resource Upgrade	10.2
including	39.6	44.2	4.6	0.35	0.20				
and	50.3	56.4	6.1	0.29					
and	77.7	96.0	18.3	0.26					
and	114.3	121.9	7.6	0.18	0.15				
LBP386 (235, -63)	Pending					330.7	Discovery Zone	Resource Upgrade	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP387 (120, -60)	38.1	50.3	12.2	0.20	0.15	160.0	Discovery Zone	Resource Upgrade	7.1
including	39.6	44.2	4.6	0.26	0.2				
and	56.4	64.0	7.6	0.20	0.15				
and	79.3	93.0	13.7	0.23					
including	86.9	93.0	6.1	0.33	0.2				
LBP388 (75, -45)	4.6	62.5	57.9	0.26	0.15	202.7	Discovery Zone	Resource Upgrade	33.0
including	9.1	59.4	50.3	0.27	0.2				
and	94.5	134.1	39.6	0.27	0.15				
including	94.5	99.1	4.6	0.59	0.2				
including	105.2	115.8	10.7	0.35	0.15				
and	157.0	163.1	6.1	0.18		0.2			
and	176.8	187.5	10.7	0.26					
including	178.3	187.5	9.1	0.27					
and	195.1	202.7	7.6	0.45					