

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)			Not Assayed			29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS016 (170, -65)	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	170.7	198.1	27.4	0.66					
PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
incl.	70.1	83.8	13.7	4.42	1				
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
incl.	166.1	169.2	3.0	2.96	1				
PGS021 (330, -55)			NSR			169.2	Basal Claron		
PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
incl.	129.5	134.1	4.6	1.93	1				
PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
incl.	131.1	150.9	19.8	1.98	1				
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
incl.	108.2	138.7	30.5	1.65	1				
PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
PGS029 (185, -65)			NSR			132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		25.6				
and	132.6	137.2	4.6	0.22									
and	160.0	185.9	25.9	0.80									
incl	181.4	185.9	4.6	1.54									
PGS033 (180, -75)	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4				
and	93.0	97.5	4.6	0.33									
and	99.1	125.0	25.9	0.41									
and	126.5	129.5	3.0	0.25									
and	132.6	140.2	7.6	0.24									
PGS034 (180, -50)	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5				
and	102.1	105.2	3.0	0.20									
and	106.7	141.7	35.1	0.41									
PGS035 (230, -65)	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		37.0				
and	115.8	140.2	24.4	1.05									
incl	117.3	128.0	10.7	1.68									
PGS036 (225, -60)	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9				
and	134.1	141.7	7.6	0.23									
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0				
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3				
and	12.2	16.8	4.6	0.29									
and	22.9	24.4	1.5	0.36									
and	138.7	149.4	10.7	0.34									
and	164.6	166.1	1.5	0.36									
and	178.3	184.4	6.1	0.34									
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38				
including	118.9	121.9	3.0	1.65									
and	152.4	153.9	1.5	0.37									
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6				
including	137.2	143.3	6.1	1.95	1								
and	166.1	198.1	32.0	0.86	0.2								
including	172.2	182.9	10.7	1.72	1								
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5				
and	71.0	101.5	30.5	1.85									
incl	71.0	89.3	18.3	2.63									
PGS042 (0, -90)			NSR		0.2	135.6			0				
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5				
and	102.1	117.3	15.2	0.32									
and	158.5	164.6	6.1	0.25									
and	176.8	178.3	1.5	0.43									
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1				
and	116.3	118.0	1.7	0.22	0.2								
and	119.3	135.0	15.7	0.47									
PGS045 (180, -48)			NSR		182.9	Basal Claron			0				
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6				
incl	132.9	136.6	3.7	1.65	1								
and	173.1	177.7	4.6	0.25	0.2								
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0				
incl	54.9	77.7	22.9	4.92	1								
incl	65.5	76.2	10.7	8.27	5								
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9				
and	91.4	152.4	61.0	0.87									
incl	93.0	100.6	7.6	2.83	1								
and incl	144.8	147.8	3.0	1.72	1								
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9				
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7				
and	84.4	86.0	1.5	0.22									
and	92.0	93.6	1.5	0.37									
and	110.3	151.5	41.1	2.64	0.2								
incl	119.5	151.5	32.0	3.22	1								
incl	133.5	139.3	5.8	6.56	5								
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4				
and	102.1	105.2	3.0	0.21									
and	106.7	111.3	4.6	0.22									
and	114.3	149.4	35.1	0.44									
and	161.5	164.6	3.0	0.26									
and	178.3	179.8	1.5	0.43									
and	182.9	184.4	1.5	0.22									
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1				
incl	143.3	149.4	6.1	1.91	1								
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6				
incl	82.6	94.9	12.3	2.00	1								
and incl	101.9	138.1	36.2	2.77									
incl	124.7	127.7	3.0	6.04	5								
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7				
	157.0	161.5	4.6	0.32									
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4				
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8				
and	93.0	117.3	24.4	0.76									
incl	108.2	115.8	7.6	1.34									
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4				
incl	27.4	47.2	19.8	1.98	1								
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6				
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3				
and	50.3	53.3	3.0	0.50									
and	64.0	73.2	9.1	0.33									
PGS061 (0, -90)			NSR		106.7	Basal Claron	target interval faulted out?	0					
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2				
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2				
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4				
and	131.1	157.0	25.9	0.42									
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60) and	112.3 159.7	133.7 187.8	21.3 28.0	0.49 0.52	0.2	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
PGS068 (215, -55) and	109.7 144.8	120.4 152.4	10.7 7.6	0.34 1.97	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)			NSR			86.9	Basal Claron		
PGS072 (110, -70) and	64.0 123.4	74.7 134.1	10.7 10.7	0.52 0.58	0.2	176.8	Basal Claron		11.8
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65) and	12.2 48.8	13.7 59.4	1.5 10.7	0.84 0.40	0.2	89.9	Basal Claron		5.6
PGS075 (15, -55) and	42.7 53.3	51.8 56.4	9.1 3.0	0.73 0.20	0.2	91.4	Basal Claron		7.3
PGS076 (0, -90) and incl.	0.0 99.1 100.6	7.6 105.2 105.2	7.6 6.1 4.6	0.41 29.1 38.8	0.2 0.2 5	121.9	Basal Claron	likely old leach pad material 102 ppm met screen sample	180.7
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)			NSR			105.2	Basal Claron		
PGS079 (90, -65) and	25.9 42.7	35.1 47.2	9.1 4.6	0.72 0.38	0.2	117.3	Basal Claron		8.4
PGS080 (200, -70) and and and	18.3 32.0 38.1 54.9	27.4 33.5 42.7 88.4	9.1 1.5 4.6 33.5	0.80 0.95 0.30 0.42	0.2 0.2 0.2 0.2	121.9	Basal Claron		23.9
PGS081 (200, -45)			NSR			121.9	Basal Claron		
PGS082 (0, -90)			NSR			121.9	Basal Claron		
PGS083 (0, -90)			NSR			141.7	Basal Claron		
PGS084 (330, -63) and	126.5 141.7	132.6 152.4	6.1 10.7	0.31 0.32	0.2	182.9	Basal Claron		5.3
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60) and	89.9 102.1	94.5 115.8	4.6 13.7	1.06 0.38	0.2	182.9	Basal Claron		10.0
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
PGS089 (320, -68) incl	86.9 97.5	106.7 102.1	19.8 4.6	0.69 1.52	0.2 1	181.4	Basal Claron		13.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad	10.1	
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
PGS093 (313, -75)			NSR			135.6	Basal Claron		
PGS094 (57, -65)			NSR			182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60			Paleozoic Rocks		
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2		Paleozoic Rocks		
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS109 (270, -60) and	54.9 74.7	64.0 100.6	9.1 25.9	0.51 0.47	0.2	172.2	Basal Claron		16.8
PGS110 (0, -90)	57.9	68.6	10.7	0.52		86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55) and	93.0 126.5	97.5 152.4	4.6 25.9	0.58 0.70	0.2	166.1	Basal Claron		20.7
PGS115 (165, -63) and	73.2 91.4	83.8 102.1	10.7 10.7	0.42 0.87	0.2		Basal Claron		13.7
PGS116 (225, -57) and	76.2 96.0	80.8 120.4	4.6 24.4	0.36 0.38	0.2	141.7	Basal Claron		10.9
PGS117 (190, -70) incl	76.2 93.0	99.1 99.1	22.9 6.1	1.20 2.48	0.2		Basal Claron		27.4
PGS118 (200, -50) and	71.6 103.6	85.3 112.8	13.7 9.1	0.43 0.34	0.2	172.2	Basal Claron		9.0
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2		161.5	Basal Claron	
PGS120 (210, -70) and	67.1 74.7	73.2 83.8	6.1 9.1	0.51 0.22	0.2	152.4	Basal Claron		5.1
PGS121 (160, -55)			NSR		144.8				
PGS122 (65, -67)			NSR		117.3				
PGS123 (290, -55)			NSR		213.4				
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8	Peg Leg Graben		2.7
PGS126 (57, -55) and incl and and	144.8 153.9 153.9 166.1 170.7	152.4 164.6 160.0 169.2 181.4	7.6 10.7 6.1 3.0 10.7	0.34 0.84 1.20 0.23 0.83	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
PGS127 (125, -45) and	39.6 53.3	45.7 54.9	6.1 1.5	0.36 0.48			111.3	Basal Claron	Peg Leg Graben
PGS128 (235, -70)			NSR		135.6			Peg Leg Graben	
PGS129 (90, -65) and and and	4.6 33.5 42.7 76.2	27.4 35.1 70.1 82.3	22.9 1.5 27.4 6.1	0.80 0.90 0.84 0.54	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2		Basal Claron	Peg Leg Graben	
PGS131 (230, -80) incl	57.9 57.9	80.8 62.5	22.9 4.6	0.53 1.03	0.2	106.7	Basal Claron	Goldstrike Graben	12.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS132 (45, -65)	NSR		105.2		Peg Leg Graben				
PGS133 (310, -45)	NSR		109.7		Dip Slope Zone				
PGS134 (50, -50) and	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)	NSR		86.9		Basal Claron		Dip Slope Zone		
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)	NSR		138.7		Basal Claron		Peg Leg Graben		
PGS141 (270, -70)	NSR		111.3		Basal Claron		Peg Leg Graben		
PGS142 (245, -75) incl	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65) and	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
PGS145 (175, -60) and	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
PGS146 (0, -60) and	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump Chainman Shale	Hassayampa Pit	15.5
	47.2	50.3	3.0	2.57	0.2				
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55) incl	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70) and	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
PGS150 (0, -90)	NSR		117.3		Basal Claron		Dip Slope		
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60) and	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
	126.5	134.1	7.6	0.66	0.2				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)	NSR		189.0		Basal Claron		West Goldstrike Graben		
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)	NSR		227.1		Basal Claron		West Goldstrike Graben		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS158 (210, -75)			NSR	77.7		Basal Claron	Dip Slope		
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR	221.0		Basal Claron	West Goldstrike Graben		
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70) and	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70) and	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
PGS167 (0, -90) and	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR	201.2			Covington - did not intercept target		
PGS170 (253, -55) incl	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)			NSR	166.1		Basal Claron	Covington - did not intercept target		
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR	175.3		Basal Claron	West Goldstrike Graben		
PGS174 (180, -50)			NSR	182.9		Basal Claron	Covington - did not intercept target		
PGS175 (027, -64) and	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45) and	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60) incl	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
	96.0	108.2	12.2	3.54	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)			NSR		172.2		Basal Claron	Peg Leg	
PGS182 (230, -75) and	12.2 100.6	15.2 111.3	3.0 10.7	0.54 1.15	0.2	129.5	Covington Dike	Covington	13.9
PGS183 (300, -65) and incl	108.2 121.9	114.3 155.4	6.1 33.5	0.90 0.76	0.2 0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
PGS184 (280, -60)			NSR		117.3			Covington hole lost above target	
PGS185 (128, -60) and	4.6 51.8	12.2 57.9	7.6 6.1	0.32 0.74	0.2 0.2	129.5	Pz Carbonates	Covington	7.0
PGS186 (90, -75) and and and	41.1 54.9 68.6 89.9	42.7 56.4 80.8 94.5	1.5 1.5 12.2 4.6	0.63 0.59 0.41 0.28		0.20	135.6	Basal Claron	Peg Leg
PGS187 (330, -68) incl and and	45.7 50.3 65.5 80.8	64.0 62.5 73.2 83.8	18.3 12.2 7.6 3.0	1.33 1.77 0.20 0.27	0.2 1 0.2 0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
PGS188 (055, -70) incl.	129.5 137.2	152.4 141.7	22.9 4.6	0.86 1.45	0.2 1	155.4	Basal Claron	Warrior	19.7
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)			NSR		170.7			Covington - did not intercept target	
PGS191 (0, -90) and incl and	0.0 27.4 29.0 41.1	6.1 35.1 33.5 45.7	6.1 7.6 4.6 4.6	1.57 4.10 6.32 1.76	0.2 0.2 1 0.2	71.6	Covington Dike	Covington	48.8

Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)			NSR		172.2			Warrior	
PGS193 (160, -80) incl and and	71.6 79.2 94.5 117.3	86.9 86.9 108.2 123.4	15.2 7.6 13.7 6.1	0.83 1.21 0.46 1.16	0.2 1 0.2 0.2	147.8	West Aggie Extension	Aggie	26.0
PGS194 (285, -75) and and and	108.2 118.9 146.3 158.5	115.8 123.4 150.9 164.6	7.6 4.6 4.6 6.1	0.73 0.24 0.26 0.41	0.2 0.2 0.2 0.2	166.2	West Aggie Extension	Aggie	10.3
PGS195 (100, -65)			NSR		129.5		Warrior to Aggie		
PGS196 (75, -73) and	80.8 117.3	91.4 141.7	10.7 24.4	0.51 0.36	0.2 0.2	164.6	West Aggie		14.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)			NSR		172.2		Warrior	Anomalous	
PGS199 (30, -45) and and	51.8 54.9 67.1	53.3 57.9 71.6	1.5 3.0 4.6	0.31 0.68 1.41	0.2	172.2	Dip Slope		9.0
PGS200 (135, -45)			NSR		129.5		Dip Slope		
PGS201 (30, -60) incl	163.1 173.7	208.8 187.5	45.7 13.7	0.56 1.08	0.2 0.5	230.1	Warrior	Warrior	25.5
PGS202 (100, -45)			NSR		160.0		Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
PGS204 (0, -80) and incl	137.2 160.0 161.5	138.7 179.8 170.7	1.5 19.8 9.1	0.55 0.65 0.92	0.2	190.5	Warrior		13.7
PGS204 (0, -80) and incl.	137.2 160.0 161.5	138.7 179.8 170.7	1.5 19.8 9.1	0.55 0.65 0.92	0.2	190.5	Warrior		12.9
PGS205 (75, -40) and	32.0 134.1	42.7 138.7	10.7 4.6	0.38 2.01	0.2 0.2	147.8	Dip Slope	Claron Host Rocks Paleozoic Host Rocks	13.7
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)			NSR		202.7		Western Grabens	Anomalous	
PGS209 (0, -45)			NSR		93.0		Western Grabens	Hole Lost Above Target	
PGS210 (275, -65) incl	108.2 115.8	126.5 120.4	18.3 4.6	0.47 0.89	0.2 0.5	141.7	Dip Slope		8.6
PGS211 (320, -45)			NSR		166.1		Western Grabens		
PGS212 (63, -48) incl	106.7 143.3	163.1 152.4	56.4 9.1	0.41 1.02	0.2 0.5	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)			NSR		187.5		Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65) and	22.9 85.3	24.4 91.4	1.5 6.1	0.34 0.28	0.2	117.3	Peg Leg		2.2
PGS217 (233, -70)			NSR				Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)			NSR		117.3		Western Grabens		
PGS220 (110, -45) incl	144.8 152.4	181.4 167.6	36.6 15.2	0.66 1.16	0.2 0.5	210.3	Dip Slope		24.1
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65) and	184.4 196.6	185.9 198.1	1.5 1.5	0.45 0.20	0.2 0.2	208.8	Dip Slope		1.0
PGS224 (0, -90) incl and	86.9 99.1 134.1	115.8 115.8 135.6	29.0 16.8 1.5	0.94 1.15 0.41	0.2 0.5 0.2	190.5	Peg Leg	Claron Host Rocks Paleozoic Host Rocks	27.8
PGS225 (340, -65)		NSR		205.7	Dip Slope		Anomalous		
PGS226 (285, -45)		NSR		166.1	Peg Leg				
PGS227 (275, -55) incl and incl and	62.5 65.5 86.9 89.9 118.9	76.2 74.7 102.1 97.5 126.5	13.7 9.1 15.2 7.6 7.6	1.61 2.05 0.98 1.35 0.65	0.2 1 0.2 1 0.2	135.6	Peg Leg		42.0
PGS228 (260, -50) incl and	85.3 91.4 149.4	96.0 93.0 153.9	10.7 1.5 4.6	0.73 2.56 0.30	0.2 1 0.2	166.1	Dip Slope		9.2
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45) and	82.3 91.4	83.8 109.7	1.5 18.3	0.35 0.29	0.2 0.2	160.0	Dip Slope		5.9
PGS231 (240, -60) and	22.9 32.0	25.9 38.1	3.0 6.1	0.35 1.31	0.2 0.2	205.7	Peg Leg		9.0
PGS232 (205, -77)		NSR		86.9	Dip Slope				
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55) and incl and	82.3 117.3 129.5 175.3	99.1 167.6 144.8 176.8	16.8 50.3 15.2 1.5	0.33 0.85 1.81 0.66	0.2 0.2 0.5 0.2	196.6	Aggie - Warrior		49.2
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
PGS237 (320, -60) Incl	73.2 76.2	86.9 83.8	13.7 7.6	1.43 2.33	0.2 0.5	160.0	Main		19.7
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
PGS239 (90, -65) and	3.0 10.7	4.6 12.2	1.5 1.5	2.49 0.71	0.2 0.2	99.0	Covington	Covington Dyke	4.9
PGS240 (10, -65) and and	152.4 164.6 182.9	155.4 181.4 193.5	3.0 16.8 10.7	0.27 0.33 0.42	0.2 0.2 0.2	237.7	Warrior		10.9
PGS241 (95, -62)		NSR		147.8	Warrior				
PGS242 (75, -65) incl and	108.2 109.7 143.3	134.1 118.9 153.9	25.9 9.1 10.7	1.53 3.48 0.34	0.2 1 0.2	169.1	Warrior		43.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6
incl	111.3	120.4	9.1	0.84	0.5				
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8
incl.	82.3	89.9	7.6	1.20	1				
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3
incl.	47.2	53.3	6.1	5.59	1				
PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
and	108.2	118.9	10.7	0.74					
and	157.0	161.5	4.6	0.37				Claron Formation?	
and	169.2	172.2	3.0	0.23					
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
incl	0.0	4.6	4.6	3.48	1				
and	54.9	56.4	1.5	0.63	0.2				
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata	
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
PGS262 (105, -60)			NSR			120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)			NSR			166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)			NSR			121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)			NSR			219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)			NSR			196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0, -90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220, -65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS284 (330, -75)			NSR		19.8		Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180,-65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60) and and	19.8 42.7 80.8	32.0 51.8 89.9	12.2 9.1 9.1	1.01 0.75 0.31	0.2	105.2	Mineral Mtn		22.0
PGS287 (330, -86)			NSR		32.0		Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)			NSR		208.8		Caribou	Hole did not intersect target	
PGS289 (143,-52) incl.	106.7 112.8	150.9 118.9	44.2 6.1	0.62 1.20	0.2 1	213.4	Caribou		27.3
PGS290 (80,-65) and incl	65.5 99.1 103.6	80.8 118.9 112.8	15.2 19.8 9.1	0.64 1.11 1.96	0.2 0.2 1	129.5	Aggie	Claron Mineralization Paleozoic Mineralization	31.7
PGS291 (170,-53) incl	166.1 166.1	202.7 170.7	36.6 4.6	0.65 1.97	0.2 1	239.3	Moosehead		23.5
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53) and	114.3 135.6	132.6 147.8	18.3 12.2	0.34 0.54	0.2 0.2	160.0	Aggie		12.7
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50) incl	170.7 173.7	198.1 182.9	27.4 9.1	0.78 1.62	0.2 1	213.4	Moosehead		21.5
PGS296 (155,-55) and and incl	32.0 39.6 53.3 61.0	38.1 45.7 77.7 68.6	6.1 6.1 24.4 7.6	0.22 0.42 0.63 1.14	0.2 0.2 0.2 1	138.7	West GS Graben		19.2
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)			NSR		129.5		Covington	Hole did not intersect target	
PGS300 (235,-55)			NSR		152.4		Covington	Hole did not intersect target	
PGS301 (350, 45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90) and	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
	126.5	129.5	3.0	0.27	0.2				
PGS310 (90,-60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0,-90) and	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
	86.9	89.9	3.0	0.44	0.2				
PGS312 (0,-65)	NSR					152.4	Western	Picaroon - long anomalous interval	
PGS313 (170,-78) and	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
	211.8	221.0	9.2	0.59	0.2				
PGS314 (0,-90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140,-50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70,-70)	NSR					129.5	Western	Picaroon - long anomalous interval	
PGS317 (150,-45) and	19.8	59.4	39.6	0.48	0.2	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.2				
	80.8	86.9	6.1	0.97	0.2				
PGS318 (0,-90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0,-75)	NSR					144.8	Western	Picaroon	
PGS320 (110,-55) and	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
incl	70.1	96.0	25.9	0.99	0.2				
	82.3	93.0	10.7	1.40	1.0				
PGS321 (180,-60)	NSR					91.4	Main	Aggie	
PGS322 (90,-45) and	18.3	22.9	4.6	0.77	0.2	160.0	Western	Caribou	36.2
	30.5	94.5	64.0	0.51	0.2				
PGS323 (0,-90)	NSR					166.1	Western	Picaroon	
PGS324 (62,-55) incl	39.6	82.3	42.7	0.70	0.2	141.7	Western	Caribou	30.0
	48.8	56.4	7.6	1.72	1				
PGS325 (20,-78) and	73.2	76.2	3.0	0.81	0.2	141.7	Main	Aggie	9.5
	94.5	108.2	13.7	0.52	0.2				
PGS326 (170,-50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78,-67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0,-90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140,-55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)			NSR		193.5	Western	Picaroon		
PGS332 (225, -65) and	152.4 178.3	167.6 192.0	15.2 13.7	0.41 0.52	0.2	221.0	Dip Slope	Padre Haul Road	13.3
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65) incl	121.9 125.0	175.3 135.6	53.3 10.7	0.67 1.93	0.2	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
PGS336 (170, -45) and	140.2 157.0	153.9 163.1	13.7 6.1	0.50 0.23	0.2	198.1	Western	Moosehead	8.2
PGS337 (56, -55)			NSR		134.1	Peg Leg			
PGS338 (295, -55) and and	57.9 100.6 128.0	91.4 105.2 129.5	33.5 4.6 1.5	0.64 0.77 0.96	0.2	135.6	Peg Leg		26.5
PGS339 (150, -45) and incl	115.8 129.5 146.3	120.4 172.2 157.0	4.6 42.7 10.7	0.33 0.79 1.60	0.2	239.3	Western	Moosehead	35.2
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65) and	137.2 178.3	176.8 189.0	39.6 10.7	0.38 0.96	0.2	208.8	Dip Slope	Padre Haul Road	25.4
PGS343 (345, -65)			NSR		105.2	Peg Leg			
PGS344 (130, -45) and and	170.7 181.4 190.5	173.7 185.9 202.7	3.0 4.6 12.2	0.82 0.28 1.15	0.2	230.1	Western	Moosehead	17.8
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
PGS346 (145, -68)			NSR		91.4	Peg Leg			
PGS347 (85, -65) incl	161.5 173.7	201.2 184.4	39.6 10.7	0.69 1.35	0.2	224.0	Dip Slope	Padre	27.5
PGS348 (340, -65) and	4.6 71.6	6.1 73.2	1.5 1.5	0.48 0.80	0.2	103.6	Peg Leg		2.0
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)			NSR		147.8	Peg Leg			
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)			NSR		80.8	Peg Leg			
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS355 (150, -60) and	91.4 134.1	123.4 135.6	32.0 1.5	0.52 0.96	0.2 0.2	141.7	Peg Leg		18.1
PGS356 (115, -55) and incl	94.5 109.7 121.9	102.1 132.6 125.0	7.6 22.9 3.0	0.56 0.77 1.71	0.2 0.2 1	160.0	Peg Leg		21.8
PGS357 (0, -90) and	9.1 57.9	12.2 70.1	3.0 12.2	0.38 0.36	0.2 0.2	121.9	Western		5.5
PGS358 (75, -60) and	15.2 94.5	16.8 99.1	1.5 4.6	0.62 0.29	0.2 0.2	121.9	Western		2.2
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
PGS360 (130, -60)			NSR		137.2	Peg Leg			
PGS361 (0, -60)			NSR		135.6	Western			
PGS362 (0, -90) incl	76.2 76.2	108.2 89.9	32.0 13.7	1.22 1.89	0.2 1	141.7	Dip Slope	Padre	38.8
PGS363 (80, -55) incl and	61.0 67.1 91.4	74.7 70.1 99.1	13.7 3.0 7.6	0.82 2.32 0.30	0.2 1 0.2	114.3	Peg Leg		13.5
PGS364 (120, -45) incl	54.9 56.4	74.7 65.5	19.8 9.1	0.92 1.66	0.2 1	152.4	Western		18.3
PGS365 (0, -70) incl	97.5 117.3	135.6 120.4	38.1 3.0	0.65 2.03	0.2 1	163.1	Dip Slope	Padre	24.9
PGS366 (185, -45) and and	41.1 54.9 158.5	48.8 61.0 160.0	7.6 6.1 1.5	0.57 0.34 1.92	0.2 0.2 0.2	195.1	Western		9.3
PGS367 (0, -90)	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
PGS368 (90, -55) incl	83.8 86.9	103.6 89.9	19.8 3.0	0.54 1.22	0.2 1	146.3	Dip Slope	Padre	10.7
PGS369 (0, -85)			NSR		184.4	Western		Bull Run	
PGS370 (0, -90)			NSR		160.0	Dip Slope		Padre	
PGS371 (240, -75)	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
PGS372 (0, -90)	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
PGS373 (0, -65)	189.0	190.5	1.5	0.40	0.2	307.8	Western		Bull Run
PGS374 (40, -60)	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
PGS375 (300, -65)	25.9	47.2	21.3	0.60	0.2	129.5	Western		12.8
PGS376 (290, -70)			NSR		214.9	Dip Slope		Padre	
PGS377 (155, -85) and	57.9 160.0	64.0 163.1	6.1 3.0	0.39 0.74	0.2 0.2	178.3	Western		4.6
PGS378 (180, -60)			NSR		211.8	Western		Bull Run	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS379 (290, -60)	83.8	105.2	21.3	0.94	0.2	182.9	Dip Slope	Padre	20.0
PGS380 (310, -65)	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
PGS381 (0, -65) and	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0
54.9	59.4	4.6	0.32	0.2					
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
PGS383 (150, -85)			NSR			121.9	Western	Western Graben	
PGS384 (0, -65)			NSR			144.8	Western	Bull Run	
PGS385 (0, -80)			NSR			123.4	Western	Bull Run	
PGS386 (200, -65)			NSR			160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)			NSR			202.7	Western	Western Graben	
PGS389 (180, -65)			NSR			135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)			NSR			99.1	Western		
PGS391 (0, -60)			NSR			189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
PGS394 (0, -45)			NSR			172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)			NSR			152.4	Dip Slope	Padre Pit	
PGS397 (0, -50) incl	147.8	202.7	54.9	0.64	0.2	208.8	Western	North Moosehead Pit	35.0
161.5	170.7	9.1	1.40	1					
PGS398 (0, -90) and	0.0	10.7	10.7	0.47	0.2	227.1	Dip Slope	Mineralized Mine Spoils Padre Haul Road	6.2
138.7	143.3	4.6	0.26	0.2					
PGS399 (0, -62)			NSR			74.7	Western	Bull Run	
PGS400 (137, -80) incl	99.1	147.8	48.8	0.74	0.2	160.0	Western	North Moosehead Pit	36.2
111.3	117.3	6.1	1.93	1					
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)			NSR			103.6	Bull Run		
PGS403 (195, -80) incl	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3
155.4	160.0	4.6	1.16	1					
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3
incl	117.3	123.4	6.1	3.24	1				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7
PGS409 (0, -90)			NSR			304.8	Warrior	Water Test Well	
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)			NSR			288.0	Covington	Water Test Well	
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7
incl.	39.6	64.0	24.4	1.70	1				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3
incl.	106.7	117.3	10.7	2.49	1				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6
incl	77.7	82.3	4.6	3.09	1				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3
incl	125.0	144.8	19.8	1.84	1				
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2
incl	202.7	207.3	4.6	2.06	1				
PGS423 (0, -90)			NSR			86.9	Dip Slope	Lunch Spot	
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2
and	123.4	126.5	3.0	0.75	0.2				
PGS426 (287, -70)			NSR			121.9	Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)			NSR			138.7	Western	West Moosehead	
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.2				
and	86.9	97.5	10.7	0.51	0.2				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS431 (0, -90)			NSR			196.6	Western	Beavertail	
PGS432 (0, -90)			NSR			205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.2	129.5	Western	Beavertail	33.4
incl	16.8	21.3	4.6	2.35	1				
and	41.1	48.8	7.6	0.69	0.2				
and	50.3	71.6	21.3	0.55	0.2				
PGS434 (70, -82)			NSR			147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.2	233.2	Dip Slope	Goldtown Ridge	10.4
and	195.1	198.1	3.0	0.69	0.2				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.2	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.2				
PGS437 (105, -65)			NSR			150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)			NSR			196.6	Western	Beavertail	
PGS439 (320, -75)			NSR			152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.2	248.4	Dip Slope	Goldtown Ridge	22.4
incl	227.1	233.2	6.1	2.23	1				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)			NSR			114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)			NSR			243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)			NSR			147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)			Pending			0.2	175.3	Dip Slope	
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
Liberty Gold - Goldstrike 2018 Drill Holes									
Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70) incl.	2.1 0.6	27.0 6.9	24.8 6.2	0.73 1.47	0.2 0.5	95.1	Dip Slope	Met Core Hole	18.1
PGS478C (98, -65) incl.	0.8 3.7	34.2 13.4	33.5 9.8	0.67 1.45	0.2 0.5	50.1	Dip Slope	Met Core Hole	22.5
PGS479C (290, -65)			NSR		18.6	Dip Slope	Hole Lost Above Target		
PGS480C (190, -80) and	44.0 68.3	57.9 73.1	13.9 4.8	0.43 0.46	0.2	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4
PGS482C (140, -55) and	56.3 101.2	96.5 112.5	40.2 11.3	0.46 0.60	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4
PGS483C (140, -52) and and incl.	52.3 59.4 76.8 138.9	57.0 68.1 146.5 146.5	4.7 8.7 69.6 7.6	0.24 0.59 0.79 2.46	0.2 0.2 0.2 1	159.1	Caribou Pit (Western)	Met Core Hole	61.5
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4
PGS485C (140, -56) and	26.4 46.3	44.8 60.0	18.4 13.7	0.30 0.77	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3
PGS488CA (150, -65) and	18.9 67.7	55.6 86.0	36.7 18.3	0.33 0.41	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0
PGS491 (200, -65)			NSR		61.0	Dip Slope			
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8
PGS495 (0, -90)			NSR		56.4	Dip Slope			
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5
PGS498 (0, -90)			NSR		105.2	Dip Slope			
PGS499 (300, -65)			NSR		108.2	Dip Slope			
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8
PGS501 (0, -90)			NSR		91.4	Dip Slope			
PGS502 (0, -90)			NSR		61.0	Dip Slope			
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.2	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.2	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.2	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.2	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.2	193.5	Dip Slope		2.8
PGS508 (0, -90)			NSR		68.6	Goldtown Back Fill			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS509 (0, -90)			NSR			19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.2	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.2	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.2	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90)	0.0	7.6	7.6	0.56	0.2	111.3	Goldtown Back Fill	Back Fill Material	15.5
and	15.2	30.5	15.2	0.73	0.2			Bedrock	
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.2	129.5	Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.2	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)			NSR			91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.2	105.2	Jedi		1.1
PGS518 (272, -50)			NSR			129.5	Peg Leg		
PGS519 (180, -65)			NSR			80.8	Jedi		
PGS520 (225, -50)			NSR			182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.2	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.2	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.2	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.2	91.4	Jacks Camp		14.2
PGS525 (50, -50)	13.7	24.4	10.7	0.64	0.2	91.4	Jacks Camp		9.4
and	53.3	62.5	9.1	0.28					
PGS526 (0, -90)	0.0	32.0	32.0	0.57	0.2	62.5	Leach Pad 1	Leach Pad Material	22.1
and	35.1	47.2	12.2	0.32	0.2			Back Fill Material	
PGS527 (0, -90)			NSR			80.8	Jacks Camp		
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.2	132.6	Jacks Camp		1.6
PGS529 (0, -90)	0.0	13.7	13.7	0.64	0.2	121.9	Leach Pad 1	Leach Pad Material	30.6
and	15.2	19.8	4.6	0.20				Back Fill Material	
and	41.1	44.2	3.0	0.41				Bedrock	
and	53.3	59.4	6.1	0.31					
and	82.3	106.7	24.4	0.73					
PGS530 (180, -50)			NSR			86.9	Jacks Camp		
PGS531 (0, -90)	0.0	30.5	30.5	0.27	0.2	118.9	Leach Pad 1	Leach Pad Material	42.6
and	38.1	48.8	10.7	0.37				Back Fill Material	
and	48.8	89.9	41.1	0.55				Bedrock	
and	105.2	112.8	7.6	1.05					
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.2	80.8	Fence Line		21.1
PGS533 (320, -85)	0.0	10.7	10.7	0.55	0.2	178.3	Leach Pad1	Leach Pad Material	43.5
and	13.7	29.0	15.2	0.27				Bedrock	
and	131.1	170.7	39.6	0.85					
PGS534 (180, -75)			NSR				Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.2	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90)	0.0	15.2	15.2	0.62	0.2	80.8	Leach Pad 2	Leach Pad Material	15.1
and	15.2	50.3	35.1	0.16	0.15			Back Fill Material	
PGS537 (110, -65)			NSR				Fence Line		
PGS538 (0, -90)	0.0	16.8	16.8	0.23	0.2	41.1	Leach Pad 2	Leach Pad Material	13.6
and	16.8	33.5	16.7	0.58				Back Fill Material	
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.2	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90)	0.0	24.4	24.4	0.17	0.15	53.3	Leach Pad 2	Leach Pad Material	9.4
and	24.4	48.8	24.4	0.21	0.2			Back Fill Material	
PGS541 (0, -90)	0.0	33.5	33.5	0.32	0.2	93.0	Leach Pad 2	Leach Pad Material	14.1
and	47.2	62.5	15.2	0.22				Back Fill Material	
PGS542 (0, -90)	0.0	35.1	35.1	0.52	0.2	56.4	Leach Pad 2	Leach Pad Material	12.3
and	35.1	53.3	18.2	0.35				Back Fill Material	
PGS543 (0, -90)	0.0	15.2	15.2	0.32	0.2	53.3	Leach Pad 2	Leach Pad Material	8.2
and	15.2	28.6	13.4	0.25	0.2			Back Fill Material	
PGS544 (0, -90)	0.0	29.0	29.0	0.19	0.15	68.6	Leach Pad 2	Leach Pad Material	8.3
and	29.0	36.6	7.6	0.36	0.2			Back Fill Material	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS545 (250, -60)	NSR			117.3		Fence Line				
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.2	44.2	Leach Pad 2	Leach Pad Material	9.4	
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.2	56.4	Leach Pad 2	Leach Pad Material	12.0	
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.2	80.8	Leach Pad 2	Leach Pad Material	19.5	
and	21.3	48.8	27.5	0.28				Back Fill Material		
and	48.8	61.0	12.2	0.42				Bedrock		
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.2	160.0	Fence Line		1.4	
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.2	61.0	Leach Pad 2	Leach Pad Material	10.2	
and	44.2	50.3	6.1	0.32				Back Fill Material		
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.2	61.0	Leach Pad 2	Leach Pad Material	22.1	
and	47.2	53.3	6.1	0.69				Back Fill Material		
PGS552 (20, -75)	NSR			138.7		Big Red				
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.2	91.4	Leach Pad 2	Leach Pad Material	17.5	
and	42.7	51.8	9.1	0.36				Back Fill Material		
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.2	61.0	Leach Pad 2	Leach Pad Material	11.4	
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.2	141.7	Big Red		3.0	
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9	
and	76.2	89.9	13.7	1.42	0.2			Bedrock		
PGS557 (90, -65)	NSR			99.1		Peg Leg			7.1	
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.2	93.0	Big Red			
and	12.2	16.8	4.6	1.12						
and	57.9	61.0	3.0	0.30						
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.2	138.7	Peg Leg			
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.2	91.4	Big Red			
PGS561 (0, -50)	NSR			91.4		Big Red				
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.2	190.5	Peg Leg			
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.2	82.3	Peg Leg		3.9	
PGS564 (0, -75)	NSR			100.6		Big Red				
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.2	135.6	Potter's Peak			
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.2	182.9	Potter's Peak		0.3	
PGS567 (305, -65)	3.0	7.6	4.6	0.71	0.2	51.8	Peg Leg		16.8	
and	19.8	21.3	1.5	8.85						
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.2	126.5	Peg Leg		3.4	
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.2	86.9	Potter's Peak		0.7	
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.2	61.0	Peg Leg		0.5	
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.2	79.3	Peg Leg		1.1	
PGS572 (90, -75)	NSR			105.2		Potter's Peak				
PGS573 (270, -50)	NSR			61.0		Peg Leg				
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.2	141.7	Peg Leg		36.3	
incl	61.0	71.6	10.7	1.88	1					
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.2	121.9	Peg Leg		6.2	
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.2	83.8	Potter's Peak		1.0	
PGS577 (145, -45)	0.0	16.8	16.8	0.48	0.2	144.8	Peg Leg		34.1	
and	96.0	132.6	36.6	0.71						
PGS578 (0, -50)	NSR			115.8		Potter's Peak			62.7	
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.2	121.9	Peg Leg			
and	77.7	120.4	42.7	1.14	0.2					
incl	100.6	118.9	18.3	2.00	1					
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.2	129.5	Peg Leg		31.4	
incl	62.5	65.5	3.0	3.43	1					
and	86.9	100.6	13.7	0.52	0.2					
PGS581 (150, -70)	NSR			80.8		Potter's Peak				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS582 (120, -60) and	3.0	7.6	4.6	0.47	0.20	105.2	Peg Leg		9.4
	13.7	25.9	12.2	0.60					
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.2	91.4	Potter's Peak		1.0
PGS584 (240, -73) and	86.9	108.2	21.3	0.74	0.2	202.7	Main		38.5
	117.3	166.1	48.8	0.42					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.2	91.4	Fence Line		15.1
PGS586 (177, -60) and	118.9	123.4	4.6	0.91	0.2	227.1	Main Zone	Warrior	6.6
	175.3	181.4	6.1	0.39					
PGS587 (0, -70)			NSR			182.9	Picaroon		
PGS588 (0, -45)			NSR			117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65) and	7.6	36.6	29.0	0.56	0.2	202.7	Western	Beavertail	30.2
	48.8	54.9	6.1	0.36					
PGS590 (0, -70)			NSR			135.6	Main Zone	Aggie Footwall	
PGS591 (145, -65) incl	0.0	76.2	76.2	0.72	0.2	135.6	Western	Beavertail	55.1
	15.2	21.3	6.1	1.26					
PGS592 (310, -45)			NSR			80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.2	196.6	Main Zone	Aggie	1.8
PGS594 (40, -70) and	9.1	24.4	15.2	0.98	0.2	105.2	Western	Beavertail	37.3
	35.1	62.5	27.4	0.81					
PGS595 (157, -49) and	117.3	121.9	4.6	0.32	0.2	196.6	Main Zone	Aggie	34.0
	132.6	166.1	33.5	0.97					
PGS596 (60, -55) and	0.0	21.3	21.3	0.79	0.2	196.6	Western	Beavertail	26.5
	32.0	42.7	10.7	0.26					
PGS597 (210, -70)	68.6	77.7	9.1	0.52	0.2	196.6	Western	Beavertail	26.5
	93.0	100.6	7.6	0.28					
PGS598 (0, -90)	121.9	138.7	16.8	1.06	0.2	117.3	Main zone	Aggie	17.8
PGS599 (138, -80) and	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
	64.0	67.1	3.0	0.22					
PGS600 (0, -90)			NSR			172.2	Main zone	Aggie	
PGS601 (305, -72)			NSR			144.8	Main zone	Aggie	
PGS602 (49, 52) and	57.9	64.0	6.1	0.41	0.2	99.1	Western	Goldstrike Graben	5.2
	65.5	77.7	12.2	0.22					
PGS603 (70, -50)			NSR			144.8	Main zone		6.5
PGS604 (0, -90)	93.0	112.8	19.8	0.33	0.2	129.5	Western	Goldstrike Graben	1.2
PGS605 (305, -50)			NSR			166.1	Main zone		
PGS606 (30, -50) and	126.5	132.6	6.1	0.35	0.2	182.9	Western	Goldstrike Graben	6.5
	143.3	146.3	3.0	1.03					
PGS607 (250, -50)	150.9	153.9	3.0	0.39					
	117.3	121.9	4.6	0.36	0.2	182.9	Main zone		1.7
PGS608 (165, -70) and	4.6	13.7	9.1	0.52	0.2	147.8	Main zone		20.3
	38.1	71.6	33.5	0.46					
PGS609 (0, -75)			NSR			152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.2	86.9	Dip Slope	Hassayampa Backfill	7.2
PGS611 (0, -90)			NSR			152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.2	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.2	123.4	Dip Slope		0.7
PGS614 (0, -80)			NSR			158.5	Western	Goldstrike Graben	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS615 (0, -55)	9.1	25.9	16.8	2.09	0.2	117.3	Dip Slope		42.7
incl	12.2	19.8	7.6	3.94	1				
and	56.4	57.9	1.5	0.38	0.2				
and	64.0	76.2	12.2	0.90	0.2				
and	93.0	96.0	3.0	0.37	0.2				
PGS616 (55, -50)			NSR		80.8	Dip Slope			
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)			NSR		105.2	Main zone	Aggie		
PGS619 (310, -65)			NSR		86.9	Main zone	Aggie		
PGS620 (145, -65)			NSR		178.3	Western	Goldstrike Graben		
PGS621 (90, -70)			NSR		121.9	Peg Leg			
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.2	152.4	Peg Leg		1.1
PGS623 (350, -70)	6.1	10.7	4.57	0.54	0.2	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.2				
PGS624 (45, -80)			NSR		111.3	Peg Leg			
PGS625 (50, -70)	0.0	15.2	15.2	0.36	0.2	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
PGS626 (190, -55)	0.0	13.7	13.7	0.54	0.2	147.8	Peg Leg		16.9
and	99.1	105.2	6.1	0.55					
and	123.4	135.6	12.2	0.51					
PGS627 (345, -82)	80.8	83.8	3.0	0.40	0.2	202.7	Western	Covington Dyke	1.2
PGS628 (60, -75)	0.0	12.2	12.2	0.61	0.2	140.2	Peg Leg		11.3
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
PGS629 (70, -65)			NSR		147.8	Peg Leg			
PGS630 (60, -75)	39.6	106.7	67.1	1.17	0.2	129.5	Peg Leg		78.3
incl	51.8	77.7	25.9	2.21	1.0				
PGS631 (0, -75)	44.2	96.0	51.8	0.99	0.2	120.4	Peg Leg		59.7
incl	74.7	85.3	10.7	2.45	1.0				
and	105.2	109.7	4.6	1.84	0.2				
PGS632 (255, -50)			NSR		178.3	Peg Leg			
PGS633 (180, -55)	0.0	9.1	9.1	1.01	0.2	160.0	Main zone	Hamburg Ext	34.0
and	48.8	59.4	10.7	0.30	0.2				
and	70.1	96.0	25.9	0.80	0.2				
incl	88.4	93.0	4.6	2.03	1				
and	112.8	115.8	3.0	0.31	0.2				
PGS634 (180, -75)	57.9	97.5	39.6	0.65	0.2	135.6	Peg Leg		25.6
PGS635 (180, -60)	44.2	105.2	61.0	0.62	0.2	178.3	Main zone	Hamburg Ext	37.7
incl	86.9	94.5	7.6	1.70	1				
PGS636 (180, -70)	0.0	9.1	9.1	1.63	0.2	141.7	Peg Leg		51.4
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	79.2	100.6	21.3	1.59					
PGS637 (0, -90)	56.4	79.2	22.9	0.52	0.2	141.7	Main	Hamburg Ext	11.8
PGS638 (290, -75)	0.0	9.1	9.1	0.80	0.2	152.4	Peg Leg		12.8
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
PGS639 (180, -67)	56.4	80.8	24.4	0.63	0.2	166.1	Main zone	Hamburg Ext	15.5
PGS640 (0, -90)	7.6	30.5	22.9	0.37	0.2	56.3	Main	Hamburg East Backfill	16.9
and	38.1	54.9	16.8	0.50					
PGS641 (0, -90)			NSR		44.2	Main	Hamburg West Backfill		
PGS642 (180, -45)	44.2	47.2	3.0	1.34	0.2	182.9	Main zone	Hamburg Ext	17.0
and	48.8	73.2	24.4	0.53					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS643 (180, -67)			NSR			91.4	Western	Picaroon		
PGS644 (0, -65)			NSR			117.3	Western	West Beavertail		
PGS645 (180, -50)	51.8	67.1	15.2	0.36	0.2	166.1	Main	Hamburg Ext	5.5	
PGS646 (180, -70)	10.7	18.3	7.6	0.44	0.2	128.0	Western	West Beavertail	3.4	
PGS647 (145, -65)	18.3	21.3	3.0	0.36	0.2	135.6	Main	Hamburg Ext	1.1	
PGS648 (0, -65)	7.6	27.4	19.8	0.46	0.2	138.7	Western	West Beavertail	9.2	
PGS649 (180, -65)	0.0	10.7	10.7	0.40	0.2	134.1	Western	West Beavertail	12.5	
and	21.3	29.0	7.6	0.96						
and	39.6	42.7	3.0	0.31						
PGS650 (180, -65)	3.0	4.6	1.5	0.21	0.2	123.4	Western	West Beavertail	26.8	
and	6.1	24.4	18.3	1.24						
and	44.2	47.2	3.0	0.44						
and	50.3	54.9	4.6	0.25						
and	57.9	61.0	3.0	0.44						
PGS651 (180, -65)			NSR			129.5	Western	West Beavertail		
PGS652 (0, -90)			NSR			160.0	Western	West Beavertail		
PGS653 (180, -65)			NSR			121.9	Western	West Beavertail		
PGS654 (180, -65)			NSR			99.1	Western	West Beavertail		
PGS655 (325, -69)	3.0	35.1	32.0	0.44	0.2	141.7	Western	Beavertail	32.6	
and	42.7	70.1	27.4	0.68						
PGS656 (67, -65)	3.0	15.2	12.2	0.35	0.2	147.8	Western	Beavertail	29.0	
and	29.0	61.0	32.0	0.37						
and	68.6	70.1	1.5	0.42						
and	86.9	89.9	3.0	1.03						
and	100.6	115.8	15.2	0.60						
PGS657 (235, -65)	0.0	27.4	27.4	0.38	0.2	105.2	Western	Beavertail	26.1	
and	33.5	42.7	9.1	0.31						
and	48.8	54.9	6.1	0.57						
and	61.0	79.2	18.3	0.51						
PGS658 (100, -57)	0.0	22.9	22.9	0.48	0.2	166.1	Western	Beavertail	12.0	
and	132.6	135.6	3.0	0.35						
PGS659 (35, -53)	0.0	44.2	44.2	0.54	0.2	160.0	Western	Beavertail	25.9	
and	64.0	70.1	6.1	0.33						
PGS660 (180, -50)	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	42.6	
and	16.8	50.3	33.5	0.88	0.2					
incl	33.5	44.2	10.7	1.47	1					
and	85.3	89.9	4.6	1.51	0.2					
PGS661 (65, -45)	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	37.5	
and	19.8	56.4	36.6	0.80						
and	64.0	67.1	3.0	0.46						
PGS662 (0, -90)			NSR			16.8	Western	Moosehead Dump		
PGS663 (0, -90)	0.0	12.2	12.2	0.52	0.2	19.8	Western	Moosehead Dump	6.3	
PGS664 (0, -90)	0.0	18.3	18.3	0.31	0.2	25.9	Western	Moosehead Dump	5.7	
PGS665 (0, -90)	0.0	7.6	7.6	0.28	0.2	38.1	Western	Moosehead Dump	3.3	
	15.2	18.3	3.0	0.36						
PGS666 (0, -90)	0.0	24.4	24.4	0.29	0.2	44.2	Western	Moosehead Dump	7.0	
PGS667	112.8	118.9	6.1	0.47	0.2	147.8	Peg Leg		2.8	
PGS668	45.7	70.1	24.4	0.70	0.2	157.0	Peg Leg		19.3	
and	80.8	86.9	6.1	0.37						
PGS669	70.1	77.7	7.6	0.22	0.2	135.6	Peg Leg		15.4	
and	85.3	99.1	13.7	1.00						
PGS670 (350, -75)	68.6	86.9	18.3	2.95	0.2	152.4	Peg Leg		56.1	
and	105.2	109.7	4.6	0.47						
PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.2	141.7	Peg Leg		2.6	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS672 (185, -50) and	70.1 123.4	76.2 129.5	6.1 6.1	0.73 0.43	0.2	157.0	Peg Leg		7.1
PGS673 (145, -65)			NSR		166.1		Aggie		
PGS674 (35, -55) and and and and	10.7 30.5 38.1 51.8 70.1	13.7 32.0 39.6 18.3	3.0 1.5 1.5 0.49	0.39 0.48 0.69 0.49	0.2	105.2	Dip Slope		19.2
PGS675 (330, -55) and and	15.2 57.9 71.6	18.3 62.5 83.8	3.0 4.6 12.2	0.28 0.36 0.72	0.2	117.3	Dip Slope		11.3
PGS676 (180, -77) and and	3.0 47.2 65.5	9.1 56.4 68.6	6.1 9.1 3.0	1.18 1.17 0.26	0.2	147.8	Hamburg Extension		18.7
PGS677 (203, -60) and incl and and	0.0 50.3 67.1 94.5 103.6	7.6 86.9 76.2 97.5 114.3	7.6 36.6 9.1 3.0 10.7	0.85 1.29 2.82 0.45 0.33	0.2	117.3	Hamburg Extension		58.5
PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.2	121.9	Hamburg Extension		10.2
PGS679 (158, -54) and	47.2 64.0	59.4 68.6	12.2 4.6	0.37 0.62	0.2	121.9	Hamburg Extension		7.4
PGS680 (285, -75) and and	50.3 74.7 94.5	53.3 79.2 96.0	3.0 4.6 1.5	0.45 0.26 0.69	0.2	105.2	Hamburg Extension		3.6
PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.2	99.1	West Beavertail		10.1
PGS682 (180, -60)			NSR		117.3		West Beavertail		
PGS683 (180, -60)			NSR		147.8		West Beavertail		
PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.2	121.92	West Beavertail		1.9
PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.2	129.54	West Beavertail		0.6
PGS686 (0, -75) and and	42.7 48.8 53.3	44.2 51.8 56.4	1.5 3.0 3.0	0.31 0.24 0.51	0.2	114.3	West Beavertail		2.7
PGS687 (180, -45) and incl	7.6 13.7 13.7	10.7 29.0 18.3	3.0 15.2 4.6	0.20 1.45 3.90	0.2 61.0 1		West Beavertail		22.8
PGS688 (0, -90) and	0.0 7.6	4.6 9.1	4.6 1.5	0.20 0.59	0.2	108.2	West Beavertail		1.8
PGS689 (180, -45)			NSR		100.6		West Beavertail		
PGS690 (0, -45) incl	0.0 10.7	16.8 16.8	16.8 6.1	1.49 3.37	0.2 1	109.73	West Beavertail		25.0
PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0
PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3
PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7
PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4
PGS695 (36, -65)			NSR		111.3		West Beavertail		0.0
PGS696 (182, -47) and and	0.0 22.9 38.1	7.6 32.0 42.7	7.6 9.1 4.6	1.00 0.55 0.43	0.2	121.9	West Beavertail		14.6
PGS697 (286, -60) and	1.5 53.3	22.9 57.9	21.4 4.6	0.80 0.32	0.2	91.4	West Beavertail		18.6
PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4
PGS699 (326, -55)			NSR		91.4		West Beavertail		0.0
PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9
PGS701 (73, -65)			NSR		91.4		West Beavertail		0.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2
PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.2	86.9	West Beavertail		19.2
PGS704 (76, -45)			NSR			50.3	West Beavertail		0.0
PGS705 (324, -70)			NSR			108.2	West Beavertail		0.0
PGS706 (340, -61)			NSR			129.5	Beavertail		0.0
PGS707 (160, -56)			NSR			141.7	Beavertail		0.0
PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.2	102.1	Beavertail		10.7
PGS709 (310, -65)			NSR			91.4	West Beavertail		0.0
PGS710 (290, -65)			NSR			61.0	West Beavertail		0.0
PGS711 (180, -70)			Hole not submitted			38.1	West Beavertail	hole lost	
PGS712 (145, -55)			NSR			118.9	Dip Slope		0.0
PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.2	121.9	Dip Slope		27.8
incl.	100.6	109.7	9.1	2.79	1				
PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.2	140.2	Dip Slope		13.0
PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2
PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7
PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3
PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4
PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3
PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1
PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8
PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9
PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2
PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6
PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6
PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.2	91.4	Dip Slope		15.9
PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.2	48.8	Dip Slope		9.1
and	21.3	25.9	4.6	0.21					
and	27.4	36.6	9.1	0.59					
PGS728 (308, -45)	1.5	15.2	13.7	0.28	0.2	64.0	Dip Slope		22.7
and	24.4	32.0	7.6	0.57	0.2				
and	36.6	61.0	24.4	0.60	0.2				
PGS729 (251, -51)	51.8	53.3	1.5	0.56	0.2	65.5	Dip Slope		0.8
PGS730 (30, -50)			NSR			59.4	Dip Slope		
PGS731 (300, -50)			NSR			50.3	Dip Slope		
PGS732 (280, -50)	7.6	16.8	9.1	0.39	0.2	45.7	Dip Slope		5.5
and	24.4	27.4	3.0	0.36					
and	33.5	35.1	1.5	0.56					
PGS733 (0, -57)	7.6	35.1	27.4	1.15	0.2	61.0	Dip Slope		31.4
incl	24.4	30.5	6.1	3.39	1				
PGS734 (160, -50)	10.7	16.8	6.1	0.25	0.2	48.8	Dip Slope		1.5
PGS735 (0, -90)			NSR			117.3	Hamburg Extension		
PGS736 (31, -51)	68.6	123.4	54.9	0.50	0.2	146.3	Hamburg Extension		27.7
PGS737 (346, -68)	51.8	54.9	3.0	0.23	0.2	121.9	Hamburg Extension		9.5
and	62.5	82.3	19.8	0.45	0.2				
PGS738 (235, -60)	83.8	85.3	1.5	3.09	0.2	108.2	Hamburg Extension		4.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	----------	--------	------------------	----------	---------------	-----------------------	--------	----------	---------

Liberty Gold - Goldstrike 2021 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS739 (0, -90)	4.6	9.1	4.6	0.30	0.2	147.8	Beavertail		24.9
and	32.0	41.1	9.1	0.40					
and	79.2	91.4	12.2	1.02					
incl	85.3	86.9	1.5	6.01					
and	117.3	126.5	9.1	0.82					
PGS740 (85, -50)	15.2	18.3	3.0	0.33	0.2	135.7	Beavertail		27.3
and	77.7	111.3	33.5	0.79					
incl	80.8	88.4	7.6	1.03					
PGS741 (195, -70)	19.8	27.4	7.6	0.30	0.2	178.3	Beavertail		6.6
and	44.2	45.7	1.5	0.84					
and	51.8	54.9	3.0	0.68					
and	62.5	65.5	3.0	0.33					
PGS742 (200, -68)	0.0	62.5	62.5	0.46	0.2	120.4	Beavertail		28.8
incl	35.1	38.1	3.0	1.55	1				
PGS743 (65, -80)	4.6	76.2	71.6	0.38	0.2	147.9	Beavertail		28.7
incl	62.5	64.0	1.5	2.02	1				
and	94.5	100.6	6.1	0.25	0.2				
PGS744 (135, -50)	33.5	36.6	3.0	0.74	0.2	117.3	Beavertail		2.3
PGS745 (80, -60)	No Significant Results					129.6	Beavertail		
PGS746 (180, -45)	74.7	88.4	13.7	0.27	0.2	114.3	Hamburg		3.7
PGS747 (180, -80)	65.5	68.6	3.0	0.30	0.2	117.4	Hamburg		1.0
PGS748 (0, -60)	0.0	3.0	3.0	0.40	0.2	114.3	Hamburg		53.1
and	36.6	47.2	10.7	0.39					
and	74.7	97.5	22.9	2.09					
incl	76.2	85.3	9.1	4.36					
PGS749 (270, -60)	50.3	53.3	3.0	0.33	0.2	141.7	Hamburg		9.9
and	70.1	86.9	16.8	0.53					
incl	83.8	85.3	1.5	1.58					
PGS750 (0, -85)	21.3	44.2	22.9	0.90	0.2	135.6	Hamburg		20.5
Incl	21.3	25.9	4.6	2.86	1				
PGS751 (0, -65)	48.8	59.4	10.7	0.84	0.2	120.4	Hamburg		24.8
incl	54.9	56.4	1.5	2.06	1				
and	68.6	86.9	18.3	0.83	0.2				
incl	71.6	74.7	3.0	1.49	1				
and	99.1	100.6	1.5	0.41	0.2				
PGS752 (18, -45)	30.5	47.2	16.8	0.78	0.2	105.2	Hamburg		25.5
and	59.4	65.5	6.1	0.37					
and	76.2	89.9	13.7	0.74					
incl	80.8	86.9	6.1	1.14					
PGS753 (280, -85)	56.4	96.0	39.6	1.19	0.2	1.0	141.7	Hamburg	49.9
incl	56.4	57.9	1.5	1.59					
incl	62.5	65.5	3.0	1.53					
incl	67.1	70.1	3.0	1.01					
incl	73.2	83.8	10.7	1.89					
incl	85.3	93.0	7.6	1.39					
and	102.1	108.2	6.1	0.43	0.2				
PGS754 (245, -40)	77.7	93.0	15.2	3.60	0.2	126.5	Hamburg		54.8
incl	77.7	83.8	6.1	7.75	1				
also incl	77.7	82.3	4.6	9.98	5				
PGS755 (220, -57)	56.4	74.7	18.3	1.74	0.2	121.9	Hamburg		31.9
incl	56.4	71.6	15.2	2.03	1				