

TV Tower Drill Results (2010-2011)

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
Kucukdag Target						
KCD-01	19.9	22.8	2.9	2.23	0.01	2.01
Hole abandoned at 135m due to ground conditions						
KCD-01A	No significant values					
KCD-02	12.3	148.5	136.2	4.28	0.68	15.82
incl	46.7	104.5	57.8	9.51	1.51	34.54
incl	59.6	64.1	4.5	25.57	3.14	69.00
incl	83.6	88.3	4.7	30.59	3.77	91.74
and incl	100.4	101.5	1.1	82.20	1.36	14.00
KCD-03	44.4	51.7	7.3	0.52	0.03	31.58
and	78.2	102.4	24.2	16.62	2.49	55.21
incl	79.3	90.5	11.2	27.26	3.70	83.24
incl	79.3	84.6	5.3	39.54	5.91	142.59
and	120.3	122.8	2.5	0.82	1.19	11.40
and	127.2	129.4	2.2	0.53	0.49	2.50
and	139.9	152.9	13.0	0.36	0.06	NSV
KCD-04	48.5	56.0	7.5	1.28	0.02	11.40
and	135.9	163.2	27.3	1.63	1.00	8.77
incl	156.0	160.5	4.5	7.00	2.83	22.93
incl	156.9	158.0	1.1	22.60	10.94	68.00
and	200.6	213.6	13.0	4.54	NSV	NSV
incl	203.1	204.0	0.9	23.50	0.11	5.00
and incl	209.8	210.6	0.8	16.20	0.03	NSV
KCD-05	43.8	50.3	6.5	0.53	0.02	115.26
and	65.5	67.6	2.1	2.01	0.63	39.14
and	128.7	134.7	6.0	0.61	0.41	18.75
and	151.9	204.9	53.0	1.99	0.33	4.99
incl	182.8	185.8	3.0	4.44	0.60	7.50
and incl	192.6	197.1	4.5	5.15	0.19	4.33
incl	192.6	194.1	1.5	8.57	0.22	9.00
KCD-06	176.8	187.3	10.5	0.44	NSV	0.34
incl	178.4	179.1	0.7	2.03	NSV	1.40
KCD-07	No significant values					
KCD-07A	No significant values					
KCD-08	2.6	4.0	2.7	1.49	NSV	NSV
and	23.0	30.0	7.0	0.65	NSV	NSV
incl	26.2	26.8	0.6	3.59	NSV	NSV
and	49.5	50.5	1.0	2.68	NSV	NSV
KCD-09	55.1	93.5	38.4	0.30	NSV	NSV
and	128.5	149.1	20.6	0.26	NSV	NSV
and	156.9	158.6	1.7	0.97	NSV	NSV
KCD-10	68.7	75.2	6.5	0.50	0.23	23.76
KCD-11	3.8	6.8	3.0	0.34	NSV	NSV
and	112.7	124.5	11.8	NSV	NSV	44.36
KCD-12	Abandoned due to ground conditions					
KCD-12A	7.3	8.7	1.4	NSV	NSV	55.50
and	123.7	127.1	3.4	NSV	NSV	41.73
KCD-13	No significant values					
KCD-14	6.9	12.4	5.5	NSV	NSV	63.68
and	25.2	31.3	6.1	NSV	NSV	40.25
and	39.2	42.9	3.7	3.03	0.27	29.99
and	51.0	52.2	1.2	NSV	0.17	56.00

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
and	67.2	71.3	4.1	0.40	NSV	4.99
and	93.5	101.5	8.0	0.12	0.33	5.62
KCD-15	10.5	21.5	11.0	NSV	NSV	42.16
and	69.2	71.6	2.4	0.76	0.23	16.05
and	77.1	82.9	5.8	0.24	0.37	16.89
and	82.2	97.0	14.8	0.67	0.11	11.61
and	128.9	176.9	48.0	1.87	0.19	7.26
incl	153.0	158.4	5.4	13.83	0.31	25.29
and	204.2	206.8	2.6	0.58	NSV	NSV
and	223.2	225.8	2.6	0.43	0.23	NSV
KCD-16	91.0	165.5	74.5	0.01	0.09	51.94
and	190.4	193.0	2.6	2.06	0.98	46.03
and	295.7	302.9	7.2	2.67	0.09	1.43
incl	300.2	301.4	1.2	14.10	0.32	3.80
KCD-17	59.3	173.1	113.8	0.02	0.16	45.15
incl	128.5	139.7	11.2	0.02	0.72	95.27
and	212.0	218.5	6.5	0.52	0.05	4.34
KCD-18	3.0	50.5	47.5	0.03	0.01	171.00
incl	21.1	49.0	27.9	NSV	0.01	259.97
and	165.5	201.1	35.6	0.92	0.18	2.10
KCD-19	14.8	146.6	131.8	3.80	0.82	20.06
incl	47.6	110.4	62.8	7.29	1.61	32.96
and incl	57.4	102.4	45.0	9.54	2.16	43.51
KCD-19A	17.6	33.2	15.6	1.24	0.01	4.53
incl	27.4	30.4	3.0	3.77	0.01	7.05
and	41.3	65.5	24.2	8.92	1.05	27.36
incl	56.1	65.5	9.4	20.72	2.39	54.87
KCD-20	18.3	88.2	69.9	NSV	NSV	34.97
incl	57.0	59.7	2.7	NSV	0.08	146.44
and	149.4	167.9	18.5	0.70	0.53	12.70
incl	153.5	156.5	3.0	2.24	1.05	23.60
and	181.3	197.2	15.9	0.62	0.25	5.18
incl	194.2	195.7	1.5	3.19	0.09	NSV
and	249.6	256.0	6.4	0.88	0.11	1.11
incl	251.1	253.1	2.0	1.44	0.26	1.40
KCD-21	24.0	29.8	5.8	0.05	0.01	61.56
incl	28.4	29.8	1.4	0.05	0.04	109.00
and	60.6	62.0	1.4	0.80	0.11	6.30
and	72.5	75.5	3.0	1.88	0.07	5.15
and	92.6	94.1	1.5	0.33	0.04	3.20
KCD-22	14.3	15.6	1.3	0.01	0.05	126.00
KCD-23	11.8	16.2	4.4	NSV	0.04	93.86
incl	11.8	13.2	1.4	0.01	0.05	139.00
and	22.9	27.4	4.5	NSV	0.04	31.40
KCD-24	120.6	158.0	37.4	NSV	0.03	38.85
incl	155.3	158.0	2.7	NSV	0.03	89.11
and	199.5	221.3	21.8	0.01	0.16	28.44
incl	217.2	218.6	1.4	0.03	0.65	53.20
KCD-25	1.5	5.2	3.7	1.95	0.01	3.15
and	25.6	31.3	5.7	0.29	0.01	1.21
and	41.1	42.6	1.5	0.55	0.13	3.70
and	51.1	52.6	1.5	1.32	0.34	8.00
and	70.1	76.9	6.8	0.52	0.23	1.87
KCD-26	242.1	243.6	1.5	0.32	NSV	NSV

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
KCD-27	No significant values					
KCD-28	7.5	122.4	114.9	0.03	0.20	50.25
incl	7.5	36.1	28.6	0.01	0.02	88.12
and incl	27.1	34.6	7.5	0.01	0.02	132.60
incl	65.3	83.2	17.9	0.11	0.52	48.28
and incl	74.1	80.4	6.3	0.14	0.82	54.75
KCD-28A	Abandoned due to low core recovery					
KCD-29	121.0	122.5	1.5	0.43	NSV	NSV
and	209.0	210.0	1.0	0.46	0.05	NSV
KCD-30	210.0	226.5	16.5	0.48	NSV	NSV
incl	213.0	219.0	6.0	0.81	NSV	NSV
and incl	217.5	219.0	1.5	1.02	NSV	NSV
KCD-31	No significant values					
KCD-32	62.3	66.8	4.5	2.45	0.17	33.70
and	73.2	77.7	4.5	0.42	0.01	1.57
and	79.7	80.7	1.0	0.52	0.03	1.90
and	175.5	176.8	1.3	1.04	0.02	27.20
and	203.0	204.5	1.5	0.90	NSV	NSV
and	210.3	214.8	4.5	0.90	NSV	NSV
incl	210.3	211.8	1.5	1.69	NSV	0.40
KCD-32A	Abandoned due to low core recovery					
KCD-33	No significant values					
KCD-34	15.0	16.5	1.5	0.32	NSV	NSV
and	99.2	100.7	1.5	0.45	NSV	NSV
KCD-35	158.8	184.1	25.3	0.01	0.01	33.38
and	192.2	201.0	8.8	0.02	0.04	64.09
KCD-36	17.0	19.8	2.8	NSV	0.01	50.55
and	227.1	228.6	1.5	NSV	0.09	137.00
KCD-37	61.5	100.5	39.0	NSV	0.01	61.61
incl	83.7	99.0	15.3	NSV	NSV	96.03
and incl	90.0	96.0	6.0	NSV	NSV	142.78

Kayali Target						
KYD-01	4.5	119.0	114.5	0.87	NSV	NSV
incl	5.7	113.7	108.0	0.91	NSV	NSV
incl	5.7	21.1	15.4	2.85	NSV	NSV
and incl	38.7	43.6	4.9	2.04	NSV	NSV
and incl	48.1	66.8	18.7	0.79	NSV	NSV
incl	50.5	52.1	1.6	1.58	NSV	NSV
and incl	96.1	113.7	17.6	1.12	NSV	NSV
incl	103.6	113.7	10.1	1.41	NSV	NSV
KYD-02	0.4	89.0	88.6	0.78	NSV	NSV
incl	7.9	87.9	80.0	0.84	NSV	NSV
incl	7.9	30.4	22.5	1.98	NSV	NSV
incl	25.9	27.4	1.5	10.40	NSV	NSV
and	206.6	212.0	5.4	NSV	0.53	NSV
KYD-03	96.7	99.7	3.0	0.36	NSV	NSV
and	105.8	161.8	56.0	0.06	0.66	0.13
incl	142.4	161.8	19.4	NSV	1.13	NSV
KYD-04	47.3	62.1	14.8	0.40	NSV	0.30
KYD-05	No significant values					
KYD-06	No significant values					
KYD-07	No significant values					
KYD-08	No significant values					

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
KYD-11	0.0	12.6	12.6	0.42	NSV	NSV
incl	0.0	3.0	3.0	0.73	NSV	NSV
KYD-12	Abandoned due to ground conditions					
KYD-12A	20.8	52.0	31.2	0.60	NSV	NSV
incl	22.2	25.3	3.1	1.31	NSV	NSV
incl	35.8	38.8	3.0	1.25	NSV	NSV
incl	49.2	50.5	1.3	2.81	NSV	NSV
and	86.3	91.1	4.8	0.38	NSV	NSV
and	101.2	102.7	1.5	1.10	NSV	NSV
and	114.9	115.9	1.0	1.34	NSV	NSV
and	201.6	203.1	1.5	NSV	0.32	NSV
and	268.4	268.8	0.4	NSV	0.27	NSV
KYD-13	8.1	24.7	16.6	0.33	NSV	NSV
and	39.7	54.6	14.9	0.49	NSV	NSV
incl	39.7	42.1	2.4	1.22	NSV	NSV
and	68.2	69.7	1.5	1.34	NSV	NSV
KYD-14	75.7	82.9	7.2	0.32	NSV	NSV
and	106.0	120.4	14.4	0.34	NSV	NSV
and	141.8	145.9	4.1	0.02	0.78	NSV
KYD-15	15.1	24.8	9.7	0.59	NSV	NSV
incl	20.7	23.7	3.0	1.14	NSV	NSV
and	45.5	47.0	1.5	1.25	NSV	NSV
and	79.8	81.3	1.5	NSV	0.42	NSV
KYD-16	17.6	19.0	1.4	0.65	NSV	NSV
and	168.3	174.3	6.0	0.63	NSV	NSV
incl	172.8	174.3	1.5	1.23	NSV	NSV
and	194.1	198.8	4.7	NSV	0.32	NSV
and	226.4	229.0	2.6	NSV	0.92	NSV
and	249.1	251.4	2.3	NSV	0.58	NSV
and	278.7	281.7	3.0	NSV	0.38	NSV
KYD-17	152.6	153.8	1.2	0.13	0.69	6.84
KYD-18	251.0	252.5	1.5	0.74	NSV	2.10
and	299.4	306.2	6.8	0.05	1.41	NSV
incl	302.7	306.2	3.5	0.02	2.51	NSV
KYD-19	No significant values					
KYD-20	No significant values					
KYD-21	No significant values					
KYD-22	44.4	46.7	2.3	0.57	NSV	NSV
KYD-23	No significant values					
KYD-24	163.5	165.0	1.5	0.23	0.55	NSV
and	166.5	168.0	1.5	0.47	NSV	NSV
KYD-25	59.7	61.1	1.4	0.37	NSV	NSV
and	69.4	72.4	3.0	0.32	NSV	NSV
and	81.4	85.9	4.5	0.37	NSV	NSV
and	91.5	94.5	3.0	1.49	NSV	NSV
KYD-26	46.1	47.6	1.5	0.26	NSV	NSV
and	56.1	57.6	1.5	0.36	NSV	NSV
and	108.4	112.9	4.5	1.28	NSV	NSV
incl	109.9	111.4	1.5	2.82	NSV	NSV
and	119.7	121.2	1.5	0.26	NSV	NSV
KYD-27	51.0	54.0	3.0	0.82	NSV	NSV
KYD-28	No significant values					

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
KYD-29	No significant values					
KYD-30	No significant values					
KYD-30A	194	195.5	1.5	0.31	NSV	NSV
KYD-31	No significant values					
KYD-32	No significant values					
KYD-33	8.3	9.8	1.5	0.38	NSV	NSV
and	96.5	97.5	1.0	0.60	NSV	NSV
and	134.4	138.2	3.8	0.49	NSV	NSV
KYD-34	118.4	127.8	9.4	0.65	NSV	1.16
and	133.7	140.3	6.6	0.85	NSV	NSV
incl	138.8	140.3	1.5	1.68	NSV	NSV
and	160.0	164.4	4.4	1.06	NSV	NSV
KYD-35	No significant values					

Sarp Target

SD-01	Abandoned due to ground conditions					
SD-01A	No significant values					
SD-02	29.3	30.5	1.2	0.50	0.02	2.30
SD-03	125.3	131.6	6.3	0.27	0.01	1.94
SD-04	31.1	34.4	3.3	0.25	NSV	0.27
SD-05	81.6	85.6	4.0	0.38	0.01	1.04
and	148.9	154.9	6.0	0.50	NSV	1.40
SD-06	25.4	26.8	1.4	0.32	NSV	NSV
SD-07	224.1	225.6	1.5	0.57	NSV	NSV
SD-08	No significant values					
SD-09	No significant values					
SD-10	No significant values					

New holes are highlighted in yellow.

All true widths are uncertain due to limited drilling to date but are expected to be 50-90% of reported widths unless otherwise stated.

All intervals of no sampling have been assigned zero grade for the purposes of compositing.

NSV means No Significant Values < 0.3 g/t gold.

Composites were calculated at 0.25, 0.5, 1.0, 3.0, 5.0, and 10.0 g/t gold cut-offs, and 25, 50 and 100 g/t silver cut-offs.