

AuEq Cutoff (g/t)	Min (g/t)*m		Max Waste (m)				
(0.3) - (0.5) - (1.0) - (2.0)	3.0		9				
TVT Hilltop and Valley Porphyry Target Drill Results							
Hole ID (Az, Dip; Hole Length (m))	From (m)	To (m)	Intercept (m)	AuEq ¹ (g/t)	Cu (%)	Au (g/t)	AuEq Cut-Off (g/t)
KC 02* (0, -65; 154.5 m)	4.5	132.0	127.5	0.42	0.10	0.25	0.3
including	4.5	31.5	27.0	0.57	0.01	0.54	0.5
including	61.5	109.5	48.0	0.47	0.21	0.12	0.5
including	75.0	78.0	3.0	1.20	0.58	0.21	1.0
KC 03* (0, -65; 192.0 m)	10.5	21.0	10.5	0.58	0.01	0.56	0.3
including	12.0	21.0	9.0	0.62	0.01	0.61	0.5
and	31.5	84.0	52.5	0.43	0.01	0.41	0.3
including	49.5	79.5	30.0	0.54	0.01	0.52	0.5
and	102.0	192.0	90.0	0.71	0.30	0.20	0.3
including	102.0	168.0	66.0	0.83	0.36	0.22	0.5
including	102.0	114.0	12.0	1.13	0.50	0.27	1.0
including	126.0	141.0	15.0	1.20	0.55	0.26	1.0
KAD 02** (0, -90; 328.3 m)	19.5	275.3	255.8	0.51	0.19	0.17	0.3
including	21.3	42.0	20.7	0.45	0.22	0.07	0.5
including	63.0	76.3	13.3	0.52	0.24	0.11	0.5
including	88.9	146.0	57.1	0.79	0.27	0.33	0.5
including	99.5	119.5	20.0	1.04	0.35	0.44	1.0
including	197.3	271.6	74.3	0.47	0.18	0.15	0.5
and	287.5	302.5	15.0	0.28	0.12	0.08	0.3
KRD002 (0, -60; 304.3 m)	13.3	238.1	224.8	0.64	0.30	0.13	0.3
including	13.3	106.2	92.9	0.82	0.41	0.12	0.5
including	64.3	101.3	37.0	1.20	0.59	0.18	1.0
including	117.5	200.2	82.7	0.62	0.26	0.18	0.5
KRD004 (0, -60)	2.7	24.0	21.3	0.34	0.01	0.32	0.3
and	36.3	54.7	18.4	0.30	0.13	0.08	0.3
and	73.1	223.0	149.9	0.46	0.16	0.18	0.3
including	79.7	166.0	86.3	0.57	0.20	0.22	0.5
KRD005 (0, -60)	45.5	65.8	20.3	0.19	0.00	0.18	0.3
and	92.0	98.6	6.6	0.77	0.00	0.76	0.3
including	95.5	98.6	3.1	1.14	0.00	1.14	1.0
and	137.1	145.0	7.9	0.60	0.28	0.12	0.3
including	139.0	143.5	4.5	0.71	0.32	0.16	0.5
and	201.2	229.5	28.3	1.60	0.88	0.09	0.3
including	202.7	228.0	25.3	1.75	0.97	0.09	0.5
including	202.7	223.2	20.5	2.01	1.11	0.10	1.0
including	208.4	218.0	9.6	3.32	1.86	0.14	2.0

KRD006 (45, -70; 294.7 m)	11.1	272.4	261.3	0.67	0.26	0.22	0.3
including	37.4	133.6	96.2	0.78	0.37	0.15	0.5
including	45.7	49.8	4.1	1.10	0.59	0.09	1
including	63.5	71.0	7.5	1.22	0.51	0.34	1
including	80.0	123.2	43.2	0.77	0.37	0.14	1
including	210.0	267.8	57.8	1.16	0.36	0.54	0.5
including	211.7	238.7	27.0	1.49	0.44	0.73	1
including	254.4	267.8	13.4	1.28	0.41	0.58	1
KRD007 (225, -60; 317.1 m)							
including	8.0	193.9	185.9	0.57	0.24	0.16	0.3
including	12.5	139.9	127.4	0.70	0.30	0.18	0.5
including	16.2	63.9	47.7	1.08	0.47	0.27	1
and	203.0	278.0	75.0	0.44	0.16	0.16	0.3
including	215.0	227.0	12.0	0.61	0.22	0.24	0.5
including	258.2	267.0	8.8	0.52	0.20	0.18	0.5
KRD008 (45, -65; 277.1 m)							
including	0.0	63.2	63.2	0.60	0.01	0.58	0.3
including	0.0	17.5	17.5	0.60	0.01	0.58	0.5
including	8	11	3	1.16	0.02	1.12	1
including	27.7	63.2	35.5	0.70	0.01	0.68	0.5
including	35.5	38.5	3	1.31	0.02	1.28	1
including	53.5	60.8	7.3	0.91	0.01	0.89	1
and	98.1	193.3	95.2	0.35	0.16	0.06	0.3
including	101.2	119	17.8	0.52	0.25	0.10	0.5
and	255.1	275.9	20.8	0.22	0.11	0.04	0.3
KRD009 (45, -65; 373.4 m)							
including	11.3	29.5	18.2	0.27	0.01	0.25	0.3
and	42.6	241.8	199.2	0.40	0.16	0.13	0.3
including	42.6	77.9	35.3	0.57	0.25	0.14	0.5
including	42.6	55.1	12.5	0.71	0.31	0.17	1
including	92.6	124.9	32.3	0.50	0.17	0.21	0.5
including	140.8	152.4	11.6	0.47	0.16	0.19	0.5
KRD010 (325,-45; 269.2 m)							
including	2.4	155.5	153.1	1.65	0.39	0.99	0.3
including	12.7	139.0	126.3	1.86	0.43	1.12	1
including	44.8	111.0	66.2	2.52	0.56	1.57	2
KRD011 (145,-60; 221.5 m)							
including	3.2	59.8	56.6	0.79	0.24	0.38	0.3
including	7.9	58.3	50.4	0.83	0.25	0.40	0.5
including	12.6	41.7	29.1	1.03	0.31	0.50	1
and	96.1	156.6	60.5	0.46	0.14	0.22	0.3
including	99.4	120.4	21.0	0.39	0.12	0.18	0.5
including	129.6	156.6	27.0	0.57	0.17	0.27	0.5
KRD012 (325,-45; 200.2 m)							
including	4.0	28.0	24.0	0.39	0.16	0.11	0.3
including	7.0	17.9	10.9	0.43	0.19	0.11	0.5
and	37.4	120.2	82.8	0.40	0.14	0.16	0.3
including	46.2	63.3	17.1	0.77	0.27	0.30	0.5
including	48.6	53.1	4.5	1.08	0.38	0.43	1

and	140.9	178.9	38.0	0.30	0.10	0.13	0.3
including	152.5	161.2	8.7	0.45	0.14	0.20	0.5
KRD013 (0,-90; 160.4 m)	2.0	18.1	16.1	0.39	0.16	0.12	0.3
including	11.1	18.1	7.0	0.56	0.26	0.12	0.5
and	68.5	90.8	22.3	0.26	0.09	0.11	0.3
and	119.3	157.6	38.3	0.31	0.11	0.13	0.3
including	152.0	157.6	5.6	0.67	0.30	0.15	0.5
KRD014 (280,-45; 206 m)	0.0	130.9	130.9	2.41	0.48	1.59	0.3
<i>including</i>	4.0	12.6	8.6	0.99	0.25	0.57	1
<i>including</i>	23.5	123.8	100.3	2.90	0.57	1.93	1
<i>including</i>	47.5	97.4	49.9	4.57	0.85	3.12	2
<i>including</i>	106.6	111.7	5.1	2.07	0.40	1.38	2
KRD015 (0,-45; 202.1 m)	0.0	125.1	125.1	0.64	0.17	0.35	0.3
including	0.0	105.9	105.9	0.69	0.18	0.38	0.5
<i>including</i>	85.5	91.4	5.9	0.91	0.24	0.49	1
and	136.2	196.1	59.9	0.33	0.09	0.17	0.3
including	156.7	179.5	22.8	0.40	0.11	0.22	0.5

¹Calculated using 0.3, 0.5, 1.0 and 2.0 g/t AuEq cut-offs and 9 metres maximum internal waste. Gold equivalency determined using \$1200/oz Au and \$3.00/lb Cu assuming 100% recovery.

* Holes drilled by Tuprag Metal Madencilik, a subsidiary of Eldorado Gold Corporation. Pilot Gold is in possession of collar and downhole data, copies of certificates and evidence that they carried out QA-QC programs. Dr. Moira Smith has no reason to believe that the information is inaccurate.

** Hole drilled by Chesser Resources Ltd. Pilot Gold is in possession of collar and downhole data, copies of certificates and QA-QC data, such that Dr. Moira Smith has no reason to believe that the information is inaccurate.