Min g/t*m	30.0
Max Waste (m)	4.0

TV Tower 2012-2013 Drill Results - Silver

Hole ID (Az, Dip)			Intercept(Ag	
(degrees)	From (m)	To (m)	m)	Ag (g/t)	Cut-off	
	0.0	4.0	,	ЭС Г	(g/t)	
KCD038 (180, -45)	0.0	4.0	4.0	26.5	10	
and and	13.0	45.7	32.7	16.1	10	
and	53.0 62.7	57.5	4.5 15.8	12.3 18.1	10 10	
and	145.1	78.5 148.7	3.6	18.1	10	
and	145.1	206.0	3.0 11.0	21.6	10	
including					-	
including	197.0	198.0	1.0	50.6	50	
KCD039 (176, -45)	6.0	16.5	10.5	9.9	10	
and	23.5	25.0	10.5	250	100	
and	50.7	76.0	25.3	250	100	
including	50.7	53.6	23.5	70.6	50	
including	67.6	74.6	7.0	37.8	50	
and	82.0	89.1	7.0	14.7	10	
and	128.1	134.1	6.0	16.2	10	
and	147.6	155.1	7.5	24.7	10	
	147.0	155.1	7.5	27.7	10	
KCD040 (200, -45)	0.0	4.0	4.0	74.5	50	
and	20.8	50.2	29.4	20.3	10	
including	27.2	28.1	0.9	73.5	50	
and	54.4	65.0	10.6	11.3	10	
and	69.9	72.0	2.1	21.1	10	
and	86.0	98.0	12.0	15.9	10	
and	102.0	105.5	3.5	10.1	10	
and	110.0	116.0	6.0	19.4	10	
KCD041 (205, -65)	0.0	4.5	4.5	20.5	10	
and	9.7	15.1	5.4	24.8	10	
and	20.5	77.0	56.5	22.5	10	
including	20.5	22.0	1.5	53.4	50	
including	39.1	43.9	4.8	65.7	50	
including	39.1	40.0	0.9	170	100	
including	48.1	49.3	1.2	64.8	50	
and	109.0	112.3	3.3	19.0	10	
and	212.0	213.5	1.5	25.1	10	
KCD042 (215, -45)	46.2	53.1	6.9	25.1	10	
including	48.7	50.1	1.4	66.2	50	
KCD043 (0, -90)	12.0	65.8	53.8	71.2	10	
including	13.5	30.0	16.5	146	50	
including	15.0	16.5	1.5	146	100	
including	22.5	28.5	6.0	267	100	
including	37.8	40.7	2.9	68.1	50	

including	46.9	48.5	1.6	58.4	50
including	62.7	64.5	1.8	185	100
and	72.8	168.0	95.2	27.9	10
including	76.0	77.0	1.0	61.7	50
including	81.0	81.7	0.7	96.6	50
including	116.0	129.6	13.6	64.9	50
including	127.0	128.0	1.0	181	100
including	133.9	136.2	2.3	74.5	50
including	133.9	134.9	1.0	104	100
including	156.4	157.2	0.8	59.6	50
and	175.0	180.5	5.5	13.0	10
KCD044 (215, -60)	23.1	25.7	2.6	35.6	10
and	35.6	39.6	4.0	12.2	10
and	121.7	124.1	2.4	16.6	10
	4.0	10.6	15.6	24.2	10
KCD045 (223, -85)	4.0 7.0	19.6 10.0	15.6 3.0	34.2 95.9	10 50
including	7.0			95.9 117	
including		8.5	1.5		100
and	24.4	50.1 38.4	25.7 6.4	31.4	10 50
including	32.0 54.6	58.4 64.0	9.4	58.5 23.7	10
and			9.4 21.6		10
and	69.0	90.6		17.0	-
and and	96.3 107.8	98.0 115.1	1.7 7.3	19.1 31.4	10 10
including	107.8	109.1	1.3	88.9	50
including	107.8	109.1	0.5	139	100
including	113.1	114.3	1.2	53.1	50
and	146.0	149.0	3.0	62.4	10
including	146.0	143.0	1.5	113	100
including	140.0	147.5	1.5	115	100
KCD046 (0, -90)	32.4	35.4	3.0	13.6	10
and	51.5	53.0	1.5	22.0	10
and	65.9	78.9	13.0	53.2	10
including	71.6	78.9	7.3	85.1	50
including	71.6	74.5	2.9	143	100
KCD047 (215, -60)	2.0	5.0	3.0	13.7	10
and	36.4	66.2	29.8	13.2	10
and	81.3	93.3	12.0	24.0	10
including	81.3	83.1	1.8	74.7	50
and	98.9	105.0	6.1	22.7	10
including	98.9	100.4	1.4	52.7	50
and	121.7	129.1	7.4	17.6	10
including	128.3	129.1	0.8	59.6	50
	10.0	12.0	1.4	26.6	10
KCD048 (210, -45)	10.6	12.0	1.4	26.6	10
and	42.5	49.4	6.9	10.6	10

KCD049 (210, -45)	26.6	50.0	23.4	14.5	10
and	73.6	99.2	25.6	18.7	10
including	93.8	95.3	1.5	74.5	50
and	138.6	141.5	2.9	30.2	10
	100.0	1110		001	
KCD050 (210, -65)	20.3	30.1	9.8	14.1	10
and	119.0	129.5	10.5	10.0	10
	110.0	125.5	10.5	10.0	10
KCD051 (0, -90)	16.8	23.0	6.2	11.4	10
Kebusi (0, 50)	10.0	23.0	0.2	11.4	10
KCD052 (0, -90)	3.1	6.9	3.8	13.0	10
and	33.1	43.0	9.9	17.8	10
and	80.5	88.0	7.5	24.0	10
	00.5	00.0	7.5	24.0	10
KCD053 (215, -45)	1.5	11.0	9.5	13.1	10
and	15.5	39.5	24.0	24.5	10 10
and	44.0	94.3	50.3	43.3	10
including	50.0	54.5	4.5	94.8	50
including	51.5	53.0	1.5	165	100
including	69.5	72.5	3.0	90.8	50
including	69.5	71.0	1.5	126	100
including	76.6	81.1	4.5	162	50
including	76.6	77.8	1.2	478	100
and	125.0	128.2	3.2	16.0	10
KCD054 (200, -55)	3.5	15.2	11.7	21.0	10
including	3.5	5.0	1.5	50.6	50
and	21.8	92.1	70.3	16.4	10
and	109.0	113.4	4.4	12.2	10
KCD055 (215, -60)	0.8	68.5	67.8	42.2	10
including	4.6	19.6	15.0	64.6	50
including	13.5	16.6	3.1	124	100
including	26.5	28.0	1.5	51.9	50
including	32.5	42.5	10.0	83.2	50
including	32.5	35.5	3.0	128	100
including	67.0	68.0	1.1	51.7	50
and	90.8	95.5	4.7	18.5	10
and	122.5	126.3	3.8	14.5	10
KCD056 (210, -60)	16.4	30.8	14.4	9.4	10
and	114.7	124.2	9.5	17.6	10
and	134.1	136.6	2.5	21.9	10
KCD057 (208, -70)	4.5	91.7	87.2	21.8	10
including	31.6	37.1	5.5	43.0	50
including	58.4	59.4	1.0	57.3	50
including	72.7	74.3	1.6	56.0	50
including	89.1	91.7	2.6	44.9	50

and	99.5	121.6	22.1	14.1	10
and	213.4	214.6	1.2	27.0	10
KCD058 (210, -47)	45.3	49.6	4.3	18.1	10
and	54.5	62.0	7.5	11.9	10
and	105.5	108.3	2.8	40.2	10
including	105.5	106.5	1.0	68.5	50
and	141.8	144.6	2.8	11.2	10
	1110	11110	2.0		10
KCD059 (0, -90)	40.7	47.6	6.9	13.6	10
and	70.6	74.8	4.2	11.3	10
and	83.5	84.2	0.8	46.9	10
and	96.6	98.2	1.6	19.3	10
	50.0	50.2	1.0	15.5	10
KCD060 (208, -80)	4.3	82.9	78.6	24.0	10
including	4.3	5.2	0.9	57.4	50
including	26.3	34.8	8.5	50.8	50
including	39.5	42.1	2.7	55.9	50
and	102.6	117.6	15.0	11.4	10
	101.0		2010		
KCD061 (35, -65)	33.0	36.3	3.3	14.5	10
and	70.5	75.6	5.1	21.4	10
and	97.0	98.5	1.5	27.7	10
and	170.0	180.0	10.0	18.6	10
including	174.9	178.5	3.6	33.2	50
including	1/4.5	170.5	5.0	55.2	50
KCD062 (217, -45)	21.6	24.7	3.1	22.0	10
and	77.1	128.4	51.3	50.5	10 10
including	84.2	128.4	19.1	64.8	50
including	85.7	87.4	1.7	154	100
including	92.1	93.5	1.7	108	100
including		103.3	1.4	108	100
including	102.2 108.5	105.5	7.2	81.3	50
including	110.9	111.9	1.0	167	100
and	132.6	185.4		107 17.1	
	132.0	103.4	52.8	1/.1	10
KCD063 (217, -48)	5.0	20.0	15.0	15 0	10
			15.0	15.8	10
and	84.2	96.4	12.2	14.3	10
	2.0	10.1	7 4	10.1	10
KCD064 (200, -80)	3.0	10.1	7.1	19.1	10
and	19.0	38.1	19.1	20.2	10
including	35.5	36.7	1.2	74.3	50
and	42.8	59.5	16.7	16.5	10
and	92.5	103.9	11.4	17.2	10
and	125.5	128.5	3.0	49.0	10
including	127.0	128.5	1.5	52.8	50
and	137.5	152.4	14.9	12.1	10
				-	
KCD065 (217, -60)	4.5	12.3	7.8	16.3	10

and	106.0	108.0	2.0	22.0	10
and			2.0	22.0	10
and including	113.0	116.0	3.0	93.3	10
including	114.0	115.0	1.0	226 21.5	100
and and	120.3 156.8	123.5 159.7	3.3	32.1	10 10
including	156.8		2.9		
Including	120.8	157.8	1.0	65.9	50
KCD066 (218, -60)	42.0		1 5	20.0	10
and	43.0	44.5	1.5 110.6	28.0	10
	67.0	177.6		69.8	10
including including	77.1 84.2	80.1 155.2	3.0 71.0	59.7 87.1	50 50
including	87.5	89.4	1.9	262	100
including	93.4	105.8	1.9 12.4	82.7	100
including	119.8	120.5	0.7	134	100
including	134.7	141.9	7.2	216	100
including	148.1	155.2	7.1	103	100
including	165.1	173.5	8.4	74.5	50
including	172.0	173.5	1.5	102	100
and	186.1	189.1	3.0	24.7	100
and	195.7	202.0	6.3	14.8	10
	100.7	202.0	0.5	14.0	10
KCD067 (210, -60)	3.7	41.1	37.4	37.3	10
including	5.1	16.8	11.7	78.0	50
	5.1	10.0	11.7	70.0	50
KCD068 (30, -60)	58.7	170.5	111.8	52.1	10
including	71.3	80.5	9.2	65.4	50
including	85.4	88.0	2.6	67.7	50
including	87.1	88.0	0.9	109	100
including	98.5	106.8	8.3	150	50
including	100.0	106.8	6.8	165	100
including	124.7	133.0	8.3	81.2	50
including	129.3	133.0	3.7	120	100
including	139.0	149.5	10.5	62.7	50
including	154.0	166.0	12.0	75.8	50
including	156.9	158.5	1.6	166	100
5	-	-		-	-
KCD069 (217, -75)	13.5	18.9	5.4	10.0	10
and	35.5	48.0	12.5	12.5	10
and	54.4	57.5	3.1	11.4	10
					~
KCD070 (210, -82)	2.3	23.4	21.1	23.2	10
· · · · ·/	6.5	8.0	1.5	77.8	50
including		32.5	4.5	10.5	10
including and	28.0	52.5		-	
-	28.0 37.6	61.1	23.5	21.7	10
and			23.5 2.1	21.7 56.2	10 50
and and	37.6	61.1			
and and including	37.6 52.4	61.1 54.5	2.1	56.2	50

KCD071 (210, -45)	2.8	56.1	53.3	65.9	10
including	5.1	6.3	1.2	51.3	50
including	43.2	56.1	12.9	212	50
including	44.4	51.4	7.0	354	100
and	116.5	118.7	2.2	15.7	10
and	134.1	143.1	9.0	13.6	10
KCD072 (210, -75)	12.1	22.5	10.4	21.0	10
KCD073 (210, -45)	46.5	50.0	3.5	13.9	10
and	54.3	75.5	21.2	18.4	10
including	66.7	68.0	1.3	54.7	50
and	82.0	87.2	5.2	31.4	10
including	83.0	84.0	1.0	58.6	50
	05.0	04.0	1.0	50.0	50
KCD074 (210, -70)	1.1	77.6	76.5	63.8	10
including	3.2	5.5	2.3	70.4	50
including	22.7	43.5	2.3 20.8	170.4	50 50
including	24.9	38.4	13.5	227	100
and	81.8	89.9	8.1	35.9	100
including	84.6	85.4	0.8	197	100
and	94.2	104.1	9.9	16.7	100
and	114.9	119.0	4.1	35.7	10
and	125.3	133.8	8.6	10.4	10
and	171.7	174.7	3.0	10.5	10
KCD075 (210, -60)	31.8	47.5	15.7	13.4	10
and	52.3	83.0	30.7	15.4	10
and	109.0	111.4	2.4	23.1	10
	109.0	111.4	2.4	23.1	10
KCD076 (213, -70)	73.6	77.0	3.4	26.2	10
and	89.7	98.0	8.3	16.2	10
KCD077 (213, -50)	33.7	40.4	6.7	11.4	10
and	51.9	53.5	1.6	21.6	10
KCD078 (217, -50)	13.9	15.4	1.5	21.4	10
KCD079 (220, -85)	0.2	78.3	78.1	33.7	10
including	0.2	5.2	5.0	86.7	50
including	14.2	19.5	5.3	70.0	50
including	24.4	25.7	1.3	112	100
including	59.0	65.4	6.4	51.8	50
including	64.6	65.4	0.8	116	100
and	82.7	91.8	9.1	9.7	10
and	99.4	109.1	9.6	11.8	10
and	157.5	162.6	5.1	13.4	10
and	186.3	188.6	2.3	23.1	10

					_
KCD080 (207, -50)	13.9	23.9	10.0	9.8	10
and	36.5	42.5	6.0	12.3	10
and	66.4	71.0	4.6	26.1	10
including	70.5	71.0	0.5	166	100
KCD081 (212, -50)	0.0	4.5	4.5	17.6	10
KCD082 (210, -65)	53.5	76.0	22.5	58.6	10
including	56.5	69.7	13.2	86.9	50
including	59.5	66.5	7.0	94.1	100
and	90.4	102.4	12.0	19.4	10
and	106.4	135.5	29.1	20.6	10
including	112.1	113.5	1.4	62.0	50
and	142.0	149.2	7.2	12.3	10
KCD083 (205, -65)	11.2	25.5	14.3	15.0	10
		1	1		
KCD084 (218, -50)		No Signi	ficant Silver	Results	
KCD085 (192, -60)	26.9	29.8	2.9	11.0	10
and	35.0	54.4	19.4	11.0	10
including	42.5	44.0	1.5	55.1	50
and	104.4	105.5	1.1	35.9	10
and	125.5	103.3	2.8	18.4	10
unu	125.5	120.5	2.0	10.4	10
KCD086 (210, -60)	5.0	72.2	67.2	33.6	10
including	9.5	12.0	2.5	59.4	50
including	23.7	31.3	7.6	58.4	50
including	42.5	47.0	4.5	53.7	50
including	64.0	67.8	3.8	47.1	50
including	90.8	94.0	3.2	159	100
including	101.0	102.4	1.4	294	100
and	78.5	107.3	28.8	56.8	100
including	78.5	80.0	1.5	74.6	50
including	90.8	94.0	3.2	159	50
including	98.1	104.6	6.5	103	50
and	119.2	132.7	13.5	22.6	10
including	131.2	132.7	1.5	51.3	50
	101.2	192.7	1.5	51.5	50
KCD087 (207, -48)	1.8	25.6	23.8	37.6	10
including	3.1	16.0	12.9	49.2	50
including	14.4	16.0	1.6	116	100
and	35.0	41.6	6.6	110	100
	55.0	41.0	0.0	10.9	10
	25.5	70.0	25.4	FC 4	10
KCD088 (215, -80)	35.5	70.9	35.4	56.1	10
including	38.5	40.0	1.5	76.2	50
including	46.0	69.5	23.5	69.7	50
including	58.0	64.7	6.7	119	100
including	85.0	88.0	3.0	75.1	50

and	80.5	154.2	73.7	23.1	10
including	101.5	104.5	3.0	83.9	50
including	101.5	103.1	1.6	102	100
and	167.5	170.5	3.0	17.7	10
KCD089 (216, -70)	6.0	20.0	14.0	16.0	10
and	57.8	59.3	1.5	45.6	10
and	83.3	96.8	13.5	13.7	10
and	146.5	148.1	1.6	23.6	10
and	152.3	155.6	3.3	41.4	10
including	153.8	155.6	1.8	55.6	50
		I	I		I
KCD090 (207, -70)	0.0	90.7	90.7	23.5	10
including	25.1	26.4	1.3	68.3	50
including	49.4	50.5	1.1	57.7	50
including	75.9	76.9	1.0	54.5	50
and	101.5	103.1	1.6	19.6	10
and	143.5	146.1	2.6	12.1	10
		•	•	ē	•
KCD091 (0, -90)	112.3	161.0	48.7	46.0	10
including	117.6	145.3	27.7	63.2	50
including	125.3	132.0	6.7	64.1	100
including	137.6	141.2	3.6	124	100
including	150.0	151.4	1.4	73.1	50
KCD092 (188, -45)	32.4	50.5	18.1	26.2	10
including	46.9	49.0	2.1	69.0	50
KCD093 (212, -45)	9.5	65.0	55.5	87.9	10
including	20.0	21.5	1.5	67.0	50
including	26.0	65.0	39.0	113	50
including	32.0	39.5	7.5	256	100
including	44.0	45.5	1.5	193	100
including	50.0	51.5	1.5	197	100
and	69.6	117.0	47.4	13.9	10
and	123.0	140.6	17.6	15.0	10
and	149.0	172.0	23.0	16.1	10
KCD094 (212, -70)	52.0	187.5	135.5	85.9	10
including	64.8	71.1	6.3	1080	50
including	66.3	71.1	4.8	1389	100
including	84.0	97.7	13.7	94.0	50
including	86.4	87.8	1.4	112	100
including	92.2	95.3	3.1	136	100
including	102.9	105.5	2.6	94.7	50
including	104.4	105.5	1.1	108	100
including	116.2	117.5	1.3	58.5	50
including	121.5	125.0	3.5	92.2	50
including	122.4	123.1	0.7	129	100

in aludin a	120.0	134.4	2.0	<i>(</i> 7 7	50
including	130.8		3.6 4.4	67.7	50
including	142.6	147.0		47.3	50
including	152.4	153.4	1.0	51.4	50
including	174.1	175.6	1.5	54.6	50
and	202.6	217.5	14.9	17.3	10
including	216.6	217.5	0.9	69.2	50
and	225.9	228.3	2.4	20.8	10
KCD095 (210, -80)	24.3	34.6	10.3	11.5	10
and	55.2	64.7	9.5	65.7	10 10
including	57.8	62.5	4.7	112	50
including	59.4	61.0	1.6	112	
including	59.4	01.0	1.0	157	100
KCD096 (213, -75)	8.0	128.5	120.5	50.6	10
including	20.0	23.0	3.0	54.4	50
including	30.6	46.7	16.1	217	50 50
including	30.6	45.0	14.4	234	100
including	53.0	54.5	1.5	55.8	50
including	93.5	95.0	1.5	58.1	50
including	107.0	108.5	1.5	72.8	50
and	133.5	145.7	12.2	11.1	10
	100.0	11017	12.2		10
KCD097 (33, -70)	128.6	166.5	37.9	53.6	10
including	129.8	133.8	4.0	97.5	50
including	131.2	132.4	1.2	127	100
including	146.3	160.6	14.3	79.8	50
including	151.1	155.6	4.5	94.2	100
5					
KCD098 (210, -75)	7.6	14.0	6.4	15.3	10
and	19.7	29.5	9.8	14.4	10
including	53.0	54.1	1.1	58.0	50
and	49.5	54.1	4.6	39.0	10
KCD099 (35, -60)	20.3	28.0	7.7	12.2	10
_				1	
KCD100 (214, -80)	48.6	180.9	132.3	47.9	10
including	51.7	57.4	5.7	63.0	50
including	70.5	75.9	5.4	81.1	50
including	74.7	75.9	1.2	106	100
including	101.6	116.8	15.2	103	50
including	103.6	108.1	4.5	219	100
including	122.4	143.9	21.5	80.6	50
including	134.4	138.5	4.2	137	100
including	150.6	154.1	3.5	59.5	50
including	162.9	164.1	1.2	52.7	50
and	189.7	190.7	1.0	42.4	10
			-	-	
KCD101 (200, -60)	0.5	6.5	6.0	21.4	10
and	13.4	86.4	73.0	102	10

including	27.5	60.5	33.0	199	50
including	29.0	49.3	20.3	260	100
including	57.7	59.4	1.7	417	100
and	105.5	109.0	3.5	13.6	10
and	128.0	135.2	7.2	73.6	10
including	128.0	133.5	5.5	91.9	50
including	132.6	133.5	0.9	353	100
and	140.4	144.8	4.4	20.0	10
and	201.7	204.4	2.7	11.4	10
		-	1	1	1
KCD102 (220, -70)	16.8	35.3	18.5	12.8	10
and	91.5	103.2	11.7	65.5	10
including	96.0	103.2	7.2	94.5	50
including	98.3	100.7	2.4	142	100
		1000			
KCD103 (33, -75)	106.9	126.6	19.7	12.8	10
KCD104 (208, -60)	9.7	103.7	94.0	69.0	10
including	11.2	39.7	28.5	183	50
including	14.2	32.3	18.1	255	100
including	83.9	88.2	4.3	53.0	50
and	109.9	122.2	12.3	44.5	10
including	112.0	113.0	1.0	193	100
including	111.0	117.3	6.3	70.9	50
	-	_			
KCD105 (30, -55)	12.4	14.0	1.6	21.3	10
and	50.7	147.1	96.4	57.5	10
including	60.2	69.1	8.9	275	50
including	63.7	66.7	3.0	671	100
including	75.0	76.5	1.5	54.9	50
including	82.1	89.0	6.9	70.7	50
including	87.9	89.0	1.1	177	100
including	105.9	107.3	1.4	57.8	50
including	116.0	126.2	10.2	48.2	50
including	131.9	133.4	1.5	136	100
including	141.0	142.7	1.7	113	100
	422.0	4 4 4 F	17.0	22.2	10
KCD106 (0, -90)	123.8	141.5	17.8	23.3	10
including	133.2	136.2	3.0	81.0	50
KCD107 (0, -90)	5.5	19.3	13.8	16.5	10
and	26.5	50.5	24.0	19.4	10
including	30.7	34.0	3.3	55.0	50
and	56.0	64.0	8.0	44.5	10
including	58.5	62.5	4.0	70.5	50
		_	· ·		•
KCD108 (210, -90)	53.0	175.7	122.7	93.0	10
including	54.5	59.2	4.7	58.9	50
including	63.6	71.7	8.1	619	50

including	68.2	71.7	3.5	1385	100
including	92.5	93.8	1.3	91.3	50
including	101.2	104.3	3.1	63.2	50
including	108.5	155.5	47.0	95.4	50
including	108.5	116.5	8.0	104	100
including	124.8	140.0	15.2	140	100
including	147.0	149.7	2.7	131	100
	2.7.0	2.007			100
KCD109 (215, -79)	5.0	76.2	71.2	23.3	10
including	6.5	9.5	3.0	112	100
including	42.7	44.0	1.3	65.2	50
and	82.0	91.0	9.0	13.0	10
and	112.0	113.5	1.5	22.4	10
and	124.1	128.5	4.4	16.2	10
and	149.5	151.0	1.5	21.3	10
and	201.8	204.8	3.0	22.7	10
and	215.5	217.0	1.5	20.6	10
KCD110 (0, -90)	3.2	18.8	15.6	14.9	10
and	28.2	35.1	6.9	11.2	10
and	40.2	41.5	1.3	33.2	10
and	45.9	55.0	9.1	13.3	10
KCD111 (30, -85)	3.0	49.7	46.7	20.3	10
including	32.5	39.1	6.6	48.7	50
and	86.8	88.9	2.1	24.2	10
and	182.5	186.5	4.0	25.3	10
KCD112 (30, -85)	0.0	86.0	86.0	24.5	10
including	14.0	18.5	4.5	100	50
including	15.5	17.0	1.5	113	100
including	24.3	25.7	1.4	62.9	50
including	67.9	69.0	1.1	62.0	50
and	91.6	98.5	6.9	13.4	10
and	103.8	109.0	5.2	17.6	10
and	130.4	131.9	1.5	24.1	10
and	171.7	176.2	4.5	22.0	10
KCD113 (210, -75)	100.0	153.0	53.0	30.5	10
including	100.8	103.8	3.0	48.2	50
including	120.9	122.3	1.4	56.1	50
including	128.5	134.5	6.0	71.6	50
including	141.9	143.0	1.1	74.0	50
and	160.2	161.9	1.8	26.0	10
and	175.5	181.5	6.0	10.8	10
and	222.5	227.1	4.6	10.8	10
	-			_	
KCD114 (30, -80)	2.5	110.2	107.7	31.8	10
including	11.5	13.6	2.1	70.4	50

including	21.7	26.5	4.8	96.0	50
including	21.7	22.7	1.0	122	100
ncluding	32.5	35.5	3.0	71.2	50
including	34.6	35.5	0.9	117	100
ncluding	41.5	43.0	1.5	97.5	50
including	47.3	49.9	2.6	74.8	50
including	59.5	61.0	1.5	51.0	50
including	74.2	75.2	1.0	58.4	50
including	96.8	97.4	0.6	52.4	50
KCD11E (10E 72)	1.5	84.1	82.6	51.5	10
KCD115 (195, -72)	2.7				
including including	33.5	8.5 45.4	5.8 11.9	39.7 115	50 50
including	33.5	42.3	8.8	129	100
including	49.8	59.0	9.3	82.7	50
including	55.2	56.2	1.0	183	100
including	68.5	69.0	0.5	64.6	50
including	73.0	74.0	1.0	180	100
including	78.6	79.4	0.8	172	100
and	90.2	96.6	6.4	28.3	10
and	102.4	126.6	24.2	17.4	10
including	111.1	112.5	1.4	79.9	50
and	133.9	137.9	4.0	17.5	10
and	142.1	147.5	5.4	11.1	10
and in clouding	155.8	161.4	5.6	35.4	10
including	158.9	160.2	1.3	73.1	50
KCD116 (210, -70)	102.9	122.4	19.6	29.5	10
and	109.8	110.8	1.0	61.8	50
and	116.3	121.4	5.1	45.4	50
and	143.4	149.5	6.1	15.0	10
KCD117 (30, -85)	4.7	10.0	5.3	9.5	10
and	14.5	57.6	43.1	63.2	10
including	14.5	16.0	1.5	54.1	50
including	35.5	54.8	19.3	113	50
including	40.0	50.1	10.1	161	100
and	65.5	77.0	11.5	16.5	10
and	84.5	88.6	4.1	19.4	10
and	100.0	109.0	9.0	29.4	10
I			-	• • • • • • • • • • • • • • • • • • •	· · ·
KCD118 (190, -55)	0.5	59.0	58.5	49.2	10
including	2.0	5.1	3.1	92.3	50
including	3.5	5.1	1.6	104	100
including	9.5	29.8	20.3	91.2	50
including	24.0	29.8	5.8	176	100
KCD119 (210, -75)	137.2	155.0	17.8	16.3	10
120113 (610, -/3)	137.2	0.661	I 1/.Ö	10.5	I TU

KCD120 (30, -60)	8.5	62.4	53.9	71.7	10
including	16.0	30.5	14.5	189	50
including	23.0	29.3	6.3	335	100
including	39.7	44.9	5.2	75.5	50
including	42.8	43.8	1.0	101	100
and	77.5	78.8	1.3	24.9	10
including	89.5	92.5	3.0	98.0	50
including	89.5	90.9	1.4	131	100
and	84.1	119.5	35.4	22.6	10
KCD121 (30, -85)		No signi	ficant silver	results	
		1			
KCD122 (0, -90)	10.2	54.9	44.7	88.0	10
including	11.7	38.3	26.6	136	50
including	11.7	23.8	12.1	150	100
including	29.8	31.7	1.9	108	100
including	35.8	38.3	2.5	371	100
and	71.5	89.5	18.0	16.0	10
and	94.0	101.5	7.5	13.1	10
and	107.5	114.6	7.1	12.2	10
KCD123 (210, -70)	8.3	58.0	49.7	23.7	10
including	47.3	48.8	1.5	56.9	50
and	64.2	87.9	23.7	39.7	10
including	64.2	65.3	1.1	65.5	50
including	70.2	75.9	5.7	72.1	50
including	85.0	86.5	1.5	59.2	50
KCD124 (300, -75)	140.5	200.0	59.5	59.1	10
including	142.0	153.0	11.0	67.6	50
including	148.0	149.5	1.5	123	100
including	162.1	187.2	25.1	87.1	50
including	168.6	174.7	6.1	118	100
including	180.4	181.6	1.2	171	100
	71.0	77.0	6.2	22.7	40
KCD125 (0, -90) including	71.0	77.3	6.3	23.7	10
including	71.0	72.8	1.8	57.3	50
KCD126 (0, -90)	10.8	61.0	50.2	23.8	10
including	23.5	25.2	1.7	53.6	50
including	32.8	35.7	2.9	47.8	50
including	47.5	48.7	1.2	51.0	50
and	65.5	85.0	19.5	39.2	10
including	75.8	83.4	7.6	58.0	50
and	317.0	318.5	1.5	32.2	10
and	368.5	370.4	1.9	37.0	10
		Nosia	ficant cilier	roculto	
KCD127 (210, -60)		ino signi	ficant silver	results	

KCD128 (30, -45)	64.5	92.6	28.1	23.1	10
including	65.4	73.6	8.2	47.7	50
		I	I		
KCD129 (210, -85)	44.9	54.3	9.4	10.2	10
and	66.4	70.9	4.5	20.2	10
KCD130 (210, -75)	5.9	64.0	58.1	36.1	10.0
including	10.5	27.0	16.5	64.8	50.0
including	18.0	24.0	6.0	95.4	100.0
including	32.5	34.1	1.6	56.1	50.0
including	58.0	59.5	1.5	69.6	50.0
KCD131 (0, -90)		No signi	ificant silve	r results	
KCD132 (210, -55)		No signi	ificant silve	r results	
KCD133 (210, -60)	46.5	68.3	21.8	19.9	10.0
			-		
KCD134 (210, -80)	10.0	24.5	14.5	327	10
including	14.5	23.0	8.5	547	100
and	29.4	50.0	20.6	29.0	10
including	35.0	38.5	3.5	70.9	50
including	42.6	44.1	1.5	50.5	50
and	59.4	63.5	4.1	9.1	10
and	84.0	91.0	7.0	12.3	10
KCD135 (30, -60)	29.0	30.5	1.5	20.9	10
and	38.0	41.0	3.0	67.2	10
including	39.5	41.0	1.5	94.3	50
KCD136 (30, -85)	62.0	97.0	35.0	8.5	10
and	102.9	109.0	6.1	11.7	10
		1	1	-	
KCD137 (30, -70)	118	121.1	3.1	11.2	10
KCD138 (30, -60)		No signi	ificant silve	r results	
	0 -				
KCD139 (30, -55)	8.4	57.0	48.6	20.6	10
and	64.0	87.9	23.9	18.3	10
	102.0	104 5	1 -	21.0	10
KCD140 (0, -90)	103.0	104.5	1.5	21.0	10
and	147.9 164.4	151.1 171.3	3.2 6.9	13.7 13.2	10 10
and	164.4	171.3	1.5	33.8	10
and and		209.5	1.5	21.5	10
anu	208.0	209.5	1.5	21.5	10
	21 4	27.0	C F	171	10
KCD141 (30, -80)	21.4	27.9	6.5	17.1	10
and	113.1	123.5	10.4	12.9	10
and	129.3	131.3	2.0	16.7	10

KCD142 (240, -80)	10.3	86.1	75.8	32.5	10
including	13.9	16.7	2.8	80.1	50
including	15.4	16.7	1.3	106	100
including	28.5	30	1.5	66.1	50
including	43.6	44.5	0.9	82.7	50
including	56.1	58.2	2.1	67.5	50
including	69.2	75.1	5.9	69.7	50
and	91.6	96.6	5.0	13.4	10
and	110.5	121	10.5	14.4	10
and	127	132.7	5.7	8.1	10
and	193	197.5	4.5	11.8	10
KCD143 (330, -85)	16.0	37.7	21.7	10.8	10
and	107.1	123.0	15.9	18.2	10
including	108.1	109.1	1.0	85.0	50
and	127.0	130.0	3.0	20.3	10
and	136.2	139.0	2.8	23.3	10
	-				
KCD144 (185, -70)	0	2.2	2.2	15.8	10
and	45	46.5	1.5	25.2	10
			-	-	-
KCD146 (30, -75)	10.0	80.4	70.4	27.1	10
including	13.1	23.5	10.4	57.1	50
including	49.0	50.5	1.5	55.3	50
including	68.5	71.6	3.1	54.4	50
and	86.5	103.0	16.5	18.6	10
including	97.0	98.5	1.5	51.9	50
and	180.3	184.3	4.0	10.3	10
and	195.5	197.1	1.6	29.7	10
KOD4 47 (205 72)		10.7	17.0	42.5	10
KCD147 (305, -73)	0.8	18.7	17.9	13.5	10
and	28	46.9	18.9	14.0	10
and and	54.5	63.5	9.0	22.8	10
anu	101.2	104.3	3.1	20.7	10
KCD148 (30, -80)	69.9	147.4	77.5	51.4	10
including	100.3	130.0	29.7	94.8	50
including	108.4	109.9	1.5	319	100
including	117.5	128.5	11.0	114	100
including	139.9	140.7	0.8	51.2	50
and	202.7	208.0	5.3	20.0	10
	202.7	200.0	5.5	20.0	-10
KCD149R (30, -60)	157.5	219.0	61.5	43.6	10
including	159.0	162.0	3.0	64.2	50
including	177.0	204.0	27.0	65.0	50
including	180.0	181.5	1.5	105	100
mendaning	100.0	101.5	1.5	105	100
KCD150 (30, -90)	17.6	69.6	52.0	37.2	10
	17.0	55.0	52.0	57.2	10

including	20.6	21.9	1.3	63.6	50
including	26.3	35.2	8.9	107	50
including	27.8	32.2	4.4	166	100
including	43.0	44.4	1.4	77.8	50
and	81.1	84.1	3.0	21.0	10
and	99.2	107.1	7.9	10.0	10
and	113.7	121.6	7.9	17.5	10
and	126.1	130.6	4.5	12.2	10
KCD151R (210, -60)	91.5	183.0	91.5	90.2	10
including	97.5	132.0	34.5	176	50
including	99.0	106.5	7.5	567	100
including	145.5	147.0	1.5	53.5	50
including	154.5	163.5	9.0	106.9	50
including	154.5	160.5	6.0	110.8	100
including	171.0	172.5	1.5	63.7	50
i					
KCD152 (30, -60)	172	197.5	25.5	22.8	10
including	193	194.5	1.5	50.3	50
and	205	216.9	11.9	13.9	10
and	223	224.5	1.5	20.4	10
KCD153 (210, -70)	0.0	28.1	28.1	65.2	10
including	0.0	4.1	4.1	93.7	50
including	2.9	4.1	1.2	102	100
including	14.2	21.5	7.3	140	50
including	15.6	21.5	5.9	153	100
and	52.4	105.6	53.2	24.9	10
including	86.2	87.7	1.5	92.0	50
and	122.0	135.9	13.9	13.8	10
	11110	10010	1010	1010	
KCD154 (30, -50)	170.5	173.5	3.0	16.5	10
and	186.0	173.5	3.0	18.4	10
	100.0	105.0	5.0	10.4	10
KCD155 (210, -50)	115.1	141.5	26.4	22.4	10
including	124.1	125.0	1.0	54.6	50
and	158.0	123.0 184.0	26.0	31.2	10
including	162.5	165.5	3.0	98.2	50
including	162.5	164.0	1.5	144	100
including	179.5	181.0	1.5	64.9	50
and	179.5	194.5	6.0	11.4	10
and	206.5	215.5	9.0	11.4	10
	200.5	213.3	9.0	10.0	10
	1 <i>6</i> Г	10 F	2.0	107	10
KCD156R	16.5	19.5 81.0	3.0	13.7	10 10
and	75.0	81.0	6.0	14.2	-
and	85.5	148.5	63.0	20.3	10
including	132.0	141.0	9.0	49.8	50
and	169.5	195.0	25.5	18.8	10

KCD157 (210, -60)	0.5	17.9	17.4	21.7	10	
including	2.1	3.3	1.2	64.6	50	
and	27.4	122.6	95.2	37.2	10	
including	35.5	47.2	11.7	111	50	
including	40.4	47.2	6.8	150	100	
including	60.8	62.3	1.5	52.8	50	
including	74.1	75.8	1.7	62.2	50	
including	84.7	89.4	4.7	76.1	50	
and	128.2	130.8	2.6	16.7	10	
and	136.0	145.3	9.3	17.2	10	
and	149.5	151.0	1.5	25.6	10	
and	242.3	243.9	1.6	26.7	10	
KCD158 (30, -65)	116.5	119.5	3.0	12.2	10	
and	125.5	146.5	21.0	16.0	10	
and	155.5	158.5	3.0	10.1	10	
KCD159R (210, -75)	111	118.5	7.5	14.5	10	
and	124.5	129	4.5	12.6	10	
KCD160 (30, -50)	9.7	47.7	38.0	35.6	10	
including	22.6	24.0	1.4	52.5	50	
including	35.1	47.7	12.6	58.6	50	
including	41.7	42.7	1.1	115	100	
and	51.7	83.0	31.3	17.8	10	
and	87.5	93.5	6.0	10.8	10	
and	104.0	108.5	4.5	10.7	10	
KCD161R (30, -65)	139.5	141.0	1.5	27.2	10	
		1	1			
KCD162 (210, -50)	2.0	23.4	21.4	38.5	10	
including	4.3	5.4	1.1	124	100	
including	18.9	22.6	3.7	81.5	50	
and	60.5	134.0	73.5	16.2	10	
including	124.0	125.0	1.0	59.2	50	
KCD163R (30, -60)	No significant silver results					
	45.0	47 -	1.0	20.7	10	
KCD164 (10, -65)	15.9	17.5	1.6	28.7	10	
and	25.3	27.9	2.6	11.6	10	
and	50.5	55.0	4.5	11.1	10	
and	79.3	82.3	3.0	31.6	10	
including	81.1	82.3	1.2	59.7	50	
and including	88.2	113.3	25.1	49.6	10	
including including	89.9	93.2	3.3	218	50	
including	89.9	91.0	1.1 3.2	494	100 50	
including	104.0 106.0	107.2 107.2	1.2	68.7 106		
					100	
and	203.5	206.5	3.0	13.6	10	

KCD165R (210, -60)	111.0	156.0	45.0	18.4	10
including	120.0	121.5	1.5	54.9	50
and	183.0	198.0	15.0	10.5	10
KCD166 (30, -55)	194.2	198.5	4.3	10.3	10
and	203.3	228.2	24.9	12.8	10
and	259.5	268.9	9.4	10.5	10
	26.0	27 5	4 5	26.2	10
KCD167R (30, -60)	36.0	37.5	1.5	26.2	10
and	43.5	48.0	4.5	21.6	10
and	121.5	145.5	24.0	50.7	10
including	124.5	130.5	6.0	105.8	50
including	129.0	130.5	1.5	275.0	100
including	138.0	139.5	1.5	73.5	50
and	150.0	154.5	4.5	12.7	10
and	169.5	175.5	6.0	9.3	10
and	181.5	201.0	19.5	19.3	10
KCD168 (30, -50)	6.0	7.4	1.4	29.2	10
and	70.3	145.6	75.3	47.8	10
including	84.5	86.0	1.5	72.9	50
including	107.0	120.5	13.5	158.4	50
including	107.0	116.0	9.0	209.2	100
including	126.5	128.0	1.5	63.7	50
		102 -			
KCD169R (30, -70)	67.5	100.5	33.0	23.4	10
and	105.0	175.5	70.5	112.5	10
including	118.5	120.0	1.5	1145.0	100
including	126.0	144.0	18.0	102.7	50
including	133.5	144.0	10.5	137.3	100
including	150.0	175.5	25.5	143.8	50
including	160.5	174.0	13.5	215.6	100
KCD170 (210, -60)	0.0	29.8	29.8	32.1	10
including	0.0	1.0	1.0	51.4	50
including	11.5	16.0	4.5	96.3	50
including	14.5	16.0	1.5	145.0	100
including	20.5	22.0	1.5	61.3	50
and	42.9	78.9	36.0	22.5	10
	404.0	102.1	2.4	45.4	4.0
KCD171 (210, -45)	101.0	103.1	2.1	15.1	10
and	111.0	119.8	8.8	26.5	10
			6.2	9.2	10
KCD172 (50, -45)	88.5	94.7	0.2		
	88.5 99.3	94.7 104.1	4.8	25.7	10
KCD172 (50, -45)				25.7 21.6	10 10

KCD173 (50, -45)	115.7	125.3	9.6	11.8	10
and	131.4	134.9	3.5	25.9	10